

# **Safety Data Sheet**

AR

Date Prepared: 07/21/2021

## **Section 1. Identification**

Manufacturer:

AutoRenu

308 E Market St.

New Albany, IN 47150

(855)275-2788

(800)424-9300

**Product Identification: Tire Dressing** 

Suggested Use: Use to coat surfaces of tires & exterior trim, providing protection from

damaging environmental elements and increased shine

# Section 2. Hazard(s) Identification

Hazard Class &		Pictograms &
Category	<b>Hazard Statement Codes</b>	Signal Word
Codes		

Eye Irrit. 2A H320: Causes eye irritation.



Precautionary	Precautionary Statements
Statements Codes	
P101	If medical advice is needed, have product container or label at hand
P102	Keep out of reach of children
P103	Read label before use
P280	Wear protective eye protection/face protection.
P305+P351+P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing. Immediately call a
	POISON CENTER or doctor/physician.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container at approved waste facility

# **Section 3. Composition/Information on Ingredients**

Component Name	<b>CAS Number</b>	<b>EC Number</b>	Percentage
Water	7732-18-5	231-791-2	Balance
Silicone emulsion	Mixture	N/A	75-80%

# **Section 4. First Aid Measures**



**Eyes:** Flood with large amounts water at least 20 min.; get immediate medical attention if irritation persists. Can cause irritation, redness, tearing, and blurred vision.

**Skin:** Flush exposed area with water. Remove all contaminated clothing. Prolonged or repeated contact can cause moderate irritation.

**Inhalation:** If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, calm, and get medical attention. **Oral:** If swallowed, induce vomiting. Vomiting can be induced with syrup of Ipecac. Give fluids until the vomitus is clear. Get medical attention.

## **Section 5. Fire Fighting Measures**

Flash Point: Does not flash

**Autoignition Temperature:** Not determined **Flammability Limits in Air:** Not determined

Extinguishing Media: Carbon dioxide (CO2) water spray. Dry chemical foam can be used to cool fire-

exposed containers.

**Fire Fighting Procedure:** Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. Evacuate area in case of overheating or fire. Vapors are heavier than air and may travel to a source of ignition and flash back. Static electricity will accumulate and may ignite vapors.

Hazardous Decomposition Products: Carbon oxides and various hydrocarbons.

### **Section 6. Accidental Release Measures**

**Containment/Clean Up:** Sections 13 and 15 of this MSDS provide information regarding certain Federal and local requirements. Collect for disposal. Clean up remaining materials from spill with suitable absorbent. For large spills provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean area as appropriate as some silicone material, even in small quantities, may present a slip hazard. Final cleaning may require steam, solvents or detergents. Observe all personal protection equipment recommendations described in Sections 5 and 8 of this MSDS. Observe all Federal and government regulations that may apply to the cleanup of this material.

## **Section 7: Handling and Storage**

**Handling (Personnel):** Avoid contact with oxidizing agents. Spilled substance increases risk of slippage. **Storage:** Keep container tightly closed.

## <u>Section 8: Exposure Controls and Personal Protection</u>

Contains no substances with occupational exposure limit values. Hazardous components without workplace control parameters

None of the components have assigned exposure limits.

**Engineering Controls:** 



**Local Exhaust:** Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV(s).

General exhaust: Recommended

#### **Personal Protective Equipment for Routine Handling:**

**Eyes:** Use proper protection – safety glasses as a minimum. **Skin:** Washing at meal time and end of shift is adequate.

Suitable Gloves: butyl rubber protection gloves

**Inhalation:** If spraying or other operations that generate an aerosol mist are conducted,

respiratory protection for exposed personnel is recommended.

**Precautionary Measures:** Avoid eye contact.

## **Section 9: Physical and Chemical Properties:**

Physical Form: Liquid Viscosity: Not determined Color: White Melting Point: Not determined Odor: Slight Chemical **Boiling Point:** Not determined Specific Gravity @ 25° C: Flash Point: 1.01 Does not flash Solubility in Water: Water Soluble Vapor Pressure @ 25° C Not determined

VOC content (% by 0% pH: 7-8

weight)

## **Section 10: Stability and Reactivity**

**Chemical Stability:** Stable

Hazardous Polymerization: Will not polymerize

Conditions to Avoid: None known

Materials to Avoid: Strong oxidizing agents

Hazardous Decomposition products: Thermal Decomposition - Formaldehyde

# **Section 11: Toxicological Information**

**Acute Toxicity** 

Not classified based on available information

Acute Oral Toxicity: Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute Dermal Toxicity Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

# **Section 12: Ecological Information**

**Ecotoxicity** 

Not classified based on available information

## **Section 13: Disposal Considerations**



Landfill and/or incinerate where permitted in compliance with all applicable Federal, State and local government regulations.

## **Section 14: Transportation Information**

DOT (US)

Not dangerous goods

**IMDG** 

Not dangerous goods

IATA

Not dangerous goods

## **Section 15: Regulatory Information**

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200. This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

TSCA Status: All chemical substances in this material are included on or exempted from

listing on the TSCA inventory of chemical substances.

EPA SARA Title III Section 302 Extremely Hazardous None

Chemical Listings Substances

Section 304 CERCLA Hazardous None

Substances

Section 312 Hazard Class Acute No

Chronic No Fire No Pressure No Reactive No

Section 313 Toxic Chemicals None

Supplemental State

Compliance Information None

## **Section 16: Other Information**

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. Any material supplied is the sole responsibility of the user. All materials may present unknown health hazards and we cannot guarantee that the hazards listed herein are the only hazards that exist.