

BING LIGHT

INTERNATIONAL



BINGT
INTERNATIONAL

ABOUT US

Welcome to Bing Light International, a beacon of innovation in the world of LED lighting and accessories. Established in 1984, Bing Light International has been a shining presence in the South African market, illuminating homes, businesses, and public spaces with cutting-edge lighting solutions.

Founded by the visionary entrepreneur, the late Mr. Bing Bisetty, Bing Light International was built upon a foundation of unwavering commitment to quality, innovation, and customer satisfaction. Mr. Bisetty's entrepreneurial spirit and passion for excellence propelled the company to become a leading supplier of LED lighting solutions in South Africa.

At Bing Light International, we believe in transforming spaces through the power of light. Our extensive range of products showcases the latest advancements in LED technology, providing energy-efficient, eco-friendly, and aesthetically pleasing lighting solutions for various applications.

Whether you're enhancing the ambiance of your home, upgrading your office lighting, or illuminating outdoor spaces, Bing Light International is your trusted partner for brilliance.

"What sets us apart is not just our products but our dedication to exceeding expectations. Our team of experts continuously explores new possibilities in lighting design, ensuring that our customers receive state-of-the-art solutions that align with the evolving trends in the industry." - B Bisetty

As we celebrate our 40 years of illumination excellence, Bing Light International remains committed to Mr. Bing Bisetty's legacy, upholding the values of integrity, innovation, and customer-centricity. Join us on a journey of light and innovation as we continue to brighten the future with Bing Light International.

Illuminate your world with Bing Light International – Where Brilliance Meets Innovation.



VALUES

Innovation: We embrace a culture of continuous exploration and creativity, driving advancements in lighting design and technology to deliver products that exceed expectations.

Integrity: We conduct business with honesty, transparency, and a commitment to ethical practices, ensuring the trust and confidence of our customers, partners, and stakeholders.

Customer-Centricity: Our customers are at the heart of everything we do. We actively listen to their needs, provide tailored solutions, and strive to exceed their expectations, fostering long-lasting relationships.

Excellence: We pursue excellence in all aspects of our work, from product development to customer service. Our goal is to consistently deliver superior quality and performance.


MISSION

At Bing Light International, our mission is to provide cutting-edge LED lighting solutions that redefine the way people experience and interact with light. We are dedicated to advancing technology, promoting energy efficiency, and creating aesthetically pleasing environments for homes, businesses, and public spaces. Through unwavering commitment to quality and customer satisfaction, we aim to be the go-to partner for those seeking brilliance in illumination.

VISION

To be the foremost pioneer in lighting innovation, setting global standards for brilliance and transforming every space into an illuminated masterpiece.

✉ info@binglight.co.za

 +27 61 784 9337

 binglight.co.za

INDEX

LED STRIP LIGHTING

| | |
|---------------------------|----|
| LUMA™ 2835 SMD | 1 |
| LUMA™ WAVE | 3 |
| LUMA™ FLEX Bendable Strip | 5 |
| LUMA™ X2 | 7 |
| HALO™ | 9 |
| NOVA AQUA™ | 11 |
| NOVA 20™ | 13 |
| NOVA 65™ | 15 |
| NOVA 68™ | 17 |
| NOVA WAVE™ | 19 |
| CHROMA WAVE™ | 21 |




NEON LED ROPE LIGHTING

| | |
|-----------------------------------|----|
| NeoPop 6™ Silicone Signage Covers | 23 |
| NeoPop 8™ Silicone Signage Covers | 25 |
| NeoFlex 6™ | 27 |
| NeoFlex 8™ | 29 |
| NeoFlex 360™ | 31 |



ALUMINIUM PROFILES

| | |
|-------------------------------------|----|
| Flexi Kurv™ P5615 Aluminium Channel | 33 |
| Wide Channel Series | 33 |
| Standard Channel Series | 35 |
| Black Channel Series | 37 |




CONTROLLERS & CONNECTORS

| | |
|----------------------------------|----|
| Digital LED Controllers | 39 |
| Chasing Strip Splitters | 39 |
| RGB Colour Changing Controllers | 41 |
| RGBW Colour Changing Controllers | 41 |
| Single Colour Controllers | 43 |



LED MODULES

| | |
|------------------------------|----|
| STING™ 2835 12V LED Modules | 45 |
| STING™ 2835 220V LED Modules | 47 |



OTHER LIGHTING


| | |
|-----------------------------|----|
| Vintage Decor String Lights | 49 |
| Smart RGB String Lights | 49 |
| Solar Decor String Lights | 49 |





BING
LIGHT
INTERNATIONAL

LED STRIP LIGHTING





| | |
|-------------------|----------------|
| Chip Type | 2835 |
| IP Rating | IP20 |
| CRI | 83 |
| Operating Voltage | 12V/24V |
| Wattage Per Meter | 9.6W |
| Cut Mark | 25mm |
| Meters Per Roll | 5m/10m |



PRODUCT FEATURES & SPECIFICATIONS


LUMA™ LED Strip 2835 120 LED provides superior lighting for indoor applications. With 120 LEDs per meter, the strip creates a seamless look and colour uniformity. The 12V LED 2835 Strip Light is IP20 rated and has a reliable and safe operation in indoor applications. Brighten your space with quality colour lighting - Luma LED Strip has no equal!



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | LED PER METER | PCB WIDTH | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|-------|-------------------|-----------|-----------|---------------|-----------|-------|-------------------|------------------|----------|-----------------|
| L1652 | 12V | IP20 | 2835 | 120 | 8mm | 6500K | 9.6W | 960 | 25mm | 5m |
| L1688 | 12V | IP20 | 2835 | 120 | 8mm | 4000K | 9.6W | 960 | 25mm | 5m |
| L2716 | 12V | IP20 | 2835 | 120 | 8mm | 3000K | 9.6W | 960 | 25mm | 5m |
| L3294 | 12V | IP20 | 2835 | 120 | 8mm | GREEN | 9.6W | DECOR | 25mm | 5m |
| L2241 | 12V | IP20 | 2835 | 120 | 8mm | BLUE | 9.6W | DECOR | 25mm | 5m |
| L2242 | 12V | IP20 | 2835 | 120 | 8mm | CYAN | 9.6W | DECOR | 25mm | 5m |
| L3295 | 12V | IP20 | 2835 | 120 | 8mm | RED | 9.6W | DECOR | 25mm | 5m |
| L1474 | 12V | IP20 | 2835 | 120 | 8mm | PINK | 9.6W | DECOR | 25mm | 5m |
| L2238 | 12V | IP20 | 2835 | 120 | 5mm | 6000K | 9.6W | 960 | 25mm | 5m |
| L2341 | 12V | IP20 | 2835 | 120 | 5mm | BLUE | 9.6W | DECOR | 25mm | 5m |
| L2339 | 12V | IP20 | 2835 | 120 | 5mm | CYAN | 9.6W | DECOR | 25mm | 5m |
| L2338 | 12V | IP20 | 2835 | 120 | 5mm | PINK | 9.6W | DECOR | 25mm | 5m |
| L3296 | 24V | IP20 | 2835 | 120 | 8mm | 6500K | 9.6W | 860 | 25mm | 10m |
| L3297 | 24V | IP20 | 2835 | 120 | 8mm | 4000K | 9.6W | 860 | 25mm | 10m |
| L3298 | 24V | IP20 | 2835 | 120 | 8mm | 3000K | 9.6W | 860 | 25mm | 10m |



LED STRIP LIGHTING




| | |
|-------------------|--------------|
| Chip Type | 2835 |
| IP Rating | IP20 |
| CRI | 83 |
| Operating Voltage | 24V |
| Wattage Per Meter | 10W |
| Cut Mark | 167mm |
| Meters Per Roll | 10m |

LUMA WAVE™ CHASING LED STRIP 126 LED / 2835

PRODUCT FEATURES & SPECIFICATIONS


LUMA WAVE™ Chasing strip lights create a dynamic and eye-catching effect by lighting up groups of pixels in a sequential pattern. As each group of pixels lights up in turn, it creates the impression of a moving or chasing effect along the length of the strip. Master your creativity by creating show stopping lighting effects.




| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | LED PER METER | PCB WIDTH | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|--------------|-------------------|-----------|-----------|---------------|-----------|-------|-------------------|------------------|----------|-----------------|
| L3260 | 24V | IP20 | 2835 | 126 | 8mm | 6500K | 10W | 800 | 167mm | 10m |
| L3262 | 24V | IP20 | 2835 | 126 | 8mm | 3000K | 10W | 750 | 167mm | 10m |
| L3259 | 24V | IP20 | 2835 | 126 | 8mm | BLUE | 10W | 700 | 167mm | 10m |

ACCESSORIES

Connector



Connector




Receiver



Receiver




Controller



Controller





BING
LIGHT
INTERNATIONAL

LED STRIP LIGHTING





| | |
|-------------------|-------------|
| Chip Type | 2835 |
| IP Rating | IP20 |
| CRI | 83 |
| Operating Voltage | 12V |
| Wattage Per Meter | 9.6W |
| Cut Mark | 25mm |
| Meters Per Roll | 50m |

LUMA FLEX™ LED STRIP 120 LED / 2835

PRODUCT FEATURES & SPECIFICATIONS

LUMA FLEX™ LED Striplight 12V is the perfect choice for detailed and creative projects. It features a modular shaped flexible non-waterproof PCB that is ideal for lettering, numbering, and other intricate shapes. The strips have 9.6W of power per meter and come in a 50m roll, making it a great choice for your signage or creative needs.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | LED PER METER | PCB WIDTH | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|--------------|-------------------|-----------|-----------|---------------|-----------|-------|-------------------|------------------|----------|-----------------|
| L3409 | 12V | IP20 | 2835 | 120 | 6.8mm | 6500K | 9.6W | 1000 | 25mm | 50m |

ACCESSORIES

Neon LED Cover



NeonPop™
Silicone Cover
Various Colours
[PAGE 23](#)

Aluminium Channel



Flexi Kurv™ Bendable
Aluminium Profile
[PAGE 31](#)



LED STRIP LIGHTING





| | |
|-------------------|-------------|
| Chip Type | 2835 |
| IP Rating | IP20 |
| CRI | 96 |
| Operating Voltage | 24V |
| Wattage Per Meter | 28W |
| Cut Mark | 25mm |
| Meters Per Roll | 10m |



PRODUCT FEATURES & SPECIFICATIONS


LUMA™X2 LED strip light adopts a high-brightness output, with 2835 SMD chips as the light source. They have a heat-resistant PCB. It is available in 6500K and 3000K. Thanks to its high CRI (Ra96), the strip emits eye catching colours and illumination.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | LED PER METER | PCB WIDTH | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|--------------|-------------------|-----------|-----------|---------------|-----------|-------|-------------------|------------------|----------|-----------------|
| L3410 | 24V | IP20 | 2835 | 280 | 30mm | 6500K | 28W | 4500 | 25mm | 10m |
| L3411 | 24V | IP20 | 2835 | 280 | 30mm | 3000K | 28W | 4500 | 25mm | 10m |



LED STRIP LIGHTING





| | |
|-------------------|-------------------|
| Chip Type | COB |
| IP Rating | IP20 |
| CRI | 83 |
| Operating Voltage | 12V/24V |
| Wattage Per Meter | 9.6W/12W |
| Cut Mark | 25mm/ 50mm |
| Meters Per Roll | 5m/10m |

HALO™ LED STRIP 320 LED / COB

PRODUCT FEATURES & SPECIFICATIONS

HALO™ strip shines a uniform light from end to end. It provides even lighting with almost no spotting, making it more attractive to the human eye and gives off a steady light even in narrow spaces, perfect for creating architectural effects.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | LED PER METER | PCB WITH | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|-------|-------------------|-----------|-----------|---------------|----------|-------|-------------------|------------------|----------|-----------------|
| L3263 | 12V | IP20 | COB | 320 | 8mm | 6500K | 12W | 1000 | 25mm | 5m |
| L3264 | 12V | IP20 | COB | 320 | 8mm | 3000K | 12W | 900 | 25mm | 5m |
| L3258 | 12V | IP20 | COB | 320 | 8mm | BLUE | 12W | 750 | 50mm | 5m |
| L3291 | 24V | IP20 | COB | 320 | 8mm | 6500K | 9.6W | 1000 | 50mm | 10m |
| L3292 | 24V | IP20 | COB | 320 | 8mm | 3000K | 9.6W | 900 | 50mm | 10m |
| L3293 | 24V | IP20 | COB | 320 | 8mm | BLUE | 9.6W | 750 | 25mm | 10m |

ACCESSORIES

Connector



8mm PCB Strip Light
Corner Connector
Single Colour COB
[L3147](#)

Connector



8mm L-Shape Strip
Light Corner Connector -
Single Colour COB
[L3382](#)

Connector



8mm PCB Mounting Clip
With Screw
COB LED Strip Lights
[L3150](#)

Connector



8mm PCB Strip Light
Corner Connector
Single Colour COB
[L3144](#)



**BING
LIGHT**
INTERNATIONAL

LED STRIP LIGHTING





| | |
|-------------------|--------------|
| Chip Type | 5050 |
| IP Rating | IP68 |
| CRI | 83 |
| Operating Voltage | 24V |
| Wattage Per Meter | 9.6W |
| Cut Mark | 100mm |
| Meters Per Roll | 20m |

NOVA AQUA™ LED STRIPS 5050


PRODUCT FEATURES & SPECIFICATIONS

These waterproof **NOVA AQUA™** provide a water friendly led strip solution. Mount LEDs on boats, in cabins, aquariums, pools and anywhere else you need LED strips that can be submerged under water.

The LED strips are encased in a silicone tube that is sealed on each end, giving the strip an IP68 rating ensuring the strips are safe from the elements.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | LED PER METER | PCB WIDTH | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|--------------|-------------------|-----------|-----------|---------------|-----------|-------|-------------------|------------------|----------|-----------------|
| L1842 | 24V | IP68 | 5050 | 60 | 10mm | 6500K | 9.6W | 960 | 100mm | 20m |
| L2167 | 24V | IP68 | 5050 | 60 | 10mm | 3000K | 9.6W | 960 | 100mm | 20m |
| L1954 | 24V | IP68 | 5050 | 60 | 10mm | BLUE | 9.6W | 960 | 100mm | 20m |
| L1844 | 24V | IP68 | 5050 | 60 | 10mm | RGB | 9.6W | 960 | 100mm | 20m |



LED STRIP LIGHTING





| | |
|-------------------|-------------|
| Chip Type | 5050 |
| IP Rating | IP20 |
| CRI | 83 |
| Operating Voltage | 12V |
| Wattage Per Meter | 10W |
| Cut Mark | 50mm |
| Meters Per Roll | 5m |

NOVA²⁰™ LED STRIP 60 LED / 5050

PRODUCT FEATURES & SPECIFICATIONS

Whether you want to showcase architectural features, highlight display areas, or create customizable functional or mood lighting, the 300 ultra-bright 5050 chips in each 5-meter **NOVA 20™** strip will not disappoint. The possibilities are endless for these energy-efficient, long-lasting LEDs that allow you to reinvent lighting in any space.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | LED PER METER | PCB WIDTH | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|--------------|-------------------|-----------|-----------|---------------|-----------|-------|-------------------|------------------|----------|-----------------|
| L762 | 12V | IP20 | 5050 | 60 | 10mm | 6500K | 10W | 1320 | 50mm | 5m |
| L1687 | 12V | IP20 | 5050 | 60 | 10mm | 3000K | 10W | 1320 | 50mm | 5m |
| L1274 | 12V | IP20 | 5050 | 60 | 10mm | GREEN | 10W | DECOR | 50mm | 5m |
| L1782 | 12V | IP20 | 5050 | 60 | 10mm | BLUE | 10W | DECOR | 50mm | 5m |
| L1358 | 12V | IP20 | 5050 | 60 | 10mm | RED | 10W | DECOR | 50mm | 5m |

ACCESSORIES

Connector



10mm PCB Strip Light
Corner Connector
Single Colour
[L3145](#)

Connector



10mm PCB Strip Light
Corner Connector
Single Colour
[L3142](#)

Connector




2 Sided 5050 Strip
Wired Connector
[E697](#)

Connector



2 Pin 5050 Strip
Connector
[E498](#)



LED STRIP LIGHTING





| | |
|-------------------|-------------|
| Chip Type | 5050 |
| IP Rating | IP65 |
| CRI | 83 |
| Operating Voltage | 12V |
| Wattage Per Meter | 10W |
| Cut Mark | 50mm |
| Meters Per Roll | 5m |

NOVA 65™ LED STRIP 60 LED / 5050


PRODUCT FEATURES & SPECIFICATIONS

With the **NOVA 65™** strips, you need not compromise between durability and illumination quality. The strips are protected from low-pressure water jets and dust ingress for reliable operation in tough environments like workshops, kitchens, factories, and outdoor covered areas. Though not submersible, these ultra-durable strips give you flexibility to install accent lighting, task lighting, or mood lighting in places standard strips could never withstand.


NOTE: It is not for use in direct water jets or spray and the strip should not be submerged.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | LED PER METER | PCB WIDTH | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|-------|-------------------|-----------|-----------|---------------|-----------|--------|-------------------|------------------|----------|-----------------|
| L285 | 12V | IP65 | 5050 | 60 | 10mm | 6500K | 10W | 1000 | 50mm | 5m |
| L1437 | 12V | IP65 | 5050 | 60 | 10mm | 3000K | 10W | 1000 | 50mm | 5m |
| L2334 | 12V | IP65 | 5050 | 60 | 10mm | YELLOW | 10W | DECOR | 50mm | 5m |
| L1275 | 12V | IP65 | 5050 | 60 | 10mm | GREEN | 10W | DECOR | 50mm | 5m |
| L768 | 12V | IP65 | 5050 | 60 | 10mm | BLUE | 10W | DECOR | 50mm | 5m |
| L1259 | 12V | IP65 | 5050 | 60 | 10mm | RED | 10W | DECOR | 50mm | 5m |
| L2335 | 12V | IP65 | 5050 | 60 | 10mm | PINK | 10W | DECOR | 50mm | 5m |



LED STRIP LIGHTING





| | |
|-------------------|-------------|
| Chip Type | 5050 |
| IP Rating | IP68 |
| CRI | 83 |
| Operating Voltage | 12V |
| Wattage Per Meter | 10W |
| Cut Mark | 50mm |
| Meters Per Roll | 5m |

NOVA 68™ LED STRIP 60 LED / 5050

PRODUCT FEATURES & SPECIFICATIONS

Take vibrant, customizable LED lighting anywhere with our **NOVA 68™** strip lights. Built to IP68 rating. Their waterproof design also makes them perfect for unprotected outdoor installation in fountains, landscape features, pools, and more. Let your lighting dreams shine bright with our **NOVA 68™** strips.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | LED PER METER | PCB WIDTH | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|--------------|-------------------|-----------|-----------|---------------|-----------|-------|-------------------|------------------|----------|-----------------|
| L766 | 12V | IP68 | 5050 | 60 | 12mm | GREEN | 10W | DECOR | 50mm | 5m |
| L744 | 12V | IP68 | 5050 | 60 | 12mm | BLUE | 10W | DECOR | 50mm | 5m |
| L1276 | 12V | IP68 | 5050 | 60 | 12mm | RED | 10W | DECOR | 50mm | 5m |



LED STRIP LIGHTING





| | |
|-------------------|-----------------------|
| Chip Type | 5050 |
| IP Rating | IP20/IP65/IP68 |
| CRI | 83 |
| Operating Voltage | 12V |
| Wattage Per Meter | 10W |
| Cut Mark | 50mm |
| Meters Per Roll | 5m |

NOVA WAVE™ RGB LED STRIP 60 LED / 5050

PRODUCT FEATURES & SPECIFICATIONS

Introducing the **NOVA WAVE™** strip lights, a range of versatile strip lights designed to enhance any space with vibrant, customisable lighting effects. They feature high-brightness 5050 SMD RGB LEDs with a working voltage of 12 VDC. The strips can easily be cut into smaller sections, allowing for precise customisation and can be used in a range of environments and applications thanks to the different waterproof grades.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | LED PER METER | PCB WIDTH | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|--------------|-------------------|-----------|-----------|---------------|-----------|-------------|-------------------|------------------|----------|-----------------|
| L2342 | 12V | IP20 | 5050 | 60 | 10mm | RGBW 6000K | 10W | 660 | 50mm | 5m |
| L3038 | 12V | IP20 | 5050 | 60 | 10mm | RGBWW 3000K | 10W | 660 | 50mm | 5m |
| L288 | 12V | IP20 | 5050 | 60 | 10mm | RGB | 10W | DECOR | 50mm | 5m |
| L1234 | 12V | IP65 | 5050 | 60 | 10mm | RGB | 10W | DECOR | 50mm | 5m |
| L745 | 12V | IP68 | 5050 | 60 | 12mm | RGB | 10W | DECOR | 50mm | 5m |

ACCESSORIES

Connector

10mm PCB Strip Light Corner Connector RGB
[L3146](#)

Connector

10mm PCB Strip Light Corner Connector RGB
[L3143](#)

Connector

1 Sided 5050 Strip Wired Connector RGB
[E259](#)

Connector

4 Pin 1 to 3 Splitter RGB
[L2722](#)

Connector

12V RGB Strip Connector 4 Pin 1 Sided
[E614](#)

Cables

RGB 4 Core 500mm Cable
[E1331](#)



**BING
LIGHT**
INTERNATIONAL

LED STRIP LIGHTING



| | |
|-------------------|-------------|
| Chip Type | 5050 |
| IP Rating | IP20 |
| CRI | 83 |
| Operating Voltage | 12V |
| Wattage Per Meter | 10W |
| Cut Mark | 50mm |
| Meters Per Roll | 5m |



CHROMA WAVE™

DIGITAL LED STRIP

60 LED / 5050

PRODUCT FEATURES & SPECIFICATIONS

The **CHROMA WAVE™** bring vibrant, customizable light shows to any venue, event, or creative production with Chroma Wave's 300 addressable LEDs per 5-meter strip. With dynamic digital control, the possibilities are positively endless. Our Chroma Wave digital LED strips unlock a world of possibilities for custom lighting effects. Smooth color mixing and gradient flows across each strip create lighting magic, while channels let you choreograph independent movement. From subtle pastel ripples to vivid traveling beams bursting with color, Chroma Wave's digital smarts animate your boldest ideas.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | LED PER METER | PCB WIDTH | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|--------------|-------------------|-----------|-----------|---------------|-----------|-------------|-------------------|------------------|----------|-----------------|
| L1921 | 12V | IP20 | 5050 | 60 | 10mm | DIGITAL RGB | 10W | 820 | 50mm | 5m |

ACCESSORIES

Controller

5-24V LED Digital RF Wireless Controller With Female DC E343

Controller

LED Pixel Controller with SD Card Reader 8 Channel E1456

Controller

12v Led Digital Pixel Controller L3065



**BING
LIGHT**
INTERNATIONAL



NEON LED COVERS



PRODUCT FEATURES & SPECIFICATIONS

NeoPop™ are LED strip protective jackets, which are made of Silicone material, are resistant to high and low temperature, they are flexible and bendable. The inner width allows you to use 6mm or 8mm SMD LED or COB strip lights as the light source. Installation is an easy sliding of the covers over led strips or popping into routed grooves.

FLEXIBLE



| SKU | MATERIAL | IP RATING | DIMENSIONS | CCT | METERS PER ROLL |
|-------|----------|-----------|------------|-------------|-----------------|
| L3396 | SILICONE | IP65 | 6 X 10mm | MILKY WHITE | 50m |
| L3391 | SILICONE | IP65 | 6 X 10mm | YELLOW | 50m |
| L3389 | SILICONE | IP65 | 6 X 10mm | ORANGE | 50m |
| L3394 | SILICONE | IP65 | 6 X 10mm | GREEN | 50m |
| L3393 | SILICONE | IP65 | 6 X 10mm | BLUE | 50m |
| L3390 | SILICONE | IP65 | 6 X 10mm | LIGHT BLUE | 50m |
| L3392 | SILICONE | IP65 | 6 X 10mm | RED | 50m |
| L3388 | SILICONE | IP65 | 6 X 10mm | PINK | 50m |
| L3395 | SILICONE | IP65 | 6 X 10mm | PURPLE | 50m |

the dream

WATER

CRASH

KEY
PINES
FLAVOR

Jellie

RE

MEET

he
ever

THE LIGHT

CASHES

BING
LIGHT
INTERNATIONAL

BING





NEON LED COVERS



PRODUCT FEATURES & SPECIFICATIONS

NeoPop™ are LED strip protective jackets, which are made of Silicone material, are resistant to high and low temperature, they are flexible and bendable. The inner width allows you to use 6mm or 8mm SMD LED or COB strip lights as the light source. Installation is an easy sliding of the covers over led strips or popping into routed grooves.

FLEXIBLE




| SKU | MATERIAL | IP RATING | DIMENSIONS | CCT | METERS PER ROLL |
|-------|----------|-----------|------------|-------------|-----------------|
| L3405 | SILICONE | IP65 | 8 X 10mm | MILKY WHITE | 50m |
| L3400 | SILICONE | IP65 | 8 X 10mm | YELLOW | 50m |
| L3398 | SILICONE | IP65 | 8 X 10mm | ORANGE | 50m |
| L3403 | SILICONE | IP65 | 8 X 10mm | GREEN | 50m |
| L3402 | SILICONE | IP65 | 8 X 10mm | BLUE | 50m |
| L3399 | SILICONE | IP65 | 8 X 10mm | LIGHT BLUE | 50m |
| L3401 | SILICONE | IP65 | 8 X 10mm | RED | 50m |
| L3397 | SILICONE | IP65 | 8 X 10mm | PINK | 50m |
| L3404 | SILICONE | IP65 | 8 X 10mm | PURPLE | 50m |



**BING
LIGHT**
INTERNATIONAL

NEON LED ROPE LIGHTING



| | |
|-------------------|-------------|
| Chip Type | 2835 |
| IP Rating | IP65 |
| CRI | 83 |
| Operating Voltage | 12V |
| Wattage Per Meter | 9.6W |
| Cut Mark | 25mm |
| Meters Per Roll | 50m |



PRODUCT FEATURES & SPECIFICATIONS


Bend, shape, mount and enjoy these ultra-durable, easy to install LED neon ropes on your next project. Your spaces will shine brighter than ever. Shape them into letters, cloud patterns, frames, or abstract sculptures. Outline staircases, gardens, gazebos, boats, or vehicles. With flexibility akin to actual neon tubing but longer lifespan, energy efficiency and safety of LEDs, applications for **NEOFLEX 6™** are limited only by your imagination.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | DIMENSIONS | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|--------------|-------------------|-----------|-----------|------------|--------|-------------------|------------------|----------|-----------------|
| L2085 | 12V | IP65 | 2835 | 6 x 16mm | 6500K | 9.6W | 960 | 25mm | 50m |
| L2086 | 12V | IP65 | 2835 | 6 x 16mm | 3500K | 9.6W | 960 | 25mm | 50m |
| L2095 | 12V | IP65 | 2835 | 6 x 16mm | YELLOW | 9.6W | 960 | 25mm | 50m |
| L2094 | 12V | IP65 | 2835 | 6 x 16mm | GREEN | 9.6W | 960 | 25mm | 50m |
| L2091 | 12V | IP65 | 2835 | 6 x 16mm | BLUE | 9.6W | 960 | 25mm | 50m |
| L2092 | 12V | IP65 | 2835 | 6 x 16mm | CYAN | 9.6W | 960 | 25mm | 50m |
| L2090 | 12V | IP65 | 2835 | 6 x 16mm | RED | 9.6W | 960 | 25mm | 50m |
| L2093 | 12V | IP65 | 2835 | 6 x 16mm | PINK | 9.6W | 960 | 25mm | 50m |
| L3406 | 12V | IP65 | 2835 | 6 x 16mm | PURPLE | 9.6W | 960 | 25mm | 50m |

ACCESSORIES

Caps



6x12mm Neon LED End Cap
L3049

Clips



6mm x 14mm Neon LED Rope Clip
L3380

Clips



6x12mm Neon LED End Cap
L3378



NEON LED ROPE LIGHTING





| | |
|-------------------|-------------|
| Chip Type | 2835 |
| IP Rating | IP65 |
| CRI | 83 |
| Operating Voltage | 12V |
| Wattage Per Meter | 9.6W |
| Cut Mark | 25mm |
| Meters Per Roll | 50m |



PRODUCT FEATURES & SPECIFICATIONS

Our range of **NEOFLEX 8™** give your custom lighting sculptures and installations serious visual impact. Their larger profile also makes letters, logos, and outline details stand out prominently with vibrant LED illumination. Let your imaginative lighting visions shine clearer and brighter with all the resilient flexibility you need for lasting, attention-grabbing effects.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | DIMENSIONS | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|-------|-------------------|-----------|-----------|------------|--------|-------------------|------------------|----------|-----------------|
| L3408 | 12V | IP65 | 2835 | 8 x 16mm | 7000K | 9.6W | 960 | 25mm | 50m |
| L2096 | 12V | IP65 | 2835 | 8 x 16mm | 5500K | 9.6W | 960 | 25mm | 50m |
| L2098 | 12V | IP65 | 2835 | 8 x 16mm | 3500K | 9.6W | 960 | 25mm | 50m |
| L2108 | 12V | IP65 | 2835 | 8 x 16mm | YELLOW | 9.6W | 960 | 25mm | 50m |
| L2107 | 12V | IP65 | 2835 | 8 x 16mm | GREEN | 9.6W | 960 | 25mm | 50m |
| L2103 | 12V | IP65 | 2835 | 8 x 16mm | BLUE | 9.6W | 960 | 25mm | 50m |
| L2104 | 12V | IP65 | 2835 | 8 x 16mm | CYAN | 9.6W | 960 | 25mm | 50m |
| L2106 | 12V | IP65 | 2835 | 8 x 16mm | RED | 9.6W | 960 | 25mm | 50m |
| L2105 | 12V | IP65 | 2835 | 8 x 16mm | PINK | 9.6W | 960 | 25mm | 50m |
| L3407 | 12V | IP65 | 2835 | 8 x 16mm | PURPLE | 9.6W | 960 | 25mm | 50m |

ACCESSORIES

Caps



Clips



Clips





NEON LED ROPE LIGHTING





| | |
|-------------------|------|
| Chip Type | 2835 |
| IP Rating | IP65 |
| CRI | 83 |
| Operating Voltage | 220V |
| Wattage Per Meter | 9.6W |
| Cut Mark | 1m |
| Meters Per Roll | 50m |

NEOFLEX 360™ NEON LED ROPE 2835

PRODUCT FEATURES & SPECIFICATIONS


For superior neon-style effects with the lifetime and efficiency of LEDs, **NEO FLEX 360™** can transform spaces from storefronts to restaurants, casinos to entertainment venues. Their seamless 360-degree luminosity enhances atmosphere far better than rigid light fixtures. Our NEO FLEX 360™ round LED neon strip lights capture the brilliant glow of traditional neon without the hassles of rigid, fragile glass. Built for flexibility, our circular 14mm tubes curve into whatever shapes your designs demand, while consuming a fraction of the electricity thanks to cutting-edge LEDs.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | DIMENSIONS | CCT | WATTAGE PER METER | LUMENS PER METER | CUT MARK | METERS PER ROLL |
|-------|-------------------|-----------|-----------|------------|-------|-------------------|------------------|----------|-----------------|
| L1566 | 220V | IP65 | 2835 | 14 x 13mm | 6500K | 9.6W | 960 | 100mm | 50m |
| L2232 | 220V | IP65 | 2835 | 14 x 13mm | 3000K | 9.6W | 960 | 100mm | 50m |
| L2243 | 220V | IP65 | 2835 | 14 x 13mm | GREEN | 9.6W | 960 | 100mm | 50m |
| L2233 | 220V | IP65 | 2835 | 14 x 13mm | BLUE | 9.6W | 960 | 100mm | 50m |
| L2235 | 220V | IP65 | 2835 | 14 x 13mm | RED | 9.6W | 960 | 100mm | 50m |
| L2234 | 220V | IP65 | 2835 | 14 x 13mm | PINK | 9.6W | 960 | 100mm | 50m |

ACCESSORIES

Channels



2m Light Clear Channel for 14mm Round Neon Rope Light
L3054

Caps



16mm Diameter Round Neon Led End Cap
L3051

Power Cable



220v 14mm Round Neon LED Rope Light Power Cable
PS233





**BING
LIGHT**
INTERNATIONAL

ALUMINIUM PROFILES





PRODUCT FEATURES & SPECIFICATIONS

Introducing our innovative bendable recessed channels - the perfect blend of style, functionality, and efficiency. Designed to fit seamlessly into grooves, the recessed channel allows the lighting fixture to sit flush with the surface, creating a clean and streamlined look while also protecting the LED strip and diffusing the light output.





| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|---|--------|---------|
| L3425 | Flexi Kurv Recessed Aluminium Channel P5615 | 3M | 20 |

WIDE RECESSED ALUMINIUM CHANNEL 3010A-2





| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|---------------------------------|--------|---------|
| L3311 | Wide Recessed Aluminium Channel | 3M | 60 |

WIDE RECESSED ALUMINIUM CHANNEL 5020A-3



| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|--------------------------------------|--------|---------|
| L3431 | Wide Recessed Aluminium Channel 5020 | 3M | 40 |

DEEP WIDE RECESSED ALUMINIUM CHANNEL 3020A-2



| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|--------------------------------------|--------|---------|
| L3432 | Deep Recessed Aluminium Channel 3020 | 3M | 60 |




*LED strips sold separately



**BING
LIGHT**
INTERNATIONAL




ALUMINIUM PROFILES

CORNER ALUMINIUM CHANNEL 601





| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|--------------------------|--------|---------|
| L3307 | Corner Aluminium Channel | 3M | 100 |

SURFACE MOUNTED ALUMINIUM CHANNEL 610







| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|-----------------------------------|--------|---------|
| L3309 | Surface Mounted Aluminium Channel | 3M | 100 |

RECESSED ALUMINIUM CHANNEL 618






| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|----------------------------|--------|---------|
| L3310 | Recessed Aluminium Channel | 3M | 100 |

LOW SPOTTING DEEP ALUMINIUM CHANNEL 613



| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|-------------------------------------|--------|---------|
| L3308 | Low Spotting Deep Aluminium Channel | 3M | 100 |

ALUMINIUM CHANNEL FOR 8MM NEON



| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|----------------------------|--------|---------|
| L3312 | 8mm Neon Aluminium Channel | 3M | 200 |



*LED strips sold separately



**BING
LIGHT**
INTERNATIONAL




ALUMINIUM PROFILES

CORNER ALUMINIUM CHANNEL 601BK





| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|--------------------------------|--------|---------|
| L3420 | Black Corner Aluminium Channel | 3M | 100 |

SURFACE MOUNTED ALUMINIUM CHANNEL 610BK





| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|---|--------|---------|
| L3421 | Black Surface Mounted Aluminium Channel | 3M | 100 |

RECESSED ALUMINIUM CHANNEL 618BK



| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|----------------------------------|--------|---------|
| L3422 | Black Recessed Aluminium Channel | 3M | 100 |

WIDE RECESSED ALUMINIUM CHANNEL 3010A-2BK



| SKU | DESCRIPTION | LENGTH | BOX QTY |
|-------|---------------------------------------|--------|---------|
| L3423 | Black Wide Recessed Aluminium Channel | 3M | 50 |

*LED strips sold separately



CONTROLLERS

DIGITAL LED STRIP CONTROLLERS



| SKU | DESCRIPTION |
|-------------|--|
| E343 | 5-24V 6A LED Digital Rf Wireless Controller With Female DC |



| SKU | DESCRIPTION |
|--------------|---|
| E1456 | 220V LED Pixel Controller with SD Card Reader 8 Channel |




| SKU | DESCRIPTION |
|--------------|--------------------------------------|
| L3065 | 12V 12A LED Digital Pixel Controller |

CHASING STRIP SPLITTERS



| SKU | DESCRIPTION |
|--------------|--|
| E1460 | 12-24V LED Chasing Strip RF Wireless Receiver - 8 Way Splitter |



| SKU | DESCRIPTION |
|--------------|--|
| E1459 | 12-24V LED Chasing Strip RF Wireless Receiver - 4 Way Splitter |



CONTROLLERS

LED RGBW COLOUR CHANGING CONTROLLERS



| SKU | DESCRIPTION |
|-----|-------------|
|-----|-------------|

E1322 5-28V 4A 24 Key RGBW Wifi Controller



| SKU | DESCRIPTION |
|-----|-------------|
|-----|-------------|

E1103 12-24V 6A RGBW Led Controller With Remote

LED RGB COLOUR CHANGING CONTROLLERS




| SKU | DESCRIPTION |
|-----|-------------|
|-----|-------------|

E1094 12-24V 24A RGB RF LED Controller With Remote



| SKU | DESCRIPTION |
|-----|-------------|
|-----|-------------|

E1453 12-24V 4A 24 Key RGB WiFi Controller




| SKU | DESCRIPTION |
|-----|-------------|
|-----|-------------|

E1487 5-12V 4A RGB LED Bluetooth Controller With IR Remote



| SKU | DESCRIPTION |
|-----|-------------|
|-----|-------------|

E945 5-24V 4A Led RGB RF Wireless Controller With Female DC



| SKU | DESCRIPTION |
|-----|-------------|
|-----|-------------|

E292 5-24V 4A LED RGB Amt 3-Key Inline Controller



**BING
LIGHT**
INTERNATIONAL

CONTROLLERS

LED SINGLE COLOUR CONTROLLERS




| SKU | DESCRIPTION |
|-----|-------------|
|-----|-------------|

E293 12-24V LED AMT 3-Key Inline Controller



| SKU | DESCRIPTION |
|-----|-------------|
|-----|-------------|

E565 5-24V 12A Led RF Wireless Controller With Dc



| SKU | DESCRIPTION |
|-----|-------------|
|-----|-------------|

E1461 12V-24V LED Chasing Strip Switch Controller 3 Key Panel



| SKU | DESCRIPTION |
|-----|-------------|
|-----|-------------|

E1458 12-24V LED Chasing Strip RF Controller With 12 Key Remote RF-CCT-12KEY



| SKU | DESCRIPTION |
|-----|-------------|
|-----|-------------|

E1455 12-24V Bluetooth LED Controller with Dual PIR Motion Sensor 30 Channel V1-STEP-1001 LED Strip Controller



**BING
LIGHT**
INTERNATIONAL

LED MODULES




| | |
|-------------------|--------------------|
| Module Type | 3 x 2835 |
| IP Rating | IP65 |
| CRI | 83 |
| Operating Voltage | 12V |
| Power Output | 2W |
| Lumens | 120 - 150lm |
| Dimensions | 77x17x10mm |




PRODUCT FEATURES & SPECIFICATIONS

Infinite Lighting Possibilities With Adaptable, Modular Design. Our innovative LED modules put customizable, professional lighting design directly into your hands. Each compact unit contains everything needed to shine brilliantly on its own or connect with other modules. With the power to illuminate any space large or small, in any shape imaginable, our adaptable LED modules put breathtaking, customizable lighting within anyone's reach. Let your unique visions shine!




| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | DIMENSIONS | CCT | POWER OUTPUT | LUMENS |
|-------|-------------------|-----------|-----------|--------------------|-------|--------------|-----------|
| L3318 | 12V | IP65 | 2835 | 77mm X 17mm X 10mm | 6500K | 2W | 120 - 150 |



YOU'RE NOT YOU
WHEN YOU'RE
HUNGRY.

SNICKERS
SATISFIES

LED MODULES






| | |
|-------------------|--------------------|
| Module Type | 3 x 2835 |
| IP Rating | IP65 |
| CRI | 83 |
| Operating Voltage | 220V |
| Power Output | 2W |
| Lumens | 120 - 150lm |
| Dimensions | 77x17x10mm |



PRODUCT FEATURES & SPECIFICATIONS

Our Bing Light 220V LED modules deliver vivid illumination to lightboxes, signage, displays and more with incredible ease. Bing Light modules slash energy usage across spaces large and small. For unbeatable simplicity paired with beautiful 220V LED lighting that makes signage and displays sparkle, Bing Light modules check every box.



| SKU | OPERATING VOLTAGE | IP RATING | CHIP TYPE | DIMENSIONS | CCT | POWER OUTPUT | LUMENS |
|-------|-------------------|-----------|-----------|--------------------|-------|--------------|-----------|
| L3383 | 220V | IP65 | 2835 | 77mm X 17mm X 10mm | 7000K | 2W | 120 - 150 |

*For professional use only.



**BING
LIGHT**
INTERNATIONAL

OTHER LIGHTING



VINTAGE DECOR STRING LIGHTS

PRODUCT FEATURES & SPECIFICATIONS

These vintage decor string lights create the perfect ambiance for your indoor or outdoor spaces. The weather-proof IP44 rating makes this the perfect addition to your outdoor environments. Connectable up to 2 sets and easy to install, the 14.5m string light is supplied with 15 removable LED Bulbs.

L2976 110V - 240V IP44 15 S14 LED 2500K <83 24W 14.5m



SMART RGBW STRING LIGHTS

PRODUCT FEATURES & SPECIFICATIONS

These Smart RGBW string lights create the perfect ambiance for your indoor or outdoor spaces. The weather-proof IP44 rating makes this the perfect addition to your outdoor environments. Connectable to up to 2 sets and easy to install, the 14.5m string light is supplied with 15 non removable LED Bulbs. Compatible with smart controls and Tuya App.

| SKU | OPERATING VOLTAGE | IP RATING | BULBS | BULB TYPE | CCT | CRI | POWER OUTPUT | LENGTH |
|--------------|-------------------|-----------|-------|-----------|--------------|-----|--------------|--------|
| L2977 | 110V - 240V | IP44 | 15 | S14 LED | RGBW / 2500K | <83 | 24W | 14.5m |



SOLAR DECOR STRING LIGHTS

PRODUCT FEATURES & SPECIFICATIONS


With its impressive features and stunning design, this 10-meter long string light will illuminate your evenings with a warm and enchanting glow. This set provides efficient lighting for up to 8 hours on full charge. No sun? No problem. The solar panel which includes a battery can be charged normally using the micro-usb cable included in the box.

| SKU | OPERATING VOLTAGE | IP RATING | BULBS | BULB TYPE | CCT | CRI | POWER OUTPUT | LENGTH |
|--------------|-------------------|-----------|-------|-----------|-------|-----|--------------|--------|
| L3277 | SOLAR / DC 5V | IP44 | 10 | S14 LED | 2500K | <83 | 24W | 10m |



BING LIGHT

INTERNATIONAL

 +27 61 784 9337

 info@binglight.co.za

 binglight.co.za

BINGLIGHT
INTERNATIONAL

version 2024/1