

Test Certificate

Date of Receipt	12-Apr-23
Name of Applicant	Bio link Corporation

Hokuriku Institute of
 Environmental Science Co. Ltd
 4-4-27 koyo, Fukui-shi, Fukui-ken, 910-0026 Japan
 TEL: 81- (0)776-22-2771 FAX: 81-(0)776-22-1701



Name of Sample						
Name of Sample		Analytical Items	Test Results	Detection Limit(ppm)	Reference MRL(ppm)	Analytical Method
Jevie Lotion		The multiresidues analysis for 243 agricultural chemicals	see next page	---	---	GC/MS/MS
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----
----			----	----	----	----

Space for Test Certification	Certified of above as results of test. Signature of inspector: <i>Motooki Kasahara</i>
------------------------------	---

No.	Analytical Items	Test Results	Detection Limit	No.	Analytical Items	Test Results	Detection Limit
1	2-(1-Naphthyl)acetamide	N.D.	0.01	34	Carboxin	N.D.	0.01
2	Acetochlor	N.D.	0.01	35	Carfentrazone-ethyl	N.D.	0.01
3	Acrinathrin	N.D.	0.01	36	Chlorbenside	N.D.	0.01
4	Alachlor	N.D.	0.01	37	Chlorbufam	N.D.	0.01
5	Allidochlor	N.D.	0.01	38	Chlorethoxyfos	N.D.	0.01
6	Ametryn	N.D.	0.01	39	Chlorfenapyr	N.D.	0.01
7	Anilofos	N.D.	0.01	40	Chlorfenson	N.D.	0.01
8	Atrazine	N.D.	0.01	41	Chlorfenvinphos(E,Z)	N.D.	0.01
9	Azaconazole	N.D.	0.01	42	Chlornitrofen(CNP)	N.D.	0.01
10	Azinphos-methyl	N.D.	0.01	43	Chloroneb	N.D.	0.01
11	Azoxystrobin	N.D.	0.01	44	Chlorothal-dimethyl	N.D.	0.01
12	Benalaxyl	N.D.	0.01	45	Chlorpropham	N.D.	0.01
13	Benfluralin	N.D.	0.01	46	Chlorpyrifos-methyl	N.D.	0.01
14	Benoxacor	N.D.	0.01	47	Chlozolate	N.D.	0.01
15	BHC ($\alpha,\beta,\gamma,\delta$)	N.D.	0.01	48	Cinidon-ethyl	N.D.	0.01
16	Bifenox	N.D.	0.01	49	Clomazone	N.D.	0.01
17	Bifenthrin	N.D.	0.01	50	Clomeprop	N.D.	0.01
18	Bioresmethrin	N.D.	0.01	51	Cyanazine	N.D.	0.01
19	Bitertanol	N.D.	0.01	52	Cyanofenphos	N.D.	0.01
20	Bromacil	N.D.	0.01	53	Cyanophos	N.D.	0.01
21	Bromobutide	N.D.	0.01	54	Cyfluthrin	N.D.	0.01
22	Bromophos-ethyl	N.D.	0.01	55	Cyhalofop-butyl	N.D.	0.01
23	Bromophos-methyl	N.D.	0.01	56	Cyhalothrin	N.D.	0.01
24	Bromopropylate	N.D.	0.01	57	Cypermethrin	N.D.	0.01
25	Bupirimate	N.D.	0.01	58	Cyproconazole	N.D.	0.01
26	Buprofezin	N.D.	0.01	59	Cyprodinil	N.D.	0.01
27	Butachlor	N.D.	0.01	60	Deltamethrin	N.D.	0.01
28	Butafenacil	N.D.	0.01	61	Demeton-S-methyl	N.D.	0.01
29	Butamifos	N.D.	0.01	62	Diallate	N.D.	0.01
30	Cadusafos	N.D.	0.01	63	Dichlofenthion	N.D.	0.01
31	Cafenstrole	N.D.	0.01	64	Diclocymet	N.D.	0.01
32	Carbofuran	N.D.	0.01	65	Diclofop-methyl	N.D.	0.01
33	Carbophenothion	N.D.	0.01	66	Dicloran	N.D.	0.01

(unit : ppm)

No.	Analytical Items	Test Results	Detection Limit	No.	Analytical Items	Test Results	Detection Limit
67	Dicrotophos	N.D.	0.01	100	Fenothiocarb	N.D.	0.01
68	Diethofencarb	N.D.	0.01	101	Fenoxanil	N.D.	0.01
69	Difenoconazole	N.D.	0.01	102	Fenoxaprop-ethyl	N.D.	0.01
70	Diflufenican	N.D.	0.01	103	Fenoxycarb	N.D.	0.01
71	Dimepiperate	N.D.	0.01	104	Fenpropathrin	N.D.	0.01
72	Dimethametryn	N.D.	0.01	105	Fensulfothion	N.D.	0.01
73	Dimethenamid	N.D.	0.01	106	Fenthion	N.D.	0.01
74	Dimethipin	N.D.	0.01	107	Fenvalerate	N.D.	0.01
75	Dimethoate	N.D.	0.01	108	Fipronil	N.D.	0.01
76	Dimethylvinphos(E,Z)	N.D.	0.01	109	Flamprop-methyl	N.D.	0.01
77	Diphenamid	N.D.	0.01	110	Fluacrypyrim	N.D.	0.01
78	Disulfoton	N.D.	0.01	111	Flucythrinate	N.D.	0.01
79	Disulfoton-sulfone	N.D.	0.01	112	Fludioxonil	N.D.	0.01
80	Dithiopyr	N.D.	0.01	113	Flufenpyr-ethyl	N.D.	0.01
81	Edifenphos	N.D.	0.01	114	Flumiclorac-pentyl	N.D.	0.01
82	Endosulfan(α,β)	N.D.	0.01	115	Fluquinconazole	N.D.	0.01
83	Endosulfan-sulphate	N.D.	0.01	116	Fluridone	N.D.	0.01
84	EPN	N.D.	0.01	117	Flusilazole	N.D.	0.01
85	Epoxiconazole	N.D.	0.01	118	Flutolanil	N.D.	0.01
86	Esprocarb	N.D.	0.01	119	Flutriafol	N.D.	0.01
87	Ethalfuralin	N.D.	0.01	120	Fonofos	N.D.	0.01
88	Ethion	N.D.	0.01	121	Formothion	N.D.	0.01
89	Ethofenprox	N.D.	0.01	122	Fosthiazate	N.D.	0.01
90	Ethofumesate	N.D.	0.01	123	Fthalide	N.D.	0.01
91	Ethoprophos	N.D.	0.01	124	Furilazole	N.D.	0.01
92	Etridiazole	N.D.	0.01	125	Halfenprox	N.D.	0.01
93	Etrimfos	N.D.	0.01	126	Hexaconazole	N.D.	0.01
94	Fenamidone	N.D.	0.01	127	Hexazinone	N.D.	0.01
95	Fenamiphos	N.D.	0.01	128	Imazamethabenz-methyl	N.D.	0.01
96	Fenarimol	N.D.	0.01	129	Imibenconazole	N.D.	0.01
97	Fenbuconazole	N.D.	0.01	130	Imibenconazole-debenzyl	N.D.	0.01
98	Fenchlorphos	N.D.	0.01	131	Indoxacarb	N.D.	0.01
99	Fenitrothion	N.D.	0.01	132	Iprobenfos	N.D.	0.01

(unit : ppm)

No.	Analytical Items	Test Results	Detection Limit	No.	Analytical Items	Test Results	Detection Limit
133	Isazophos	N.D.	0.01	166	Parathion-methyl	N.D.	0.01
134	Isocarbophos	N.D.	0.01	167	Penconazole	N.D.	0.01
135	Isofenphos(and oxon)	N.D.	0.01	168	Pendimethalin	N.D.	0.01
136	Isoprocarb	N.D.	0.01	169	Permethrin	N.D.	0.01
137	Isoprothiolane	N.D.	0.01	170	Perthane	N.D.	0.01
138	Isoxadifen-ethyl	N.D.	0.01	171	Phenthoate	N.D.	0.01
139	Kresoxim-methyl	N.D.	0.01	172	Phorate	N.D.	0.01
140	Malathion	N.D.	0.01	173	Phosalone	N.D.	0.01
141	Mecarbam	N.D.	0.01	174	Phosmet	N.D.	0.01
142	Mefenacet	N.D.	0.01	175	Phosphamidon(E,Z)	N.D.	0.01
143	Mefenpyr-diethyl	N.D.	0.01	176	Picolinafen	N.D.	0.01
144	Mepronil	N.D.	0.01	177	Piperonyl butoxide	N.D.	0.01
145	Metalaxyl	N.D.	0.01	178	Piperophos	N.D.	0.01
146	Methacrifos	N.D.	0.01	179	Pirimiphos-methyl	N.D.	0.01
147	Methidathion	N.D.	0.01	180	Pretilachlor	N.D.	0.01
148	Methoxychlor	N.D.	0.01	181	Procymidone	N.D.	0.01
149	Metolachlor	N.D.	0.01	182	Profenofos	N.D.	0.01
150	Metominostrobin(E,Z)	N.D.	0.01	183	Prometryn	N.D.	0.01
151	Metribuzin	N.D.	0.01	184	Propachlor	N.D.	0.01
152	Mevinphos	N.D.	0.01	185	Propanil	N.D.	0.01
153	Molinate	N.D.	0.01	186	Propaphos	N.D.	0.01
154	Monocrotophos	N.D.	0.01	187	Propargite	N.D.	0.01
155	Myclobutanil	N.D.	0.01	188	Propazine	N.D.	0.01
156	Napropamide	N.D.	0.01	189	Propiconazole	N.D.	0.01
157	Nitralin	N.D.	0.01	190	Propoxur	N.D.	0.01
158	Nitrofen	N.D.	0.01	191	Propyzamide	N.D.	0.01
159	Norflurazon	N.D.	0.01	192	Prothiofos	N.D.	0.01
160	Omethoate	N.D.	0.01	193	Pyraclofos	N.D.	0.01
161	Oxadiazon	N.D.	0.01	194	Pyrazophos	N.D.	0.01
162	Oxadixyl	N.D.	0.01	195	Pyributicarb	N.D.	0.01
163	Oxyfluorfen	N.D.	0.01	196	Pyridaben	N.D.	0.01
164	Paclobutrazole	N.D.	0.01	197	Pyridaphenthion	N.D.	0.01
165	Parathion	N.D.	0.01	198	Pyrifenox	N.D.	0.01

(unit : ppm)

No.	Analytical Items	Test Results	Detection Limit	No.	Analytical Items	Test Results	Detection Limit
199	Pyriminobac-methyl(E,Z)	N.D.	0.01	232	Triadimefon	N.D.	0.01
200	Pyriproxyfen	N.D.	0.01	233	Triadimenol	N.D.	0.01
201	Pyroquilon	N.D.	0.01	234	Triallat	N.D.	0.01
202	Quinalphos	N.D.	0.01	235	Triazophos	N.D.	0.01
203	Quinoclamine	N.D.	0.01	236	Tribuphos(DEF)	N.D.	0.01
204	Quinoxifen	N.D.	0.01	237	Tricyclazole	N.D.	0.01
205	Quintozene	N.D.	0.01	238	Trifloxystrobin	N.D.	0.01
206	Resmethrin	N.D.	0.01	239	Trifluralin	N.D.	0.01
207	Salithion	N.D.	0.01	240	Uniconazole P	N.D.	0.01
208	Silafluofen	N.D.	0.01	241	Vinclozolin	N.D.	0.01
209	Simazine	N.D.	0.01	242	XMC	N.D.	0.01
210	Simetryn	N.D.	0.01	243	Zoxamide	N.D.	0.01
211	Spiroxamine	N.D.	0.01				
212	Sulprofos	N.D.	0.01				
213	Swep	N.D.	0.01				
214	TCMTB	N.D.	0.01				
215	Tebuconazole	N.D.	0.01				
216	Tebufenpyrad	N.D.	0.01				
217	Tecnazene	N.D.	0.01				
218	Tefluthrin	N.D.	0.01				
219	Terbacil	N.D.	0.01				
220	Terbufos	N.D.	0.01				
221	Terbutryn	N.D.	0.01				
222	Tetrachlorvinphos	N.D.	0.01				
223	Tetraconazole	N.D.	0.01				
224	Tetradifon	N.D.	0.01				
225	Thenylchlor	N.D.	0.01				
226	Thiabendazole	N.D.	0.01				
227	Thifluzamide	N.D.	0.01				
228	Thiobencarb	N.D.	0.01				
229	Thiocyclam	N.D.	0.01				
230	Thiometon	N.D.	0.01				
231	Tolclofos-methyl	N.D.	0.01				

(unit : ppm)