

INSTALLATION INSTRUCTIONS

www.vikingbags.com





888-208-1949 | Support@vikingbags.com

BONAFIDE SADDLEBAGS INSTALLATION INSTRUCTIONS

Parts

- (a) Seat Mounting Strap
- (b) Saddlebags (Left & Right) x 2
- (c) S-Hooks x 2
- (d) Securing Straps x 4
- (e) License Plate Attachments x 2
- (f) Rain Cover

Instruction

Step 1


Take the seat off and wrap the mounting strap around the rear of the seat. The flat side of the mounting strap should lay flat on top the seat

Step 2

Tighten the strap so it is wrapped securely and reattach the seat.

Step 3

Back of the saddlebags have loops (A in Fig. 1) for seat attachment. Insert 2 hooks into the corresponding loops on the back of the bag according to the height you desire to mount the bags





INSTALLATION INSTRUCTIONS

www.vikingbags.com





888-208-1949 | Support@vikingbags.com

Step 4

With hooks inserted, connect the other side of the S-Hook to each of the loops on the side of Seat Mounting Strap.

Step 5

For Securing the bags further, you need to secure the bags at two more points. We recommend using the foot-peg and the license plate as the two-points.

Step 6

Wrap one of the Securing Straps (d) around the foot-peg such that it forms a loop and insert the loose end of the strap into the loop on the front of the saddlebag using the metal hook.

Step 7

For securing the rear side of the saddlebag, loop the securing strap around a secure rear point (such as a sturdy turn signal) and attach the securing strap to the back of the bag.

Step 8

Tighten both securing straps until the bag is securely held in one place under tension.

Step 9

Repeat for the other side.








Fig.3



INSTALLATION INSTRUCTIONS

www.vikingbags.com





888-208-1949 | support@vikingbags.com




Fig.4

Note: If you do not have a rear mounting point, you may use License Plate Attachments (e) to create rear securing points.

- Do not use any part that is impaired or damaged. If you receive a damaged part, contact our customer service and we will be happy to help.
- If you are unsure about any installation step, do not install the bags. VikingBags is not responsible for any damage or injury caused by improper mounting or lack of maintenance.
- Regularly check for shifting of the bag and ensure all straps are in good condition and are not loose.
- No part of the bag should be in contact with any moving part of the bike during operation. This includes wheels, drive-train and exhaust.
- We recommend that you seek advice from a trained professional in case you are unsure about mounting of the bags.
- It is important that you either cut away or safely tuck in excess straps so they do not come in contact with any moving part of the bike.