VK144-04 Hard Mount Bracket Installation For Honda Rebel:



Parts:		
VK144-04 (Hardware Kit)		
į	VK144-04 Hard Mounting Bracket	x2
ii	10mm x 55mm Socket Head Bolts	x4
iii	Connecting Clamp	x6
iv	Clamp Bolts (with nuts and washers)	x6
RED-RBL (Extra Bolt Kit)		
V	8mm x 50mm	x4
vi	8mm x 80mm	x4
vii	8mm Washer	x4
viii	8mm Spring Washer	x4
ix	½" x 8mm Spacer	x4
х	½" x 10mm Spacer	x4

Tools Needed:

- 3/2 metric drive socket set
- ii A flat-blade or Philips screwdriver
- iii Torque wrench

Tip:

VK144-04 is the mounting hardware kit.

RED-RBL bolt kit includes supplementary hardware to accommodate various configurations of your motorcycle.

Parts Diagram:




Fig 1. Parts List Of VK144-04

Instructions:

Step 1:

Starting from the left side first, remove the two OEM fender bolts. Then mount the right bracket onto the fender of your motorcycle using the provided socket head bolts (ii).




Fig 2. Install the bracket on the bag

Step 2:

Now hold your right saddlebag against the fender to figure out the position where you would like to mount your saddlebags. It would be much more convenient to get a helping hand. Make sure you have enough clearance for shocks, passenger foot peg, seat, or exhaust.

Step 3:

Once you have decided on a suitable position, place 3 connecting clamps onto the back of the bag and mark the 3 points to drill. The marked points are where you will be using the clamp bolts to attach the bracket to the bag




Fig 4. Attach the bag to the bracket using clamp bolts




Fig 3. Find a suitable position to mount the bags

Step 4:

Drill the marked points. Now attach the bag to the bracket using the 3 clamp bolts along with washers.

Step 5:

Repeat the same for the left side of the bag.




Fig 5. Final configuration

Congratulations! You have successfully installed your saddlebags and now you are ready to ride!

Warnings!

- Do not install if any of the mounting hardware is damaged or impaired.
- If you have any questions or concerns about the installation, call Viking Bags or consult your local mechanic
- Ensure no part of the bag constructs any of the moving parts of the bike
- Viking Bags is not liable for any damage or malfunctions caused to your motorcycle during the installation process
- Improper loading can cause vehicle handling problems leading to death or severe injury.
- Periodically check the bolts on your bike for tightness.