SECTION 1 - IDENTIFICATION

Product identifier: 5X ULTRA HYPOALLERGENIC DETERGENT

Recommended use: Laundry detergent

Chemical name : Mixture **Chemical group:** Mixture

Manufactured for: COMERCO SERVICES INC.

3300 Boul. Saint-Martin O. #300

Laval, Qc, H7T 1A1 (450) 682-9900

Emergency phone: Canutec (613) 996-6666 24 hrs

SECTION 2 - HAZARD IDENTIFICATION

Classification Skin irritation – Category 3
Eye irritation – Category 2B

Specific target organ toxicity, single exposure; Respiratory tract irritation – category 3

Signal word WARNING

Hazard statementH316
Causes mild skin irritation
H320
Causes eye irritation

H335 May cause respiratory irritation

Precautionary statement - P103 Read label before use.

Prevention P261 Avoid breathing dust, fume, gas, mist, vapours, spray.

P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, protective clothing, eye protection, face

protection.

Precautionary statement - Response P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation or rash occurs: Get medical attention.

P321 Specific treatment: as symptoms occur.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313+P333 If eye irritation, skin irritation/rash persists: Get medical advice.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P312 Call a POISON CENTER or doctor if you feel unwell.

Precautionary statement - Storage P403 + P233 Store in a well-ventilated area. Keep container tightly closed.

Precautionary statement - P501 Dispose contents/containers according to municipal, provincial and

Elimination federal regulations.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS			
Hazardous product	No. CAS	% (weight)	
Alanine N,N-bis(carboxymethyl) trisodium salt	164462-16-2	1 – 5 *	
Monoethanolamine	141-43-5	1 – 5 *	
Tridecyl alcohol ethoxylate	78330-21-9	1 – 5 *	
Sodium polyacrylate	9003-04-7	1 – 5 *	
D-Glucopyranose, digomeric alkyl glycoside	132778-08-6	1 – 5 *	
Sodium lauriminodiproprionate	14960-06-6	1 – 5 *	
Sodium laureth sulfate	68585-34-2	3 – 7 *	

^{*}TRADE SECRET STATEMENT: The exact concentration of composition has been withheld as a trade secret.

SECTION 4 - FIRST AID MEASURES

Inhalation:

IF INHALED: remover person to fresh air and keep comfortable for breathing. If not breathing, if breathing is irregular or respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention.

Skin contact:

IF ON SKIN: If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing/ jewellery and wash it before reuse. Apply moisturizing cream in case of dry skin.

Eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion:

NEVER give anything orally if victim is losing consciousness, is unconscious or having convulsions. Rinse mouth with water thoroughly. DO NOT INDUCE VOMITING. Ask victim to drink two glasses of water. If vomiting occurs naturally, lean victim forward to reduce risks of aspiration. Continue to drink water. Obtain medical care.

Notes to physician:

No specific treatment. Treat according to symptoms. Contact a poison center immediately if large quantity has be ingested.

SECTION 5 - FIRE-FIGHTING MEASURES

Suitable extinguishing media: In case of fire: Use water, foam, CO2, dry chemicals to extinguish.

Unsuitable extinguishing media: Stream of water directed into the product will generate large amounts of foam.

Hazardous combustion products: Carbon oxides, nitrogen oxides, sulphur oxides.

Protective equipment : Fire-fighters must wear protective equipment and NIOSH approved self-contained

breathing apparatus.

Precautions: Retain water run-off. Move containers away from fire area if without risk. Use water

spray to keep containers cool. In a fire or if heated, a pressure increase will occur and the

container may burst, with the risk of a subsequent explosion.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Protective equipment:

Wear plastic or rubber gloves if large quantities of bulk are handled. (See Section 8) wear respiratory equipment if ventilation is inadequate.

Containment and clean up:

Ventilate spill area. Stop spill if safe to do so. Contain and absorb with an inert absorbing material (sand, earth, vermiculite, diatomaceous earth) for future disposal (See Section 13). Prevent spill from entering sewers or waterways. Retain water run-off if applicable. Inform proper authorities if necessary.

Environmental precautions:

Eliminate according to municipal, provincial and federal regulations. Prevent leaking substances from running into the aquatic environment or sewage systems.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling:

Containers must be identified correctly. Handle in a well ventilated area. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Maintain good personal hygiene before eating, drinking or smoking. Do not eat, drink or smoke while using the product or in proximity. Wash contaminated clothing before reuse. Do not ingest. Avoid breathing vapours or mist. Wear appropriate respiratory equipment if ventilation is inadequate. Do no enter storage or enclosed areas if ventilation is inadequate.

Conditions for safe storage:

Store in a well-ventilated place. Keep cool. Store away from incompatible materials. Keep containers closed..

Incompatible materials: Strong oxidants, acids. The product does not polymerise.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: OSHA PEL **ACGIH TLV** Ingredient TWA STEL TWA STEL Alanine N,N-bis(carboxymethyl) No data No data No data No data trisodium salt Monoethanolamine 3 ppm 6 ppm 3 ppm 6 ppm 7.5 mg/m3 15.0 mg/m3 7.5 mg/m3 15.0 mg/m3 No data No data No data No data Tridecyl alcohol ethoxylate Sodium polyacrylate No data No data No data No data

D-Glucopyranose, digomeric alkyl	No data	No data	No data	No data
glycoside				
Sodium lauriminodiproprionate	No data	No data	No data	No data
Sodium laureth sulfate	No data	No data	No data	No data

Engineering controls:

Local ventilation system is recommended.

Protection of airways:

Not required if ventilation is adequate. Wear a NIOSH approved respiratory equipment if concentrations are superior to recommended maximal limits.

Protective equipment and clothing:

Wear chemical / impermeable gloves or other protective clothing to prevent repeated or continuous contact with the skin during handling and usage. Wear goggles to prevent mist, vapours or dust to contact eyes. Insure that eyewash stations, showers and cleaning stations are near to work station.

General hygiene recommendations:

Avoid contact with skin and eyes. Avoid breathing dust, vapours or mists. Never eat, drink or smoke near work stations. Good hygiene is recommended after using this product. Clean clothing before reuse.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Transparent yellowish liquid Odour: Characteristic of the product

Odour threshold:Not availablepH:10.90 – 11.40Melting point:Not applicableInitial boiling point:Not applicableFlash point:Not applicable

Evaporation rate (butyl acetate = 1): > 1.0

Flammability: Not applicable LIL: Not available UIL: Not available Vapour pressure: Not available Vapour density (air=1): Not available Relative density: 1.07 - 1.08 g/mL**Solubility:** Soluble in water Partition coefficient (n-octanol/water): Not available **Auto-ignition temperature:** Not available **Decomposition temperature:** Not available Viscosity: 500 - 700 cPs

SECTION 10 - STABILITY AND REACTIVITY

Stability and reactivity: Stable under recommended conditions and expected usage.

Polymerisation: No.

Conditions to avoid : Contact with incompatible materials.

Incompatible materials: Strong oxidants, acids.

Hazardous decomposition Carbon oxides, nitrogen oxides, sulphur oxides.

products:

SECTION 11 - TOXICOLOGICAL INFORMATION

Toxicological data:

Hazardous ingredient	CAS	% (weight)	LD ₅₀ (route, species)	LC ₅₀ (species)
Alanine N,N-bis(carboxymethyl)	164462-16-2	1 – 5	>4000 mg/kg, rat, oral	>5 mg/L, rat, 4hr
trisodium salt			>4000 mg/kg, rabbit, dermal	
Monoethanolamine	141-43-5	1 – 5	1089 mg/kg, rat, oral	No data
			1015 mg/kg, rabbit, dermal	
Tridecyl alcohol ethoxylate	78330-21-9	1 – 5	>2000 mg/kg, rat, oral	No data
-			>2000 mg/kg, rabbit, dermal	
Polyacrylate de sodium	9003-04-7	1 – 5	>5000 mg/kg, rat, oral	No data

			>5000 mg/kg, rabbit, dermal	
D-Glucopyranose, digomeric alkyl	132778-08-6	1 – 5	>5000 mg/kg, rat, oral	>20 mg/L,
glycoside			>5000 mg/kg, rabbit, dermal	vapour, rat
Sodium lauriminodiproprionate	14960-06-6	1 – 5	>5000 mg/kg, oral, mouse	No data
			>5000 mg/kg, rat, dermal	
Sodium laureth sulfate	68585-34-2	3 – 7	>5000 mg/kg, rat, oral	No data
			>2000 mg/kg_rabbit_dermal	

Short term exposure (acute):

Inhalation: Irritating to respiratory system.

Skin:Irritating to skin.Eyes:Irritating to eyes

Ingestion: No known significant effects or critical hazards.

Long term exposure (chronic):

Mobility in soil:

Other adverse effects:

Inhalation: Not available Skin: Not available. **Eyes:** Not available **Ingestion:** Not available **Carcinogenicity:** Not classified **Teratogenicity:** Not available **Mutagenicity:** Not mutagen Target organ: Not available Conditions aggravated by exposure: Not available

SECTION 12 - ECOLOGICAL INFORMATION				
Hazardous ingredient	CAS	% (weight)	Value	Species
Alanine N,N-	164462-16-2	1 – 5	LC50 >200 mg/L, 96 hr	Brachydanio rerio
bis(carboxymethyl)			EC50 >200 mg/L, 48 hr	Daphnia magna
trisodium salt			EC50 >200 mg/L,l 72 hr	Scenedesmus subcapitatus
Monoethanolamine	141-43-5	1 – 5	LC50 349 mg/L, 96 hr	Cyprinus carpio
			LC50 170 mg/L, 96 hr	Carassium auratus
			EC50 65 mg/L, 48 hr	Daphnia magna
			EC50 2.5 mg/L, 72 hr	Selenastrum capricornutum
			EC50 22 mg/L, 72 hr	Scenedesmus subcapitatus
Tridecyl alcohol ethoxylate	78330-21-9	1 – 5	LC50 1 - 10 mg/L, 96 hr	Fish (not specified)
			EC50 1 - 10 mg/L, 48 hr	Daphnia magna
			EC50 1 – 10 mg/L, 72 hr	Algae
Sodium polyacrylate	9003-04-7	1 – 5	LC50 700 mg/L, 96 hr	Oncorhynchus mykiss
1 3 3			LC50 >1000 mg/L, 96 hr	Lepomis macrochirus
			LC50 >200 mg/L, 96 hr	Danio/Brachydanio rerio
			EC50 >1000 mg/L, 48 hr	Daphnia magna
			EC50 >180 mg/L, 96 hr	Algae
D-Glucopyranose,	132778-08-6	1 – 5	LC50 1 - 10 mg/L	Fish (not specified)
digomeric alkyl glycoside			EC50 1 – 10 mg/L	Daphnia magna
2 , 2,			EC50 10 - 100 mg/L, 72 hr	Algae
Sodium	14960-06-6	1-5	LC50 10 - 100 mg/L, 96 hr	Fish (not specified)
lauriminodiproprionate			EC50 1 – 10 mg/L	Daphnia magna
F F			ED50 10 – 100 mg/L, 72 hr	Chlorella vulgaris
Sodium laureth sulfate	68585-34-2	3 – 7	LC50 2.3 mg/L, 96 hr	Fish (not specified)
			EC50 2.33-4.81 mg/L, 48 hr	Ceriodaphnia dubia
Persistence and degradabili	ity:	Not available		
Bioaccumulation potential:	-	Not available		

SECTION 13 - DISPOSAL CONSIDERATIONS		
Safe handling for disposal:	Store materials for elimination and contaminated packaging as indicated in Section 7 Handling	
	and Storage.	
Methods of disposal:	Dispose contents/containers according to all municipal, provincial and federal regulations.	

Not available

Not available

SECTION 14 - TRANSPORT INFORMATION

Not regulated for transport.

SECTION 15 - REGULATORY INFORMATION

Canadian Environmental Protection Act Components of this product are listed in the Domestic Substance List (DSL) or the

(CEPA): Non-Domestic Substance List (NDSL) or are exempt.

Others: Components of this product are listed on the TSCA or are exempt.

SECTION 16 - OTHER INFORMATION

Prepared by: Laboratoire Campeau Inc.

61 rue des Menuisiers, local 106

Sainte-Anne-Des-Plaines, Qc, J0N 1H0

Telephone : (514) 642-6669 **Date :** 11 May 2018

Version: 2.0

Abbreviations:

ACGIH American Conference of Governmental Industrial Hygienists

AIHA American Industrial Hygiene Association

CAS Chemical Abstract Service

CL / LC Concentration létale /Lethal concentration

DL / LD Dose létale / Lethal dose

IARC International Agency for Research on Cancer
LES Liste extérieure des substances (NDSL)
LIS Liste intérieure des substances (DSL)

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program (U.S.A.)

OSHA Occupational Safety and Health Administration (U.S.A.)

PEL Permissible Exposure Limit

SIMDUT Système d'information sur les matières dangereuses utilisées au travail

STEL Short-term Exposure Limit
TLV Threshold Limit Value
TSCA Toxic Substances Control Act
TWA Time Weighted Average

USEPA United States Environmental Protection Agency
WHMIS Workplace Hazardous Materials Information System

All information indicated in the present document are based on data supplied by recognized technical sources. While the information is believed to be accurate, the manufacturer makes no representations as to its accuracy or sufficiency. Users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.