

Certificate of Analysis

COMPLIANCE FOR RETAIL



Jul 19, 2024 | DIET SMOKE

7901 4TH ST N SUITE 300 ST PETERSBURG, FL, 33702, US



DS-D8-CH-BULK Matrix: Edible Type: Gummy



Sample:DA40715003-004

Batch#: DS-D8-CH-70924 Seed to Sale# NA

Batch Date: 07/09/24

Sample Size Received: 1 units

Total Amount: 5 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram Servings: 10

> Ordered: 07/09/24 Sampled: 07/15/24

Completed: 07/18/24 Revision Date: 07/19/24

Sampling Method: SOP.T.20.010.FL

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



Filth **PASSED**



Water Activity



Moisture **NOT TESTED**



MISC.

Terpenes NOT **TESTED**

PASSED



Cannabinoid

Total THC 0.289%

Total THC/Gram : 2.890 mg



Total CBD 0.009%

Total CBD/Gram: 0.090 mg

Reviewed On: 07/17/24 08:42:29 Batch Date: 07/16/24 10:47:56



Total Cannabinoids

Total Cannabinoids/Gram: 12.560 mg



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA075297POT Instrument Used: DA-LC-007 Analyzed Date: 07/16/24 13:48:44

Dilution : 40
Reagent : 071024.R01; 060723.24; 070524.R01
Consumables : 947.100; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/18/24



Kaycha Labs

DS-D8-CH-BULK Matrix : Edible Type: Gummy



Certificate of Analysis

PASSED

DIFT SMOKE

7901 4TH ST N SUITE 300 ST PETERSBURG, FL, 33702, US Telephone: (954) 609-5386 Email: zach@dietsmoke.com Sample : DA40715003-004

Batch#: DS-D8-CH-70924 Sampled: 07/15/24 Ordered: 07/15/24 Sample Size Received: 1 units

Total Amount :5 units Completed : 07/18/24 Expires: 07/19/25 Sample Method : SOP.T.20.010.FL Page 2 of 5



Pesticides

PASSED

| esticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | | LOD | Units | Action Level | Pass/Fail | Resu |
|------------------------------------|-------|-------|-----------------|-----------|--------|--|--------------------------|--------------|----------------|-----------------|------------------|----------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | 1.1. | 30 | PASS | ND | OXAMYL | | 0.010 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.010 | | 3 | PASS | ND | PACLOBUTRAZOL | | 0.010 | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.010 | | 1 | PASS | ND | PHOSMET | | 0.010 | ppm | 0.2 | PASS | ND |
| OTAL PYRETHRINS | 0.010 | | 1 | PASS | ND | PIPERONYL BUTOXIDE | | 0.010 | mag | 3 | PASS | ND |
| OTAL SPINETORAM | 0.010 | P.P. | 3 | PASS | ND | PRALLETHRIN | | 0.010 | | 0.4 | PASS | ND |
| OTAL SPINOSAD | 0.010 | | 3 | PASS | ND | PROPICONAZOLE | | 0.010 | | 1 | PASS | ND |
| BAMECTIN B1A | 0.010 | | 0.3 | PASS | ND | | | | | 0.1 | PASS | ND |
| CEPHATE | 0.010 | | 3 | PASS | ND | PROPOXUR | | 0.010 | | | | |
| CEQUINOCYL | 0.010 | | 2 | PASS | ND | PYRIDABEN | | 0.010 | | 3 | PASS | ND |
| CETAMIPRID | 0.010 | | 3 | PASS | ND | SPIROMESIFEN | | 0.010 | | 3 | PASS | ND |
| DICARB | 0.010 | | 0.1 | PASS | ND | SPIROTETRAMAT | | 0.010 | ppm | 3 | PASS | ND |
| OXYSTROBIN | 0.010 | | 3 | PASS | ND | SPIROXAMINE | | 0.010 | ppm | 0.1 | PASS | ND |
| FENAZATE | 0.010 | | 3 | PASS | ND | TEBUCONAZOLE | | 0.010 | ppm | 1 | PASS | ND |
| FENTHRIN | 0.010 | | 0.5 | PASS | ND | THIACLOPRID | | 0.010 | ppm | 0.1 | PASS | ND |
| SCALID | 0.010 | | 3 | PASS | ND | THIAMETHOXAM | | 0.010 | | 1 | PASS | ND |
| ARBARYL | 0.010 | | 0.5 | PASS | ND | TRIFLOXYSTROBIN | | 0.010 | | 3 | PASS | ND |
| ARBOFURAN | 0.010 | | 0.1 | PASS | ND | | TENE (DOND) * | 0.010 | | 0.2 | PASS | ND |
| ILORANTRANILIPROLE | 0.010 | | 3 | PASS | ND | PENTACHLORONITROBENZ | ENE (PCNB) * | | | | | |
| ILORMEQUAT CHLORIDE | 0.010 | ppm | 3 | PASS | ND | PARATHION-METHYL * | | 0.010 | | 0.1 | PASS | ND |
| ILORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CAPTAN * | | 0.070 | PPM | 3 | PASS | ND |
| OFENTEZINE | 0.010 | ppm | 0.5 | PASS | ND | CHLORDANE * | | 0.010 | PPM | 0.1 | PASS | ND |
| UMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | | 0.010 | PPM | 0.1 | PASS | ND |
| MINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | | 0.050 | PPM | 1 | PASS | ND |
| AZINON | 0.010 | | 3 | PASS | ND | CYPERMETHRIN * | | 0.050 | PPM | 1 | PASS | ND |
| CHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | | ion date: | | Extracte | el laver |
| METHOATE | 0.010 | ppm | 0.1 | PASS | ND | 3379, 585, 1440 | 0.9524a | | 4 15:24:27 | | 3621 | u by: |
| HOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30 | | | | SOP T 40 101 | |) |
| OFENPROX | 0.010 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | nizozni z (odmicovnic), | 50111150120 | Lii L (Davie), | 501111101202 | En E (Odniesvine | -// |
| OXAZOLE | 0.010 | ppm | 1.5 | PASS | ND | Analytical Batch : DA07530 | 5PES | | Reviewed 0 | On:07/17/24 | 16:19:11 | |
| NHEXAMID | 0.010 | ppm | 3 | PASS | ND | Instrument Used : DA-LCMS | 5-004 (PES) | | Batch Date | :07/16/24 10 | :53:40 | |
| NOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : N/A | | | | | | |
| NPYROXIMATE | 0.010 | ppm | 2 | PASS | ND | Dilution : 250 | 024 000 070024 004 | 071004 00 | 7 000504.00 | A 071004 B | 0.0.40.400.00 | |
| PRONIL | 0.010 | ppm | 0.1 | PASS | ND | Reagent: 071224.R22; 071 Consumables: 326250IW | .024.R08; 070924.R04 | ; U/1024.R3 | 7; 062524.RC | J4; U/1024.RC | 06; 040423.08 | |
| ONICAMID | 0.010 | ppm | 2 | PASS | ND | Pipette : DA-093: DA-094: I | DA-219 | | | | | |
| UDIOXONIL | 0.010 | ppm | 3 | PASS | ND | Testing for agricultural agent | | Liquid Chrom | atography Tr | inle-Ouadruno | le Mass Spectro | metry in |
| EXYTHIAZOX | 0.010 | ppm | 2 | PASS | ND | accordance with F.S. Rule 64 | | ,=.= = | | , | | , |
| IAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extracti | | | Extracted | d by: |
| IDACLOPRID | 0.010 | ppm | 1 | PASS | ND | 450, 585, 1440 | 0.9524g | 07/16/24 | 15:24:27 | | 3621 | |
| RESOXIM-METHYL | 0.010 | ppm | 1 | PASS | ND | Analysis Method : SOP.T.30 | | | | | | |
| ALATHION | 0.010 | ppm | 2 | PASS | ND | Analytical Batch : DA07530 | | | | 07/17/24 16: | | |
| TALAXYL | 0.010 | ppm | 3 | PASS | ND | Instrument Used : DA-GCM Analyzed Date : 07/16/24 1 | | Ва | itcn Date : 0 | 7/16/24 10:57 | :27 | |
| THIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution: 250 | 9.20.32 | | | | | |
| THOMYL | 0.010 | | 0.1 | PASS | ND | Reagent: 070924.R04; 040 | 423 08· 071024 R46· | 071024 R47 | | | | |
| EVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Consumables: 326250IW: | | U, 1027.1197 | | | | |
| YCLOBUTANIL | 0.010 | | 3 | PASS | ND | Pipette : DA-080; DA-146; I | | | | | | |
| ALED | | ppm | 0.5 | PASS | ND | Testing for agricultural agent | s is performed utilizing | Gas Chromat | ography Trip | le-Quadrupole | Mass Spectrome | etry in |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Signature

07/18/24



Kaycha Labs

DS-D8-CH-BULK Matrix: Edible Type: Gummy



Certificate of Analysis

PASSED

7901 4TH ST N SUITE 300 ST PETERSBURG, FL, 33702, US Telephone: (954) 609-5386 Fmail: zach@dietsmoke.com

Sample : DA40715003-004 Batch#: DS-D8-CH-70924

Sampled: 07/15/24 Ordered: 07/15/24 Sample Size Received: 1 units

Total Amount : 5 units Completed : 07/18/24 Expires: 07/19/25 Sample Method: SOP.T.20.010.FL

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|------------------|--------------|-----------|--------------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | | TESTED | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |
| Analyzed by: | Weight: | Extraction date: | | E | xtracted by: |

850, 585, 1440 0.0276g 07/17/24 11:14:59 850

Analysis Method: SOP.T.40.041.FL Analytical Batch : DA075330SOL Instrument Used: DA-GCMS-003 Analyzed Date: 07/16/24 17:40:17

Dilution: 1

Reagent: 030420.09 Consumables: 429651; 306143 Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 07/17/24 12:50:09 Batch Date: 07/16/24 12:45:35

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/18/24



Kaycha Labs

DS-D8-CH-BULK Matrix: Edible Type: Gummy



Certificate of Analysis

PASSED

7901 4TH ST N SUITE 300 ST PETERSBURG, FL, 33702, US Telephone: (954) 609-5386 Fmail: zach@dietsmoke.com

Sample : DA40715003-004

Batch#: DS-D8-CH-70924 Sampled: 07/15/24 Ordered: 07/15/24

Sample Size Received: 1 units

Total Amount : 5 units Completed : 07/18/24 Expires: 07/19/25 Sample Method: SOP.T.20.010.FL

Page 4 of 5



Microbial



cotoxins

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | | LOD | Units | Result | Pass / Fail | Act Lev |
|-------------------------------------|-----|-------|--------------------|----------------|-----------------|---------------------------------|------------------------|-----------------------------------|-------|--------|-------------------|------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN B2 | | 0.002 | ppm | ND | PASS | 0.0 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | AFLATOXIN B1 | | 0.002 | ppm | ND | PASS | 0.0 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.0 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.0 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.0 |
| ECOLI SHIGELLA TOTAL YEAST AND MOLD | 10 | CFU/g | Not Present <10 | PASS PASS | 100000 | Analyzed by: 3379, 585, 1440 | Weight: 0.9524g | Extraction da 07/16/24 15: | | | Extracted 3621 | l by: |
| | | | | | | | | | | | | |

Extraction date: Weight: Extracted by: Analyzed by: 1.065g 4044, 4520, 585, 1440 07/16/24 12:12:05 4531

Analysis Method: SOP.T.40.056C. SOP.T.40.058.FL. SOP.T.40.209.FL

Analytical Batch: DA075259MIC

Reviewed On: 07/18/24

Batch Date : 07/16/24 Instrument Used: PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55*C) 07:34:42 DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher

Scientific Isotemp Heat Block (55*C) DA-021, Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C)

Analyzed Date : 07/17/24 14:45:18

Dilution: 10

Reagent: 061324.37; 061324.48; 070324.R36; 030724.33; 083123.106

Consumables: 7573003038

| Analyzed by: | Weight: | Extraction date: | Extracted by: |
|-----------------------|---------|-------------------|---------------|
| 4044, 3621, 585, 1440 | 1.065g | 07/16/24 12:12:05 | 4531 |

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch: DA075260TYM Reviewer

Reviewed On : 07/18/24 18:03:26 Instrument Used: Incubator (25*C) DA- 328 Batch Date: 07/16/24 07:37:06 Analyzed Date: 07/16/24 18:44:51

Dilution: 10

Reagent: 061324.37; 061324.48; 070324.R35

Consumables: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Ď. | Мус |
|-------|-----|
| alvte | |

PASSED

| Analyte | | LOD | Units | Result | Pass / Fail | Action Level | |
|--------------|---------|---------------|-------|-----------|----------------|-----------------|--|
| AFLATOXIN B2 | | 0.002 | ppm | ND | PASS | 0.02 | |
| AFLATOXIN B1 | | 0.002 | ppm | ND | PASS | 0.02 | |
| OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 | |
| AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.02 | |
| AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.02 | |
| Analyzed by: | Weight: | Extraction da | | Extracted | d by: | | |

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA075306MYC Reviewed On: 07/17/24 10:41:33 $\textbf{Instrument Used:} \ N/A$ Batch Date: 07/16/24 10:57:25 Analyzed Date: N/A

Dilution: 250

Reagent: 071224.R22; 071024.R08; 070924.R04; 071024.R37; 062524.R04; 071024.R06;

040423 08

Consumables : 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in



Heavy Metals

PASSED

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|---|--------------|---------|---------|----------------|-----------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 5 |
| ARSENIC | 0.020 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.020 | ppm | ND | PASS | 3 |
| LEAD | 0.020 | ppm | < 0.100 | PASS | 0.5 |
| Associated by the San | France at la | a deser | | Frature etc. | al land |

Extracted by: 0.2551g 1022, 4056, 585, 1440 07/16/24 12:42:08

Analysis Method: SOP T 30 082 FL SOP T 40 082 FL

Reviewed On: 07/17/24 09:11:25 Analytical Batch : DA075288HEA $\textbf{Instrument Used:} \ \mathsf{DA-ICPMS-004}$ **Batch Date:** $07/16/24 \ 10:33:10$ Analyzed Date: 07/16/24 17:57:02

Reagent: 070924.R14; 071524.R04; 071624.R10; 071524.R02; 071524.R03; 061724.01; 070524.R05

Consumables: 179436: 120423CH01: 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/18/24



Kaycha Labs

DS-D8-CH-BULK Matrix: Edible Type: Gummy



PASSED

Page 5 of 5

Certificate of Analysis

7901 4TH ST N SUITE 300 ST PETERSBURG, FL, 33702, US Telephone: (954) 609-5386 Fmail: zach@dietsmoke.com

Sample : DA40715003-004

Batch#: DS-D8-CH-70924 Sampled: 07/15/24 Ordered: 07/15/24

Sample Size Received: 1 units Total Amount : 5 units Completed : 07/18/24 Expires: 07/19/25 Sample Method : SOP.T.20.010.FL

Filth/Foreign **Material**

| Analyte Filth and Foreign Ma | LOI terial 0.1 | Units 00 % | Result ND | P/F PASS | Action Level |
|--|--------------------|-------------------|---------------------|-------------|---------------|
| Analyzed by: 1879, 585, 1440 | Weight: NA | Extraction N/A | on date: | Extr N/A | acted by: |
| Analysis Method : SOP.T Analytical Batch : DA075 | | | Reviewed | On: 07/17 | 7/24 11:52:22 |
| Instrument Used : Filth/F Analyzed Date : 07/17/2 | oreign Material Mi | croscope | Batch Dat | te: 07/17/2 | 24 11:30:50 |

Dilution: N/A Reagent : N/A Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/18/24