

# Smart Medium 2000w Tower Heater



Model: ACCT150, ACCT155

### YOUR SAFETY IS IMPORTANT TO US. PLEASE ENSURE YOU TAKE NOTE OF THE

### INSTRUCTIONS AND WARNINGS OUTLINED IN THIS MANUAL.

**CAUTION:** In order to avoid a hazard due to inadvertent resetting of the thermal cut-out, this appliance must not be supplied through an external switching device, such as a timer, or connected to a circuit that is regularly switched on and off by the utility.

- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities or lack of experience and knowledge, unless they are supervised or have been given instruction concerning the use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

**WARNING:** You must not cover this appliance. Covering this appliance presents fire risk and will activate the safety fuse; permanently disabling the unit.

**WARNING:** Do not use this appliance in small rooms when they are occupied by persons not capable of leaving the room on their own, unless constant supervision is provided.

**WARNING:** To reduce the risk of fire, keep textiles, curtains, or any flammable material a minimum distance of 1 metre from the air outlet.

- Use only the voltage specified on the rating label of the appliance.
- Keep all objects at least 1 metre from the front, sides and rear of the appliance.
- This appliance is intended for household use only and not for commercial or industrial use.
- Indoor use only.
- The heater must not be located immediately below a socket outlet.
- Use this appliance only as described in this manual. Any other use is not recommended by the manufacturer and may cause fire, electric shock or injury.
- Do not use the appliance if it has been dropped or damaged.
- The common cause of overheating is deposits of dust or fluff in the appliance. Ensure these deposits are removed regularly by unplugging the appliance and vacuum cleaning the air vents and grills.

# General Care and Safety Guide

- Never use the appliance to dry clothes.
- Always unplug appliance when not in use.
- When the appliance has been unpacked, check it for transport damage and ensure all parts have been delivered. If parts are missing or the appliance has been damaged, contact the Customer Services Team.
- Do not use if there are visible signs of damage to the appliance.
- Do not connect the appliance to mains supply until completely assembled and adjusted.
- Ensure hands are dry before handling the plug or main unit.
- Ensure appliance is on a flat, stable, heat-resistant surface.
- Do not operate with cord set coiled up as a heat build up is likely, which could be sufficient to become a hazard.
- Carry out regular checks of the supply cord to ensure no damage is evident
- Do not operate this appliance with a damaged cord, plug or after the appliance malfunctions or has been dropped or damaged in any manner. Take to a qualified electrical person for examination, electrical service or repair.
- Do not twist, kink or wrap the cord around the appliance, as this may cause the insulation to weaken and split. Always ensure that all cord has been removed from any cord storage area and is unrolled before use.
- It is recommended that this appliance is plugged directly into the wall socket. Power boards are not rated to supply power to high wattage appliances.
- A correctly specified, undamaged extension cord may be used with this appliance provided it is used in a safe manner.
- Do not remove plug from power socket until the appliance has been switched off.
- Do not remove plug from power socket by pulling cord; always grip plug.
- Do not place cord under carpet or cover with rugs or furniture. Arrange the cord so it cannot be tripped over.
- Don't place appliance on bedding or on thick & long carpet where the openings may get blocked.
- Switch off and use handle provided when moving
- Do not place appliance close to radiant heat source.
- Do not insert or allow foreign objects to enter any ventilation or exhaust opening, as this may cause an electric shock, fire or damage to the appliance.
- Do not sit on the appliance.
- Do not use abrasive cleaning products on this appliance. Clean with a damp cloth (not wet) rinsed in hot soapy water only. Always remove plug from the mains supply before cleaning.
- Do not operate in areas where petrol, paint or other flammable liquids are used or stored.
- Do not use this appliance in the immediate surrounds of a bath, a shower, or a swimming pool or other liquids.

# General Care and Safety Guide

- The appliance must not be immersed in any liquids.
- There are no user serviceable parts installed in the unit.
- Do not place the unit in wardrobes or other enclosed spaces as this may cause fire hazards.
- This unit is not supposed to be used in or around locations where foodstuffs, works of art or delicate articles of science, etc. are stored.
- If your appliance does not work, or is not working properly, contact the place of purchase or the Customer Services Team.

The remote control supplied with this appliance uses a CR2025 coin type battery.

### DANGER IF SWALLOWED OR PLACED INSIDE ANY PART OF THE BODY



Australian Poisons Information Centre on 13 11 26 New Zealand National Poisons Information Centre on 0800 764 766

Always choose a safe location for the heater, keeping in mind the safety precautions outlined. Ensure all packaging has been removed from the unit before use. Please follow the below instructions.

WARNING: In order to avoid overheating or fire, do not cover the heater.

**WARNING:** Keep all objects at least 1 metre from the front, sides and rear of the appliance.

WARNING: Do not use this heater with a programmer, separate timer, remote-control system or any other device that switches the heater on automatically, since a fire risk exists if the heater is covered or positioned incorrectly.

WARNING: Never leave this heater unattended when in use.

Ensure heater is on a flat, stable, heat-resistant surface.

Once the heater is in a safe operating position and all switches are in the off position, insert the power plug into the mains outlet and switch on.


**CAUTION:** Ensure the power cord is not tight because if pulled it may partially pull the plug from the socket. A partially inserted plug will overheat the plug and socket and could result in fire.

Note: When the appliance is turned on for the first time, it may release a slight odour or smoke. This odour or smoke is a normal occurrence caused by the initial heating of the heating elements and should not occur again.

### HEATER CONTROL

Ensure heater is on a flat, stable, heat-resistant surface. Once the heater is in a safe operating position and all switches are in the off position, insert the power plug into the mains outlet. Turn the Power Switch at the back of the heater to the 'I' position. The heater is now in STANDBY mode.

The heater can be operated by the touchscreen control panel, remote control or via the Ausclimate App. When an operation has been selected, the relevant LED light on the control panel will display.



Turn on the power switch and the heater will enter STANDBY mode and the ambient (room) temperature will display. Please note that the heater temperature may have a discrepancy due to the air surrounding the heater being hotter than the room. For an accurate room temperature reading, place an independent thermostat in your room.

On/Off

Turn the heater ON/OFF while in STANDBY mode. The LED light will display the current room temperature and begin to blow out room temperature air in FAN mode. Touch ON/OFF again to turn unit OFF. To assist in protecting the internal components, when the unit is turned OFF the fan will continue to blow room temperature air for a period of 30 seconds before shutting down to standby.

DO NOT TURN OFF AT THE MAIN POWER SWITCH OR THE WALL DURING THIS TIME.

(Tem.)

Mode

**<u>TEMPERATURE</u>**: Increases the desired temperature in 1°C increments between 15-45°C. On the remote control, use the up and down + or – buttons to adjust the temperature.

**MODE:** Change the mode between Low heat, High heat and Fan.

**<u>TIMER:</u>** When the heater is ON, use the Timer to set timer to turn the heater OFF. This will activate the 'Timer' LED. Increase timer amount by 1 hour each time you press the TIMER button, up to a maximum of 12 hours.


SWING: Turns oscillation ON/OFF

Timer

Swing

Light


LIGHT: Press to change the ambient light between Off, Red, Blue and Purple



### **Replacing the remote control batteries**

The remote control is powered by a Lithium Button Cell Battery (CR2025). Should the remote become unresponsive, replace the battery following the instructions below:

- 1. Turn over the remote and press tab A to the right.
- 2. Slide out the battery tray B
- 3. Replace the battery with the same type, ensuring the positive side is facing upwards.



The remote control supplied with this appliance uses a CR2025 coin type battery. DANGER IF SWALLOWED OR PLACED INSIDE ANY PART OF THE BODY

# WiFi – Downloading and Setting up APP

# This APP is supported only on 2.4GHz Wi-Fi channels. Please ensure your phone is 2.4GHz capable

Note this device will only work within your home WIFI system. This does not operate on 3G or 4G internet connections. You will need a connection to your home Wi-Fi.

Download Ausclimate mobile APP

- Open the APP Store or Google Play on your mobile phone.
- Open 'Search' and enter 'Ausclimate'
- Click 'GET' and begin to download and install.

Once downloaded to your phone open the APP


- Tap REGISTER near the bottom of the screen.
- Read and agree to the Privacy Policy.
- Add your email address.
- Tap 'Obtain verification code'

You will then receive an email with a verification code.

- Enter the verification code from your email.
- Create a password.
- Then tap confirm.

If you haven't received a verification code via email, tap the resend button and when the verification code is received follow above steps.

Your APP is now registered and ready for pairing to your device.







÷		
Reg	ister	
Austra	alia	
Email		
	ros with Service Arresment and	

I agree with Service Agreement Privacy Policy Details for pairing this heater to the Ausclimate App can be found at the below website link.

Either scan the QR code below or enter the website into your browser.



## **Pairing Mode**

To connect to the Ausclimate app you must ensure that your device is in pairing mode which is where the Wifi Icon is flashing.

If you want to enable WIFI mode then:

- Turn the heater on at the ON/OFF button on the front of the heater.
- Press and hold the Brightness/WiFi Button for 3 seconds. The WiFi indicator icon will light up on the control panel, and will flash rapidly.

## **Quick Connection**

- Turn your phone's Bluetooth ON
- Ensure your device is in Pairing Mode (see instructions above)
- Tap the + on the top right corner to navigate to the main device screen. Tap 'Auto Scan' your device will appear. Tap the device and follow the instructions.
- If Quick Connection does not work, follow the manual via the QR Code above

### SAFETY DEVICES

This appliance has three protection devices:

- <u>Tilt Switch</u> this will automatically turn the appliance off if the appliance is not in the correct operating position.
- <u>Resettable Thermal Link</u> this will automatically disconnect the power to the appliance at a pre-set overheat temperature. After cooling down it will reset and power on again. If this occurs, investigate what is causing the appliance to overheat.
- <u>Thermal Fuse</u> this disconnects the appliance permanently in case of overheating. (It is non resettable).

**CAUTION:** The appliance generates heat during use. Precautions must be taken to prevent the risk of burns, scalds, fires or other damage to persons.

### CARE AND CLEANING

The heater requires regular cleaning to ensure trouble free operation:

- Unplug the heater from the mains supply before cleaning.
- Ensure that the heater has been allowed to cool down completely before cleaning.
- The common cause of overheating is deposits of dust or fluff in the appliance. Ensure these deposits are removed regularly by unplugging the appliance and vacuum cleaning the air vents and grills.
- Use a damp cloth (not wet) to wipe the exterior of the heater to remove dust and dirt.
- Never use solutions such as petrol, thinners or polishing agents.
- Ensure the heater is dry before plugging back into the mains supply.
- Do not attempt to dismantle the heater.
- There are no user serviceable parts. For service or repair, contact an authorised electrical service technician.



Supply: 230-240VAC 50-60Hz Wattage: 2000W Approval: TUV-027719-EA QC Passed: PO#-WWYY

MADE IN CHINA

CUSTOMER SUPPORT NEW ZEALAND PH: 0800 232 633 AUSTRALIA PH: 1300 465 324

Model No: ACCT155
Supply: 230-240VAC 50-60Hz Wattage: 2000W Approval: TUV-027719-EA QC Passed: PO#-WWYY
MADE IN CHINA
CUSTOMER SUPPORT NEW ZEALAND PH: 0800 232 633 AUSTRALIA PH: 1300 465 324

### **PROOF OF PURCHASE**

To receive warranty retain receipt as proof of purchase. (Refer to back of booklet).



### SUPPORT AND TECHNICAL ADVICE

Ausclimate – New Zealand Monday – Friday 8am-5pm Phone +64 (0)9 917 4000 Phone 0800 232 633 Ausclimate – Australia Monday – Friday 8am-5pm Phone 1800 122 100 Troubleshooting





# SCAN HERE FOR HELP

www.ausclimate.com.au www.ausclimate.co.nz



# Two Year Warranty

Thank you for purchasing this Ausclimate product. Your product is warranted against faults and manufacture when used in normal domestic use for a period of **two years**. In non-domestic use Ausclimate limits the voluntary warranty to **three months**.

Ausclimate present consumers with the option of extending their warranty by a **further two years** to a total warranty period of **four years**, if the unit is registered on the Ausclimate website.

Ausclimate undertake to repair or replace this product at no charge if found to be defective due to a manufacturing fault during the warranty period.

This warranty excludes damage caused by misuse, neglect, shipping accident, incorrect installation, or work carried out by anyone other than a qualified electrical service technician.

PLEASE KEEP YOUR RECEIPT AS THIS WILL HELP VERIFY YOUR WARRANTY.

The benefits given to you by this warranty are in addition to other rights and remedies available to you under law in relation to the goods or services to which this warranty relates.

In Australia, our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

In New Zealand this warranty is additional to the conditions and guarantees of the Consumers Guarantee Act (1993).

Ausclimate – New Zealand CDB Media Ltd. PO Box 100-707 N.S.M.C Auckland

Phone 0800 232 633 www.ausclimate.co.nz Ausclimate – Australia CDB Goldair Australia Pty PO Box 574 South Morang Victoria, 3752

Phone 1800 122 100 www.ausclimate.com.au

Ausclimate Two Year Warranty (IMPORTANT: Please complete and retain this warranty card)			
Name			
Address			
Place Of Purchase	Date Of Purchase		
Name Of Product	Model Number		
Attach a copy of the purchase receipt to this warranty card			



healthy indoor climate solutions

# CDBZGROUP

Australia PO Box 574, South Morang, Victoria, 3752 www.ausclimate.com.au New Zealand PO Box 100707, North Shore Mail Centre, Auckland, 0745 www.ausclimate.co.nz