

## Wristband Silicone CLASP



### Description

The **SILICONE CLASP** can be used as a dual-frequency or as a hybrid wristband. The wristband has a high-quality metal clasp, making the silicone band very flexible in terms of size. Like our other silicone wristbands, the SILICONE CLASP is made of flexible, soft, and gentle silicone. As a result, the wristband is not only extremely durable but also very comfortable to wear.

### \*STANDARD COLORS

PANTONE 361 C	PANTONE 102 C	PANTONE 021 C	PANTONE 485 C	PANTONE 1915 C	PANTONE 2592 C
PANTONE 304 C	PANTONE 284 C	PANTONE 286 C	PANTONE BLACK C	PANTONE COOL GREY 11 C	WHITE

\*MOQ for unique colors - 1000pcs




Logo produced through screen printing



Logo engraving with color fill



Logo engraving without color fill



Dual chip function (e.g. Hitag S for e-payment & MIFARE Classic for EGYM/ Milon)

### ► APPLICATIONS

- Fitness and Wellness areas
- Swimming pools
- Hotels
- Healthcare facilities

### ► PERSONALIZATION

- Logo printing (silkscreen)
- Logo engraving (optionally with one-/two-color filling)
- Serial number printing/engraving
- QR Code print
- Chip Encoding

### ► CHIPOPTIONS

#### LF (125 kHz ICs)

- EM 4200
- Atmel Temic 5577
- NXP Hitag 1
- NXP Hitag 2
- NXP Hitag S2048

#### HF (13,56 MHz ICs)

- NXP MIFARE Ultralight® EV1
- NXP MIFARE® Classic 1K EV1 4Byte / 7 Byte
- NXP MIFARE® Classic 4K EV1 4Byte / 7 Byte
- NXP MIFARE® DESFire® EV1 2K/4K/8K
- NXP MIFARE® DESFire® EV2 2K/4K/8K
- NXP MIFARE® DESFire® EV3 2K/4K/8K
- NXP I-Code SLI
- NXP I-Code SLI-X
- LEGIC MIM256
- Tag-it HF-I
- NXP NTAG213 / 215 / 216
- IDT M1K (Fudan F08)

More Chiptypes on request!

## TECHNISCHE DATEN

Specifications	
Dimensions	• 255mm x 33,5,mm x 7mm
Material (Band / Inlay)	Silicone /PBC-Inlay (Ø 20mm)
Protection Class	IP68 (Suitable for sauna and swimming pool)