Ora Organic
QC# ORA-10234W-001
Created by: R. Lung
Approved by: G. Wong
Version: 1
Updated: 4/28/2022

Finished Product Certificate Of Analysis				
Trust Your Gut - Probiotic Powder Sticks For			Item Number:	10234
Kids (Fruit Punch)		Total Serving:	30	
		Serving Size:	1.5g	
Analytical Review				
Lot#:	1426800	Manufactured Date:		2/25/2022
Label Version:	10234-L01-21	E	Expiration Date:	08/2023

		Nutritiona	al Informat	tion	
Parameter	Specification		Pass/Fail	Method	Reference**
Probiotic Viable Count	Not Less Than 6 bilion CFU per serving		Pass	Standard Method/Manufacturer's Method	221666
Inulin	Not Less Than 170mg per serving		Pass	AOAC or equivalent	221666
Calories*	Not More Than 7.5 per serving		Pass	AOAC or equivalent	P7131898
Total Carbohydrates*	Not Less Than 0.8g per serving		Pass	AOAC or equivalent	P7131898
	Heavy Metals				
Parameter	Specification				Reference**
	USP	European Commission	Pass/Fail Method		
Arsenic	Not More Than 15.0µg per day	N/A	Pass	ICP-MS/USP	P7131898
Lead	Not More Than 5.0µg per day	Not More Than 3 Parts Per Million	Pass	ICP-MS/USP	P7131898
Cadmium	Not More Than 5.0µg per day	Not More Than 1 Parts Per Million	Pass	ICP-MS/USP	P7131898
Mercury	Not More Than 15.0µg per day	Not More Than 0.1 Parts Per Million	Pass	ICP-MS/USP	P7131898

Microbial Limits				
Parameter	Specification	Pass/Fail	Method	Reference**
Non-Lactics	Not More Than 5,000 CFU/g	Pass	AOAC, USP or equivalent	P7131898
Yeast and Mold	Not More Than 1,000 CFU/g	Pass	AOAC, USP or equivalent	P7131898
Total Coliforms	Not More Than 1,000 CFU/g	Pass	AOAC, USP or equivalent	P7131898
E.Coli	Negative in 10g	Pass	AOAC, USP or equivalent	P7131898
Staphylococcus Aureus	Negative in 10g	Pass	AOAC, USP or equivalent	P7131898
Salmonella	Negative in 10g	Pass	AOAC, USP or equivalent	P7131898
Others				
Parameter	Specification	Pass/Fail	Method	Reference**
		_		

Parameter	Specification	Pass/Fail	Method	Reference**
Pesticides Screen*	Per USP	Pass	USP <561>	P7131898
Residual Solvents (1, 2a, 2b, 3)*	Per USP	Pass	USP <467>	P7131898
Gluten Allergen*	Not More Than 20ppm	Pass	ELISA or equivalent	P7131898
Crustacean Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7131898
Egg Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7131898
Fish Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7131898
Milk Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7131898
Peanut Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7131898
Tree nut Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7131898
Soy Allergen*	Not More Than 5ppm	Pass	ELISA or equivalent	P7131898

## Remarks:

Lot Status	Released	\ <b>X</b>		
Lot Status	Rejected			
•	0 /			
Quality Dept Approval	RoyLung	Da	te	04/29/2022

<sup>\*</sup> Analysis performed on an annual basis.

<sup>\*\*</sup>All analyses performed by CA State certified and/or ISO accredited third-party laboratories.