

SHOWER TROLLEY

## Carevo



## Change the way you shower your patients and residents

Carevo™ Shower Trolley from Arjo is an innovative hygiene solution for dependent patients or residents.

The new design and intuitive interface provide an easy-to-maneuver and easy-to-use hygiene solution.



- Multiple integrated controls
  - Accessible at all times
  - Simple, intuitive and efficient



- Width adjustment option
  - Greater comfort for a wide range of patient sizes
  - Versatility to meet your showering needs



- 2 Comfort handles
  - Gives enhanced sense of security
  - Promotes participation and mobility
  - Provides support



- 7 Integrated shower handle holder
  - Practical and intuitive design
  - Convenient and easy to use for the caregiver



- 3 Flexizone
  - Improved comfort
  - Provides pressure redistribution



- 8 Optimized head pillow and softer mattress
  - Superior patient comfort
  - Durable, easy to clean and disinfect



- 4 Ergo access area
  - Work closer to your patient
  - Reduce static load
  - Facilitate turning and repositioning



- 9 Simple daily maintenance
  - Easy mattress attachment and removal
  - Easy to disinfect



- 5 Elevated back support
  - Optional
  - Easier and efficient patient transfers
  - Optimal patient comfort



## **Key features**

Maximum safe working load (SWL)440 lbs (200 kg)Maximum patient weight401 lbs (182 kg)Weight (Carevo with mattress)181 lbs (82 kg)Width (stretcher)23" (586 mm)Total width (including side supports)30"-35" (759 mm-888 mm)Total length79" (2,005 mm)Length of chassis (including wheel frame)47 ½" (1,203 mm)Width of chassis27 ½" (700 mm)Height of chassis (over wheels)8" (204 mm)Height, high position from floor to stretcher37 ½" (955 mm)Height, low position from floor to stretcher23 ¾" (605 mm)Stroke range13 ¾" (350 mm)Drain hose holders included2 pieces	PRODUCT INFORMATION	
Weight (Carevo with mattress)  181 lbs (82 kg)  Width (stretcher)  23" (586 mm)  Total width (including side supports)  30"-35" (759 mm-888 mm)  Total length  79" (2,005 mm)  Length of chassis (including wheel frame)  47 ½" (1,203 mm)  Width of chassis  27 ½" (700 mm)  Height of chassis (over wheels)  8" (204 mm)  Height, high position from floor to stretcher  37 ½" (955 mm)  Stroke range  13 ¾" (605 mm)  Drain hose holders included	Maximum safe working load (SWL)	440 lbs (200 kg)
Width (stretcher)  Total width (including side supports)  Total length  Total length  Length of chassis (including wheel frame)  Width of chassis  27 ½" (700 mm)  Height of chassis (over wheels)  Height, high position from floor to stretcher  Height, low position from floor to stretcher  Stroke range  Drain hose holders included  23" (586 mm)  79" (2,005 mm)  47 ½" (1,203 mm)  8" (204 mm)  8" (204 mm)  13 ¾" (605 mm)  23 ¾" (605 mm)  25 pieces	Maximum patient weight	401 lbs (182 kg)
Total width (including side supports)  30"-35" (759 mm-888 mm)  79" (2,005 mm)  Length of chassis (including wheel frame)  47 ½" (1,203 mm)  Width of chassis  27 ½" (700 mm)  Height of chassis (over wheels)  8" (204 mm)  Height, high position from floor to stretcher  37 ½" (955 mm)  Height, low position from floor to stretcher  23 ¾" (605 mm)  Stroke range  13 ¾" (350 mm)  Drain hose holders included	Weight (Carevo with mattress)	181 lbs (82 kg)
Total length 79" (2,005 mm)  Length of chassis (including wheel frame) 47 ½" (1,203 mm)  Width of chassis 27 ½" (700 mm)  Height of chassis (over wheels) 8" (204 mm)  Height, high position from floor to stretcher 37 ½" (955 mm)  Height, low position from floor to stretcher 23 ¾" (605 mm)  Stroke range 13 ¾" (350 mm)  Drain hose holders included 2 pieces	Width (stretcher)	23" (586 mm)
Length of chassis (including wheel frame)  Width of chassis  27 ½" (700 mm)  Height of chassis (over wheels)  8" (204 mm)  Height, high position from floor to stretcher  37 ½" (955 mm)  Height, low position from floor to stretcher  23 ¾" (605 mm)  Stroke range  13 ¾" (350 mm)  Drain hose holders included	Total width (including side supports)	30"-35" (759 mm-888 mm)
Width of chassis  27 ½" (700 mm)  Height of chassis (over wheels)  8" (204 mm)  Height, high position from floor to stretcher  37 ½" (955 mm)  Height, low position from floor to stretcher  23 ¾" (605 mm)  Stroke range  13 ¾" (350 mm)  Drain hose holders included	Total length	79" (2,005 mm)
Height of chassis (over wheels)  Height, high position from floor to stretcher  37 ½" (955 mm)  Height, low position from floor to stretcher  23 ¾" (605 mm)  Stroke range  13 ¾" (350 mm)  Drain hose holders included  2 pieces	Length of chassis (including wheel frame)	47 ½" (1,203 mm)
Height, high position from floor to stretcher  37 ½" (955 mm)  Height, low position from floor to stretcher  23 ¾" (605 mm)  Stroke range  13 ¾" (350 mm)  Drain hose holders included  2 pieces	Width of chassis	27 ½" (700 mm)
Height, low position from floor to stretcher  23 ¾" (605 mm)  Stroke range  13 ¾" (350 mm)  Drain hose holders included  2 pieces	Height of chassis (over wheels)	8" (204 mm)
Stroke range 13 ¾" (350 mm)  Drain hose holders included 2 pieces	Height, high position from floor to stretcher	37 ½" (955 mm)
Drain hose holders included 2 pieces	Height, low position from floor to stretcher	23 ¾" (605 mm)
	Stroke range	13 ¾" (350 mm)
Maximum back support angle (ontional)	Drain hose holders included	2 pieces
Maximum back support ungle (optional)	Maximum back support angle (optional)	15°

Equipped with head pillow and foldable side supports with safety lock

At Arjo, we are committed to improving the everyday lives of people affected by reduced mobility and age-related health challenges. With products and solutions that ensure ergonomic patient handling, personal hygiene, disinfection, diagnostics, and the effective prevention of pressure injuries and venous thromboembolism, we help professionals across care environments to continually raise the standard of safe and dignified care. Everything we do, we do with people in mind. www.arjo.com

Arjo Inc.  $\cdot$  2349 West Lake Street  $\cdot$  Addison, Illinois 60101  $\cdot$  800-323-1245  $\cdot$  www.arjo.us

 $Arjo\ Canada\ Inc. \cdot 90\ Matheson\ Blvd\ West, Suite\ 350\cdot Mississauga,\ ON,\ L5R\ 3R3\cdot 800-665-4831\cdot Info. Canada@arjo.com\cdot www.arjo.ca$ 

