

# NTT03

## 24 Hour/7 Day Compact Electronic Immersion Heater Timeswitch

### Features & Benefits

- 4 ON/4 OFF Programme Periods Per Day, Up To 28 ON/28 OFF Programmes Per Week
- Shortest Switching Time 1 Min
- Extra Large 'Easy View' Screen with Blue LED Backlighting
- Red LED 'Mains ON' and Green LED 'Output'
- Large Programme Buttons
- Self-Cancelling Override Button to Next Programme Change
- Optional 1 and 2 Hour Boost Button
- Automatic Summer/Winter Time Change
- Rechargeable Memory Back-Up
- Fits a Standard Flush or Surface Mount Box Min 32mm



### Technical Data

Operating Voltage	230V AC
Frequency	50Hz
Installation Type	Surface Mount
Earth Class Rating	Class II
Operating Temperature	0°C to 40°C
Ingress Protection Rating	IP20
Setting Type	Digital
Battery Type	NiMH 1.2V 80mAh Rechargeable Battery

# Data sheet

## NTT03

Time / Immersion & General Purpose Timeswitches

<b>Power Reserve</b>	672 Hours (28 Days)
<b>Back Box Minimum Depth (mm)</b>	32
<b>Program Modes</b>	24 Hour/7 Day, 1 Hour/2Hour Boost
<b>Mounting Hole Centres (mm)</b>	60
<b>Standby Consumption</b>	<0.96W
<b>Number Of Channels</b>	1
<b>Switch Rating</b>	16A Resistive , 2400W Halogen, 750W Fluorescent, 100W CFL, 100W LED
<b>Shortest Switching Time</b>	1 Minute
<b>Programmable Slots</b>	4 ON 4 OFF
<b>Permanent ON Facility</b>	Yes (Override ON)
<b>Cable Capacity (mm<sup>2</sup>)</b>	1.5 - 2.5mm <sup>2</sup> Flexible Cable
<b>Cable Entry(s)</b>	Back Entry

### General

<b>Weight (g)</b>	172
<b>Height (mm)</b>	92
<b>Width (mm)</b>	92
<b>Depth (mm)</b>	59
<b>Body Construction</b>	Polycarbonate
<b>Product Colour</b>	White
<b>Accessories (Included)</b>	Fittings (Rawl Plugs, Screws)
<b>EAN Number</b>	5012483012314
<b>Guarantee Period</b>	3 Years
<b>Trade Tariff Commodity Code</b>	9032890090

## Line Diagrams

