

Printing date 26.06.2023 Version: 5.00 (replaces version 4.01) Revision: 20.04.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX PROFILINE HW 02-04 (SONAX ProfiLine HARD WAX)

Article number: 02800000, 02803000

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product Professional uses

Consumer uses: Private households / general public / consumers

Uses advised against None

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

<u>United Kingdom:</u> 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous formulation of waxes and paint-compatible silicones



Printing date 26.06.2023 Version: 5.00 (replaces version 4.01) Revision: 20.04.2022

Trade name: SONAX PROFILINE HW 02-04 (SONAX ProfiLine HARD WAX)

(Contd. of page 1)

EC No 926-141-6	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2%	10-<15%
Reg.nr.: 01-2119456620-43-xxxx	aromatics	
_	Alternative CAS number: 64742-47-8	
	🕸 Asp. Tox. 1, H304, EUH066	-
EC No 934-956-3	Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <	1-<3%
Reg.nr.: 01-2119827000-58-xxxx	0.03% aromatics	
	Alternative CAS number: 64742-46-7	
	🕸 Asp. Tox. 1, H304	
EC No 934-954-2	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <	1-<3%
Reg.nr.: 01-2119826592-36-xxxx	0.03% aromatics	
_	Alternative CAS number: 64742-46-7	
	🕸 Asp. Tox. 1, H304	-
EC No 920-107-4	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2%	1-<3%
Reg.nr.: 01-2119453414-43-xxxx	aromatics	
-	Alternative CAS number: 64742-47-8	
	♦ Asp. Tox. 1, H304, EUH066	1

Additional information:

Any entry in the EC-column that begins with the number "9" is a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. See Section 15 for additional CAS number information for the substance.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.

After skin contact: Wash the areas of skin affected with water and a mild detergent. After eye contact: Rinse opened eye for several minutes under running water. After swallowing: Do not induce vomiting; call for medical help immediately. 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

(Contd. on page 3)



Printing date 26.06.2023 Version: 5.00 (replaces version 4.01) Revision: 20.04.2022

Trade name: SONAX PROFILINE HW 02-04 (SONAX ProfiLine HARD WAX)

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit v	values that require monitoring at the workplace:	
Hydrocarbons, C11-C1	4, n-alkanes, isoalkanes, cyclics, < 2% aromatics	
RCP-TWA (EU)	Long-term value: 1200 mg/m³, 165 ppm Vapour / Total Hydrocarbons	
Hydrocarbons, C13-C1	6, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	
GERMAN RCP-METHO	D (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900)	
Hydrocarbons, C12-C1	5, n-alkanes, isoalkanes, cyclics, < 2% aromatics	
GERMAN RCP-METHO	D (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900)	

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Hand protection Not required in normal cases.

Eye/face protection Not required in normal cases



Printing date 26.06.2023 Version: 5.00 (replaces version 4.01) Revision: 20.04.2022

Trade name: SONAX PROFILINE HW 02-04 (SONAX ProfiLine HARD WAX)

(Contd. of page 3)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid Colour: Yellow Odour: Fruit-like Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

Undetermined.

Flammability Product is not flammable.

Lower and upper explosion limit

Lower: Not determined. Upper: Not determined. Flash point: Not applicable. Decomposition temperature: Not determined.

pH at 20 °C 7-8

Viscosity:

Kinematic viscosity at 40 °C >20.5 mm²/s

Solubility

water: Partly miscible.

Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value)

Not determined. Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: 0.95-0.96 a/cm3 Vapour density Not determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Void

Void

Void

Change in condition

Organic peroxides

Corrosive to metals

Desensitised explosives

Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives Void Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

(Contd. on page 5)



Printing date 26.06.2023 Version: 5.00 (replaces version 4.01) Revision: 20.04.2022

Trade name: SONAX PROFILINE HW 02-04 (SONAX ProfiLine HARD WAX)

(Contd. of page 4)

- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values rele	evant for classification:
Hydrocari	bons, C11-	C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50/8h	>5,000 mg/m³ (rat) (OECD 403)
Hydrocari	bons, C15-	C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>3,160 mg/kg (rabbit) (OECD 402)
Inhalative	LC50 / 4h	>5.266 mg/m³ (rat) (OECD 403)
Hydrocari	bons, C13-	C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>3,160 mg/kg (rabbit) (OECD 402)
Inhalative	LC50 / 4h	>5.266 mg/m³ (rat) (OECD 403)
Hydrocari	bons, C12-	C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50 / 4h	>5.6 mg/m³ (rat) (OECD 403)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard

Viscosity: > 20.5mm²/s (40°C)

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

(Contd. on page 6)



Printing date 26.06.2023 Version: 5.00 (replaces version 4.01) Revision: 20.04.2022

Trade name: SONAX PROFILINE HW 02-04 (SONAX ProfiLine HARD WAX)

	(Contd. of page
Aquatic toxic	-
	ns, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics
LLO 96 h	1,000 mg/l (Oncorhynchus mykiss)
ELO 48 h	1,000 mg/l (Daphnia magna)
ELO 72 h	1,000 mg/l (Pseudokirchneriella subcapitata)
•	ns, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
	>1,028 mg/l (Scophtalamus maximus) (OECD 203)
LC50 / 48h	>3,193 mg/l (Acartia tonsa)
NOEC / 21 d	>1,000 mg/l (Daphnia magna)
NOEC / 28d	>1,000 mg/l (Oncorhynchus mykiss)
	>10,000 mg/l (Skeletonema costatum)
•	ns, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
	>3,193 mg/l (Acartia tonsa)
LC50 / 4 d	>1,028 mg/l (Scophtalamus maximus) (OECD 203)
NOEC / 21 d	>1,000 mg/l (Daphnia magna)
NOEC / 28d	>1,000 mg/l (Oncorhynchus mykiss)
	>10,000 mg/l (Skeletonema costatum)
•	ns, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics
	>1,000 mg/l (Daphnia magna) (OECD 202)
	>1,000 mg/l (Oncorhynchus mykiss) (OECD 203)
NOEC / 21 d	>1,000 mg/l (Daphnia magna)
	>1,000 mg/l (Oncorhynchus mykiss)
EC50/3d	>1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
12.2 Persiste	nce and degradability
Hydrocarbor	ns, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics
Biodegradatio	on 69 % (28d)
Hydrocarbor	ns, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
Biodegradatio	
•	ns, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
Biodegradatio	
•	ns, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics
Biodegradation	on 67.6 %
40.00:	

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PRT

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.



Printing date 26.06.2023 Version: 5.00 (replaces version 4.01) Revision: 20.04.2022

Trade name: SONAX PROFILINE HW 02-04 (SONAX ProfiLine HARD WAX)

(Contd. of page 6)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

20 01 99 other fractions not otherwise specified

15 01 02 plastic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR/RID/ADN	Void	
IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 12.20 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 8)



Printing date 26.06.2023 Version: 5.00 (replaces version 4.01) Revision: 20.04.2022

Trade name: SONAX PROFILINE HW 02-04 (SONAX ProfiLine HARD WAX)

(Contd. of page 7)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Date of previous version: 22.04.2021 Version number of previous version: 4.01

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Asp. Tox. 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.