

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.06.2023

Version: 6.00 (replaces version 5.01)

Revision: 07.07.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
Trade name: SONAX PROFILINE LEATHER CARE FOAM
Article number: 02893000 UFI: S8F0-60C8-F00D-N29Y 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Consumer uses: Private households / general public / consumers Professional uses Uses advised against There is currently no information available on this.
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0
<i>Further information obtainable from:</i> <i>Product safety</i> <i>E-mail: erp@sonax.de</i> <i>Phone: + +49 (0) 8431 53 217</i> <u>United Kingdom:</u> Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk
1.4 Emergency telephone number: <u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008 Aerosol 1 H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. **Hazard pictograms**



Signal word Danger Hazard statements H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P271 Use only outdoors or in a well-ventilated area. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Version: 6.00 (replaces version 5.01)

Revision: 07.07.2022

Trade name: SONAX PROFILINE LEATHER CARE FOAM

(Contd. of page 1) P501 Dispose of contents/container in accordance with local/regional/national/international regulations. **2.3 Other hazards**

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Formulation consisting of pressurised gas and emulsion with additives

Dangerous components:		
EC No 927-241-2 Reg.nr.: 01-2119471843-32-xxxx	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics Alternative CAS number: 64742-48-9 Flam. Liq. 3, H226; & Asp. Tox. 1, H304; STOT SE 3, H336, EUH066	5-<10%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32-xxxx	butane	1-<3%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane	1-<3%
CAS: 3811-73-2	???????????????????????????????????????	<0.01%
Regulation (EC) No 648/2004 or	e detergents / Labelling for contents	
aliphatic hydrocarbons		≥5 - <15%
anionic surfactants		<5%
phenoxyethanol, sodium pyrithion	e, perfumes	

Additional information:

Any entry in the EC-column that begins with the number "9" is a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. See Section 15 for additional CAS number information for the substance.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Version: 6.00 (replaces version 5.01)

Revision: 07.07.2022

(Contd. of page 2)

Trade name: SONAX PROFILINE LEATHER CARE FOAM

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents: Foam Fire-extinguishing powder Carbon dioxide Water spray For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Wear fully protective suit. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment. Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel Keep away from ignition sources. Do not inhale gases / fumes / aerosols. Wear protective clothing. For emergency responders Wear protective equipment. Keep unprotected persons away. 6.2 Environmental precautions: Do not allow to penetrate the ground/soil. Do not allow to enter sewers/ surface or ground water. 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb liquid components with liquid-binding material. Dispose contaminated material as waste according to section 13. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. **Information about fire - and explosion protection:**



Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Highly volatile, flammable constituents are released during processing.

(Contd. on page 4)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.06.2023

Version: 6.00 (replaces version 5.01)

Revision: 07.07.2022

Trade name: SONAX PROFILINE LEATHER CARE FOAM

		(Contd. of page 3
7.2 Conditions for	safe storage, including any incompatibilities	
Storage:		
Requirements to	be met by storerooms and receptacles:	
	ge into the ground.	
	ulations on storing packagings with pressurised containers.	
Store away from for	t storage in one common storage facility:	
	/federal regulations.	
	on about storage conditions:	
	a well ventilated area.	
Store in a cool plac	e. Heat will increase pressure and may lead to the receptacle bursting.	
Protect from heat a	nd direct sunlight.	
Protect from frost.		
	rage temperature: 20 °C. se(s) No further relevant information available.	
•		
	xposure controls/personal protection	
8.1 Control param	xposure controls/personal protection	
8.1 Control param	cposure controls/personal protection eters imit values that require monitoring at the workplace:	
8.1 Control paran Ingredients with I CAS: 106-97-8 bu	cposure controls/personal protection eters imit values that require monitoring at the workplace:	
8.1 Control paran Ingredients with I CAS: 106-97-8 bu	(posure controls/personal protection eters imit values that require monitoring at the workplace: tane) Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm	
8.1 Control paran Ingredients with I CAS: 106-97-8 bu	cposure controls/personal protection reters imit values that require monitoring at the workplace: tane) Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)	
8.1 Control param Ingredients with I CAS: 106-97-8 bu WEL (Great Britain OEL (Ireland)	cposure controls/personal protection reters imit values that require monitoring at the workplace: tane) Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm	
8.1 Control param Ingredients with I CAS: 106-97-8 bu WEL (Great Britain	cposure controls/personal protection reters imit values that require monitoring at the workplace: tane) Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm	
8.1 Control param Ingredients with I CAS: 106-97-8 bu WEL (Great Britain OEL (Ireland) OEL (Ireland) OEL (Ireland)	(posure controls/personal protection) reters imit values that require monitoring at the workplace: tane) Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm Dane Asphx	
8.1 Control param Ingredients with I CAS: 106-97-8 bu WEL (Great Britain OEL (Ireland) OEL (Ireland) OEL (Ireland) Regulatory inform	(posure controls/personal protection) neters imit values that require monitoring at the workplace: tane) Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm Dane Asphx nation	
8.1 Control param Ingredients with I CAS: 106-97-8 bu WEL (Great Britain OEL (Ireland) CAS: 74-98-6 prop OEL (Ireland) Regulatory inform WEL (Great Britain	(posure controls/personal protection) neters imit values that require monitoring at the workplace: tane) Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm Dane Asphx nation): EH40/2020	
8.1 Control param Ingredients with I CAS: 106-97-8 bu WEL (Great Britain OEL (Ireland) CAS: 74-98-6 prop OEL (Ireland) Regulatory inform WEL (Great Britain OEL (Ireland): 202	(posure controls/personal protection) neters imit values that require monitoring at the workplace: tane) Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm Dane Asphx nation	
8.1 Control param Ingredients with I CAS: 106-97-8 bu WEL (Great Britain OEL (Ireland) CAS: 74-98-6 prop OEL (Ireland) Regulatory inform WEL (Great Britain OEL (Ireland): 202 DNELS	Approximate controls/personal protection Interest Interest values that require monitoring at the workplace: tane) Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm Dane Asphx Date 1 CoP for the Safety, Health and Welfare at Work	
8.1 Control param Ingredients with I CAS: 106-97-8 bu WEL (Great Britain OEL (Ireland) CAS: 74-98-6 proj OEL (Ireland) Regulatory inform WEL (Great Britain OEL (Ireland): 202 DNELS Hydrocarbons, CS	Approximate controls/personal protection Interes Interest values that require monitoring at the workplace: Itane) Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm Deane Asphx Deateon 1 CoP for the Safety, Health and Welfare at Work	
8.1 Control param Ingredients with I CAS: 106-97-8 bu WEL (Great Britain OEL (Ireland) CAS: 74-98-6 proj OEL (Ireland) Regulatory inform WEL (Great Britain OEL (Ireland): 202 DNELS Hydrocarbons, CS	Approximate controls/personal protection Interest Interest values that require monitoring at the workplace: tane) Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm Dane Asphx Date 1 CoP for the Safety, Health and Welfare at Work	

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics			
Oral	DNEL	125 mg/kg bw/day (consumer) (ChronicExposure, SystemicEffects)	
Dermal	DNEL	125 mg/kg bw/day (consumer) (ChronicExposure, SystemiEffects)	
		208 mg/kg bw/day (worker) (ChronicExposure, SystemicEffects)	
Inhalative	DNEL	185 mg/m ³ (consumer) (ChronicExposure, SystemicEffects)	
		871 mg/m ³ (worker) (ChronicExposure, SystemicEffects)	

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection Not required in normal cases.

(Contd. on page 5)

GB -



Safety data sheet according to 1907/2006/EC, Article 31

Version: 6.00 (replaces version 5.01)

Revision: 07.07.2022

(Contd. of page 4)

Trade name: SONAX PROFILINE LEATHER CARE FOAM

Eye/face protection Not required in normal cases

SECTION 9: Physical and chemical prope	ortios
9.1 Information on basic physical and chemical pr General Information	operties
Physical state	Fluid
Colour:	Beige
Odour:	
	Leathery
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	100 °C (CAC: 7722 40 5 weter)
range Flamma hilitu	100 °C (CAS: 7732-18-5 water)
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	
Lower:	1,5 Vol.% (Propellant data)
Upper:	10,9 Vol.% (Propellant data)
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
рН at 20 °С	6.5-7.5
	(Active ingredient data)
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s
	(Active ingredient data)
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.96-0.97 g/cm³
•	(Active ingredient data)
Vapour density	Not determined.
9.2 Other information	
Appearance:	A =
Form:	Aerosol
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	In use, may form flammable/explosive vapour-air
.	mixture.
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard classes	ş
Explosives	Void
Flammable gases	Void
Aerosols	1014
Extremely flammable aerosol.	
Pressurised container: May burst if heated.	
	Void
Oxidising gases	
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
	Void
Oxidising solids Organic peroxides	Void Void



Safety data sheet according to 1907/2006/EC, Article 31

Version: 6.00 (replaces version 5.01)

Revision: 07.07.2022

Trade name: SONAX PROFILINE LEATHER CARE FOAM

		(Contd. of page 5)
Corrosive to metals Desensitised explosives	Void Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Develops readily flammable gases/fumes.

10.4 Conditions to avoid

An increase in pressure may lead to bursting.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values rele	evant for classification:
Hydrocar	bons, C9-C	C10, n-alkanes, isoalkanes, cyclics, <2% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50 / 4h	>4,951 mg/m³ (rat) (OECD 403)
Skin corr	osion/irrita	tion Based on available data, the classification criteria are not met.
Serious e	ye damage	e/irritation Based on available data, the classification criteria are not met.
Respirato	ory or skin	sensitisation Based on available data, the classification criteria are not met.
Germ cell	l mutageni	city Based on available data, the classification criteria are not met.
Carcinog	enicity Bas	sed on available data, the classification criteria are not met.
Reproduc	ctive toxici	ty Based on available data, the classification criteria are not met.
STOT-sin	gle exposi	<i>ure</i> Based on available data, the classification criteria are not met.
STOT-rep	eated expo	osure Based on available data, the classification criteria are not met.
11.2 Infor Endocrin According	mation on e disruptin to the curre	ased on available data, the classification criteria are not met. other hazards ig properties ent state of scientific knowledge, there is no data for the product regarding endocrine with health effects.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxic	sity:
Hydrocarbor	s, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics
LL50 / 96h	>10-<30 mg/l (Oncorhynchus mykiss)
EL50 / 48h	>22-<46 mg/l (Daphnia magna)
EL50 / 72h	>1,000 mg/l (Pseudokirchneriella subcapitata)
NOELR 72 h	<1 mg/l (Pseudokirchneriella subcapitata)
	(Contd. on page 7)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.06.2023

Version: 6.00 (replaces version 5.01)

Revision: 07.07.2022

Trade name: SONAX PROFILINE LEATHER CARE FOAM

	(Contd. of page 6)
CAS: 106-97	'-8 butane
LC50 / 96 h	27.98 mg/l (fish)
EC50 / 4 d	7.71 mg/l (algae)
CAS: 74-98-	
LC50 / 96 h	27.98 mg/l (fish)
EC50 / 96 h	
CAS: 3811-7	3-2 ????????????????????????????????????
LC50 / 96h	0.00767 mg/l (Zebrabärbling)
EC 20 / 3h	0.48 mg/l (KS) (OECD 209)
EC50/3h	1.81 mg/l (KS) (OECD 209)
EC50 / 48h	0.022 mg/l (daphnia)
EC50 / 72h	0.46 mg/l (Selenastrum capricornutum)
NOEC / 72 I	h 0.08 mg/l (Selenastrum capricornutum) (OECD 201)
12.2 Persist	ence and degradability
(EC/648/200	active substances contained in the product meet the requirement of the EU Detregent Regulation 04) for ultimate biodegradability for surfactants in detergents.
-	ns, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics
-	on 89 % (28d)
	73-2 ????????????????????????????????????
Biodegradati	on >70 % (activated sludge) (OECD 301 B)
	umulative potential
CAS: 3811-7	7 3-2 ????????????????????????????????????
-	09 ((n-Octanol/Wasser) OECD 107)
12.5 Results PBT: According to	y in soil No further relevant information available. s of PBT and vPvB assessment information provided in the supply chain, the mix conatins less than 0.1% of any substances
classified as	information provided in the supply chain, the mix conatins less than 0.1% of any substances
According to disrupting pro 12.7 Other a	the current state of scientific knowledge, there is no data for the product regarding endocrine operties with effects on the environment. adverse effects accological information:
General not	es: The product may not be released into the environment without control.
SECTION	13: Disposal considerations
13.1 Waster	treatment methods
	fied as hazardous according to Annex III to Directive 2008/98/EC.
Recomment	dation Waste must be disposed of while observing the local, official regulations.
	aste catalogue
Disposal / nr	oduct + Disposal / contaminated packaging
	ackaging containing residues of or contaminated by dangerous substances

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA

UN1950

(Contd. on page 8)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.06.2023

Version: 6.00 (replaces version 5.01)

Revision: 07.07.2022

Trade name: SONAX PROFILINE LEATHER CARE FOAM

	(Contd. of pag
14.2 UN proper shipping name ADR/RID/ADN IMDG IATA	1950 AEROSOLS AEROSOLS AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class	2 5F Gases.
Label	2.1
Class	2.1 Gases.
Label	2.1
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
14.7 Maritime transport in bulk according instruments	to IMO Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
Limited quantities (LQ)	1L
Transport category Tunnel restriction code	2 D
UN "Model Regulation":	UN1950, AEROSOLS, 2.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives: Directive 2010/75/EU (VOC) 13.55 % Catégorie SEVESO (DIRECTIVE 2012/18/EU) P3a FLAMMABLE AEROSOLS REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning juveniles must be observed.

(Contd. on page 9)

GB

SONAX®

Printing date 27.06.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version: 6.00 (replaces version 5.01)

Revision: 07.07.2022

Trade name: SONAX PROFILINE LEATHER CARE FOAM

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 8)

	prmation is based on our present knowledge. However, this shall not constitute a guarantee for any product features and shall not establish a legally valid contractual relationship.
•	nt phrases
H220	Extremely flammable gas.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
	6 Repeated exposure may cause skin dryness or cracking.
	cation according to Regulation (EC) No 1272/2008
Aerosol	s, Section 2.3.1 On basis of test data
	previous version: 22.04.2021
Version	number of previous version: 5.01
Abbrev	iations and acronyms:
NOEL = N	o Observed Effect Level
	lo Observed Effect Concentration
	Concentration
	If maximal effective concentration
	= Octanol / water partition coefficient
	pally Harmonized System of Classification and Labelling of Chemicals
	e toxicity estimate ord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International
	f Dangerous Goods by Road)
	r Dangerous obous by robady rmational Maritime Code for Dangerous Goods
	national Air Transport Association
	European Inventory of Existing Commercial Chemical Substances
	European List of Notified Chemical Substances
	mical Abstracts Service (division of the American Chemical Society)
	rived No-Effect Level (UK REACH)
	nal concentration, 50 percent
	nal dose, 50 percent
IOELV = II	ndicative occupational exposure limit values
	1A: Flammable gases – Category 1A Aerosols – Category 1
	– Category 3
	s (Comp.): Gases under pressure – Compressed gas
	3. Flammable liquida – Category 3
	3: Specific target organ toxicity (single exposure) – Category 3
Asn Tox	A spiration hazard – Category 1