

VersiVision Universal Video Distribution Amplifiers

Product Features

- Support Analog, HD-CVI, HD-TVI, AHD Video Signals
- 16 Video Inputs & 32/48/64 Video Outputs
- Uses Standard BNC Video Connections
- Install quickly and easily
- Stand-Alone or 19" Rack Mountable



VDAU1632

Product Description

The universal VERSITRON **VersiVision** Series video distribution amplifiers are designed to distribute video inputs to multiple video outputs. Supporting Analog, HD-CVI, HD-TVI, and AHD video signals, the built in amplifier circuit will boost the signals to the required level to prevent signal loss and picture degradation. The video distribution amplifiers are designed to work with CCTV video cameras and any other video devices with suitable connections. Ideal for applications requiring multiple monitoring locations. Permits easy connectivity to fiber optic video links. (See Page 2)

Model	Description
VDAU1632	16 Video Inputs / 32 Video Outputs
VDAU1648	16 Video Inputs / 48 Video Outputs
VDAU1664	16 Video Inputs / 64 Video Outputs

Product Specifications

Video Input/Output:	1 Volt p-p, 75Ω BNC Connector
S/R Ratio:	≥ 70 dB
Video Bandwidth:	<300MHz
Power Supply:	12VDC
Power Consumption:	<20W
Operating Temp:	-10° C to +55° C
Humidity:	≤ 90%
Dimensions:	15.75 x 8.27 x 3.47 Inches (2U)

VersiVision

Universal Video Distribution Amplifiers

Available Models




VDAU1632



VDAU1648



VDAU1664



The VERSITRON *VersiVision* video distribution amplifiers permit multiple locations to connect to the same video sources.

The example above demonstrates this using two cameras .