Globalstar Sat-F

SAT-FI APP USER GUIDE



TOLL FREE 1-888-989-8199

1455 N. Dutton Suite A, Santa Rosa, CA 95401 FAX 707-546-8198 • info@remotesatellite.com www.remotesatellite.com This guide is based on the production version of the Globalstar Sat-Fi and Sat-Fi Apps. Software changes may have occurred after this printing.

Globalstar reserves the right to make changes in technical and product specifications without prior notice

Globalstar Inc. 300 Holiday Square Blvd. Covington, LA 70433

Copyright[®] 2015 Globalstar[®] Incorporated.

All rights reserved.

Globalstar[®] is a registered trademark of Globalstar Incorporated.

Sat-Fi[™] is a registered trademark of Globalstar Incorporated.

Mac[®] is a registered trademark of Apple Incorporated.

All other trademarks and registered trademarks are properties of their respective owners.

Printed in the United States of America



Table of Contents

1.	WELCOME1
2.	INSTALLING THE SAT-FI APP2
3.	ACTIVATING THE SAT-FI APPS
	SAT-FI DATA ACCESS VOUCHERS
4.	CONNECTING TO THE SAT-FI HOTSPOT7
5.	CONFIGURING THE SAT-FI NETWORK CONNECTION SETTINGS
6.	COMPOSING & SENDING EMAIL10
7.	RECEIVING EMAIL
8.	INCREASING/DECREASING EMAIL LIMIT SIZE15
9.	SOCIAL MEDIA17
	FACEBOOK 17 Setting Up Your Facebook Post-By-Email Address 17 Configuring Sat-Fi for Facebook 21 Sending a Facebook Post 22
10.	WEB BROWSING WITH COMPRESSION24
	CONFIGURING SAT-FI FOR WEB BROWSING



1. WELCOME

Today's wireless devices provide more options for staying in touch with friends and family than ever before. Unfortunately, they are dependent on wireless networks. Now you can take your computer beyond wireless with the world's most reliable satellite hotspot.

- Easily send and receive email via Wi-Fi enabled computer
- Conveniently use existing device contacts via the Sat-Fi App
- Fastest data speeds in the industry for sending and receiving email
- Designed for both vehicle/vessel-based and fixed locations
- Connect up to 8 users to Sat-Fi at one time
- Powered by the world's newest, most modern satellite network



Sat-Fi turns your computer device into a satellite enabled device

- 1. Download and install Sat-Fi for Mac to your computer
- 2. Connect your computer to the Sat-Fi via a Wi-Fi connection.
- 3. Sat-Fi links your computer to the Globalstar Satellite Network.
- 4. Your computer is now a connected for email and data.



2. INSTALLING THE SAT-FI APP

You will be able to send and receive email and data via the Sat-Fi App. The Sat-Fi App can be found on the Globalstar Sat-Fi Support Page.

Perform the following to download and install the Sat-Fi App for Mac:

- Step 1 On a Mac computer connected to the Internet, proceed to the <u>Globalstar Sat-Fi support</u> <u>Page</u> and download the Sat-Fi App for Mac.
- Step 2 Install the Sat-Fi App for Mac on your Mac computer.



3. ACTIVATING THE SAT-FI APPS

Sat-Fi Data Access Vouchers

You must have a Data Access Voucher to send and receive email & data via the Sat-Fi App.

Your Sat-Fi Data Access Voucher was issued to you at the time of purchase from the dealer


New Sat-Fi Account

You must have a connection to the Internet to activate your Sat-Fi App for Mac. Perform the following to activate the Sat-Fi App for Mac:

Step 1 Open the Sat-Fi App for Mac and an Activation Wizard screen will be displayed. Select New Account Using Activation Code and click on Next>.



- Step 2 A How do you want to connect to the Internet screen will be displayed asking you "How do you want to connect to the Internet?" Perform the following:
 - Click on the Connection Method drop-down arrow and select *Network* Connection
 - Click on Next>





- **Step 3** A Registration Notice screen will be displayed. Perform the following:
 - Click on the *I have read and agree to the license term and conditions* checkbox
 - Click on **OK**

e O O Registration Notice
If you have already registered with Globalstar for E-Mail service and received a user logon id and password from them then hit CANCEL and enter this information in the Account Information dialog under the E-Mail Cateway tab accessed through the Options/Settings menu selection.
You can register this product through one of the following methods:
 Configure your Connection Information under the Connection tab accessed through the Options->Settings menu for Windows/Linux or Preferences for Mac OS X, then select "Registration Wizard" from the Program menu.
2. On line at http://www.globalstar.com
3. By phone at +1.985.327.7500
Thank you for choosing Sat-Fl.
View License
Cancei

- **Step 4** An Activation Form screen will be displayed. Perform the following:
 - In the Activation Code field, enter your Sat-Fi
 Data Access Voucher Number
 - In the **Name** field, enter your first and last name
 - In the **Contact Email** field, enter your contact email address
 - In the **Preferred User Id** field, enter the username you would like to login with (username must be between 3 and 16 characters)

$\Theta \bigcirc \Theta$	Activation Form	
Activation Code:		*
Name:		*
Contact Email:		*
Your valid email add system notices.	lress is required for account activ	ation and
Preferred User Id:		*
Alternate User Id:		*
(In case your preferr	ed choice is taken)	
Account Password:		*
* Required Fields		
	Cancel Activate	

- In the Alternate User Id field, enter another username just in case your preferred choice has been taken (username must be between 3 and 16 characters)
- In the **Account Password** field, enter the password you would like to login with (password must be between 6 and 16 characters)
- Click on Activate

Step 5 A Your activation has succeeded message will be displayed with the following information:

- Your email address (example: jsmith@globalstarmail.com)
- Your username (example: jsmith)
- Your password (example: Gl0bal*)

Additionally, you will receive an email (delivered to your contact email address) with this product registration information.

Step 6 Click on OK.



- Step 7 A Registration Complete screen will be displayed. Click on Finish.
- Note: It may take up to 20 minutes to activate in the system.




Existing Sat-Fi Account

You must have a connection to the Internet to complete the registration of your Sat-Fi App for Mac If you have an existing Sat-Fi account on a smartphone or other wireless device, you can login using your account information. Perform the following:

Step 1 After your computer has rebooted, the Activation Wizard will be displayed. Select Enter User ID and Password and click on Next>.



- Step 2 A screen will be displayed asking you "How do you want to connect to the Internet?" Perform the following:
 - Click on the Connection Method drop-down arrow and select *Network Connection* —
 - Click on Next> -





- Step 3 An Account Information screen will be displayed. Perform the following:
 - In the **Real Full Name** field, enter your first and last name
 - In Assigned User Name field, enter the user name you selected when activating the Sat-Fi App
 - In the **Password** field, enter the password you selected when activating the Sat-Fi App
 - Click the **OK** button.

	Settings
	Account Information
Connection	Real Full Name: devillers Test
	Assigned User Name: devillerstest
	Password:
	Gateway Parameters - Do not modify
	Gateway: xgate.gmn-usa.com
	TCP/IP Port #: 443 *
	Network Timeouts
	Override default network timeouts
	Seconds before connection timeout: 20
	Seconds before send/receive timeout: 60
	Access Restrictions
	Protect settings Protect spool folder Protect account management
	Enter Password:
	Verify Password:

Step 4 A Registration Complete screen will be displayed. Click on Finish.





4. CONNECTING TO THE SAT-FI HOTSPOT

Perform the following to connect your computer to the Sat-Fi hot spot:

- Step 1 Turn on the Sat-Fi unit.
- **Step 2** On your computer, open the Wi-Fi connections view and see the Wi-Fi connections that are available.
- Step 3 Select SatFi<XXXXX> (<XXXX> is a unique identifier for that specific Sat-Fi Unit.

🛜 🕸 Wed 11:11 AM Robe	ert Charle
Wi-Fi: On Turn Wi-Fi Off	
 ✓ Globalstar gulfstatesreal hhonors RDTguest 	(; (; (; (;
SatFi1 \$01208664	A 🔶
satfi2	ê 🤅
Join Other Network Create Network Open Network Preferences	

Step 4	The Connect to a Network dialog will be displayed. Perform the following:	The Wi-Fi network "SatFi11601208664" requires a WPA2 password.
	 In the Password field, enter the following: satfi1234 	Password ashare
	Click on Join	Show password Remember this network
		? Cancel Join

Step 5 Open the Wi-Fi connections view and verify that the Sat-Fi hotspot is selected.


🛜 🐠 Wed 11:12 AM Robe	ert Charles
Wi-Fi: Looking for Networks Turn Wi-Fi Off	m
✓ SatFi1 601208664	A 🛜
attwifi Globalstar gulfstatesreal hhonors satfi2	() () () () ()
Join Other Network Create Network Open Network Preferences	20



5. CONFIGURING THE SAT-FI NETWORK CONNECTION SETTINGS

Sat-Fi for Mac defaults to a Sat-Fi connection, but you can access your Sat-Fi email either through a Sat-Fi connection or through a regular Internet connection from your home or office.

Perform the following to change your Sat-Fi network connection settings:





	00	Settings
Step 6 On the Settings screen, in the	Cateway	Account Information
left-pane, click on Gateway.—	Connection E-Mail Settings	Real Full Name: Bud DeVillers
	Miscellaneous	Assigned User Name: bdevillers
	Mail Filtering Images	Password:
	Social Media XWeb	Gateway Parameters - Do not modify
	Optimizer, wXa, & Sat-Fi	Gateway: primary.globalstarmail.com
Step 7 In the Gateway Parameters		TCP/IP Port #+ 443
section, click on the Gateway -		
drop-down arrow and select:		Network Timeouts
		Override default network timeouts
primary.globalstarmail.com.		Seconds before connection timeout: 20
1 3 3 3 4 4 4 4		Seconds before send/receive timeout: 60
		Access Restrictions
		Protect settings Protect spool folder Protect account management
		Enter Password:
Step 8 Click on OK.		Verify Password:
		Cancel



6. COMPOSING & SENDING EMAIL

To maximize the benefits of Sat-Fi, you will create email and read email offline. You can create and send one email at a time or create multiple emails and send them all at once. Your Sat-Fi for Mac must be registered and activated to send/receive email.

Perform the following steps to compose and send email:


Step 1	On your computer, ensure you	00	Sat-F	I - Globalstar Edition	
	are connected to the Sat-Fi				
	hotspot. Default Password:	Start Stop Break	Email XWeb	Facebook LinkedIn Twitter Sail	blogs Spool Bigmail
	satfi1234.	Mail Transfer Status: Send:			
•		Receive:			
Step 2	Open Sat-Fi for Mac and the	Log:			
	Sat-Fi Main Screen will be	Press "Start" to start tra	nsfer		
	displayed. On the toolbar	in start to start the			
	select Email.				
				power	red by XGate

Step 3 The first time you select Email a Language screen will be displayed. Select the appropriate language and click OK.

Brazilian Portuguese 繁體中文 (Chinese Traditional) čeština (Czech) Dansk (Danish) Dutch (Farsi) فارسی Français (French) Deutsch (German) Magyar (Hungarian) Bahasa Indonesia (Indonesian) Italiano (Italian) 日本語 (Japanese) Lietuvių Kalba (Lithuanian) Ganda (Luganda) Norsk (Norwegian) Polski (Polish) Português (Portuguese) Русский язык (Russian) Српски Srpski (Serbian) Español (Spanish) Svenska (Swedish) Türkçe (Turkish) Tiếng Việt (Vietnamese)



Step 4 The iScribe window will be displayed. Click on New Email to create and compose email.



- Step 5 A Mail Message screen will be displayed. Perform the following:
 - In the **To** field, enter a recipient Email address
 - In the **Subject** field, enter the subject of the message
 - In the **Message** field, enter your message
 - Click on Attach File to add attachments (attached files can be viewed by clicking on the Attachments tab)

00		Mail M	essage		
	elete Spam Attach File	Forward Bounce Previous Nex Message Messa	High Low Read Priority Priority Receipt	Print From	
То 🔹 🗖					
Recipients					
Subject					
Text Attachments	Internet Header Mail Fields				
This e-mail was deli Please be kind and k	vered via satellite phone using eep your replies short.	GMN's XGate software.			

- Step 6 When finished click on Send. Your message will not be sent, but placed in the Spool folder.
- Step 7 Exit out of the iScribe window.



Ctor 0	The Cet Elearoon	ull ann ann	00	Sat-I	FI – Globalstar Edition		
Step 8	The Sat-Fi screen w	ill appear.	Start Stop Break	Email XWeb	Facebook LinkedIn T	witter Sailblogs	Spool Bigmail
	Click on Spool		Mail Transfer Status Send: Receive:	:			
			Log:				
			Press "Start" to star	t transfer			
						powered by XGa	ate


 Step 9 The View Mail Box screen with the email(s) you created in Step 5 will be displayed.
 Image: CutBox the left is the image: CutBox the image:

Step 11 The Sat-Fi screen will appear. To send your email(s), click on	Image: Stop Imag	Sat-FI - Globalstar Edition	
	Press "Start" to start transfer		

powered by XGate



Step 12 The LED Status Indicator will start blinking (Slow Blink) indicating that your data session is being initiated. Within a few seconds your email will be sent and any email waiting to be received will be delivered.



Step 13 The Mail Transfer Status bar will also turn green showing the transfer progress and the connection information will be displayed in the Log section.






7. RECEIVING EMAIL


Perform the following steps to connect to the Sat-Fi mail server and receive email:

- Step 1 On your computer, ensure you are connected to the Sat-Fi hotspot. Default Password: satfi1234.
- Step 2 The Sat-Fi screen will appear. To check to see if you have any email to be received, click on




	0	Θ			Sa	t-FI – Global	star Editio	on				
	Fart	Stop	Break	Email	XWeb	Facebook	LinkedIn	B Twitter	Sailblogs	Spo	bol Bigmail	
	/		Status:									
1	Sen											
/	Receiv	/e:										
·	Log:											
	Press "	Start"	to start tra	nsfer								
		Juint	to start tra									
								p	owered by	XGate		

Step 3 The LED Status Indicator will start blinking (Slow Blink) indicating that your data session is being initiated. Within a few seconds any email waiting to be received will be delivered.



Step 4 The Mail Transfer Status bar will also turn green showing the transfer progress and the connection information will be displayed in the Log section.






8. INCREASING/DECREASING EMAIL LIMIT SIZE

The default inbound and email message size is 50kb and outbound email message size is 250kb. With the default settings, incoming email equal to or less than 50kb will be downloaded to your Inbox whenever you receive email. Any incoming email greater than 50kb will be held on the server and reported to you in the Big Mail folder. Any outgoing email greater than 250kb will trigger a rejection email message that will appear in your Inbox.

Inbound and Outbound email sizes can be increased or decreased by performing the following:

Step 1 On the Sat-Fi screen, select Filters > Configure	Sat-Fi Program Options Tools Filters View Help Start Sat-Fi Sat-Fi Sonfigure Manage Big Mail Sat-Fi S
	Mail Transfer Status: Send: Receive: Log:
	CMail[20] 15:40:25 No mail on server CMail[20] 15:40:25 Mail transaction complete CMail[20] 15:40:25 Finished. CMail[0] 15:53:55 Attempt 1 of 1 CMail[0] 15:53:55 No files to send CMail[20] 15:53:55 No files to send CMail[20] 15:53:55 Receiving mail for bdevillers CMail[20] 15:53:56 Receiving 1422395507.M834929 1596 CMail[20] 15:53:56 Receiving 1422395507.M834929 1596 CMail[20] 15:53:56 Delivering /Users/rcharles/Library/Application Support/Sat-Fi.d/bdevillers/ 1422395507.M834929.Mail CMail[20] 15:53:56 Done receiving mail for bdevillers CMail[20] 15:53:56 Done receiving mail for bdevillers CMail[20] 15:53:56 Inished.

Step 2 The Server Side Mail Filtering screen will be displayed. Click on the Set In Bound E-Mail — Cutoff Size To drop-down arrow and select the message size limit you wish to send.



powered by XGate



- Step 3 Click on the Set Out Bound E-Mail Cutoff Size To drop-down arrow and select the message size limit you wish to receive.
- **Step 4** When finished changing the Inbound and Outbound message sizes, click on **OK**.
- **NOTE:** The size adjustment will occur on the next data connection and you will receive a confirmation email on the following connection.

Q ○ O Server Side Mail Filterin	Ig
Filter actions for bdevillers \$ c Recurring Filters - Action Takes Place After "Start"	on next connection
BigMail Size Filter	
Set In Bound E-Mail Cutoff Size To:	50 🔻 Kb
Set Out Bound E-Mail Cutoff Size To:	јзоо ж
SMS Alerts	10
	25
O Disable Phone #:	35
○ Enable	50
Unselected Type: GLOBA	LS 75
	100
One Time Server Filters - Action Takes Place After "G	150
	200
Move e-mails larger than Cutoff Size out	
Synchronize BigMail list on server with lo	
Mass Deletions - Permanently Delete Mail on Serv	1000
🗌 Purge InBox 📄 Purge BigMail	2000
Purge E-Mails Larger Than: 50	4000
Cancel OK	



9. SOCIAL MEDIA

Facebook

Sat-Fi for Mac allows you to post pictures and captions to Facebook. A Facebook Post-By Email Address is required to send Facebook post through Sat-Fi. If you already have a Facebook account that includes a Post-By-Email Address, proceed to Configuring the Sat-Fi App for Facebook.

Setting Up Your Facebook Post-By-Email Address

If you do not have a Post-By-Email Address assigned to you by Facebook perform the following:

Step 1 On a computer connected to the Internet, login to your Facebook account.

Step 2 On the Home Page select **Settings** from the drop-down menu.

Find friends	Q 🔲 Bud Ho	me Find Friends 🔔 💭 🛞 Az 🗙
Bud DeVillers Edit Profile	Add a Picture of Yourself	TRENDING Create Page
Welcome	Your profile picture helps your friends know it's you. Your current profile picture is always	Brett Fa Create Ads planning Advertising on Facebook
News Feed -	public and you can change it whenever you want.	Chris Ch Dansing Activity Log
💭 Messages	Want.	Christie)
Events Find Friends		Americar Log Out
FRIENDS	遨 5,000+	* See More Help
🙀 Close Friends	There are 5,000+ people named Bud on Facebook. Help your friends recognize you.	RECOMMENI Report a Problem
Acquaintances	Update Status 🔲 Add Photos/Video	5,893 people like him.
APPS	What's on your mind?	Lakeview Harbor
Games		5,381 people like this.
Photos	k Friends ▼ Post	Mark Vicknair for Magistrate
🎁 Gifts 🗾 Music	a Henus · · · · · · · · · · · · · · · · · · ·	Judge 1,112 people like this.
Pokes		
INTERESTS		Laurel Street Bakery 1,189 people like this.
Pages and Public Fig		if Like
PAGES		The Warehouse Sale
Pages Feed Like Pages		873 people like this.



Step 3 The General Accounts Settings screen will be displayed. Click on *Mobile*.

Find friends	Q Bud Home Find Eric	
o [©] General Acc Security General Acc	ount Settings	
Name Name	Bud DeVillers	Edit
Timeline and Tagging Username	You have not set a username.	Edit
Blocking	Primary: buddevillers@gmail.com	Edit
Notifications Password	Password never changed.	Edit
Followers Networks	No networks.	Edit
n Apps Language	English bdevillers@acme.com	Edit
Image: Ads Download a cope Image: Ads Download a cope	y of your Facebook data.	

Step 4 The Mobile Settings screen will be displayed. Click on + Add a Phone.

Find friends	Q 🚺 B	ud Home Find Friend	ts <u>A</u> 💭 🕲	- ££ →
o [®] General	Mobile Settings			
Privacy	Activating allows Facebook Mobile to send text messages to your phone. You can receive notifications for friend requests, massages, Wall posts, and status updates from your friends.	Already received a cor Confirmation code	firmation code?	
Blocking	You can also update your states, search for phone numbers, or upload photos and videos from your phone.			
Notifications	+ Add a Pinole			
Followers	Learn more about using Facebook on your phone at Facebook Mobile.			
Apps				
👘 Ads 🚍 Payments				
📀 Support Dashboard 📰 Videos				
R=8				



Step 5 A Please Re-enter Your Password screen will be displayed. In the Password field enter your Facebook password and then click on **Submit**.

Find fr	iends		Q 🚺 Bud Hom	ne Find Friends 🤼	, in (^
 o^o General Security Privacy Timeline Biocking Notificati Mobile Followen Aps Ads Payment Support I Videos 	and Tagging can receiv updates fro You can at and videos + Add a Learn more	ttings Nove Facebook Mobile to send text messages to Please Re-enter Your Password Bud Devillers For your security, you must re-enter your Password: Forgot your password?	Alfor	Aureceived a confirmation cod		
					1 Chat	· · · · · · · · · · · · · · · · · · ·

Step 6 The Activate Facebook Texts (Step 1 of 2) screen will be displayed. Select your Country/Region and your Mobile Carrier, then click Next.

Find friends	Q 🔲 Bud Home Find Friends 🔔 💭 🚱 🖴 👻 🔥
• • •	Mobile Settings Activating allows Eacebook Mobile to send text messages to your phone. You can recell updates for Activate Facebook Texts (Step 1 of 2) an anterest exclusion of the following countries/regions. Please elect instructions. You can your country/region and mobile service provider to receive activation instructions. Country/Region United States Mobile Carrier Choose a carrier Mobile Carrier Isour phone number here. Next
	te Chat ℃



Т

- Step 7 The Activate Facebook Texts (Step 2 of 2) screen will be displayed. On your iPhone (not connected to Sat-Fi) text F to the following number 32665.
- **Step 8** Within a few minutes you should receive a text from Facebook with a confirmation code. Enter that confirmation code in the **Confirmation Code** field and click **Next**.

Find friends	Q 📃 Bud Home Find Friends 🔔 💭 😂 📼 🗸
 Find friends o^o General Security Privacy Privacy Eliocking Notifications Notifications Nobie Followers Apps Ads Payments Support Dashboa Videos 	Mobile Settings Activating allows Eacebook Mobile to send text reseages to your phone. You Activating allows Eacebook Mobile to send text reseages to your phone. You Activate Facebook Mobile to send text reseages to your phone. You You can and video You can and video If Text the letter F to 3565 (FBOOK) If When you receive a confirmation code, enter it here: Pacebook deeard charge for this service. Standard messaging rates apply. Share my phone number with my friends Allow friends to text me from Facebook Next
	1 € Chat

Step 9 The Mobile Settings screen will appear displaying your Post-By-Email Address.

Find friends		Q 🚺 Bud Home Find Friends	🕰 🐙 🕲 All 🔻
of General	Mobile Settings		
Privacy Timeline and Tagging Blocking	Your phones: (321) 794-3277 · Text Act + Add another mobile pho		ation code? Confirm
Notifications	Lost your phone?		
Mobile	T(555) 555-555	Send texts to: (321) 794-3277	Edit
Followers	Facebook Messages	Text me: When someony sends me a Message on web or mobile	Edit
👔 Apps 📊 Ads	Daily Text Limit	Maximum number of texts: Unlimited	Edit
Payments	Post-By-Email Address	kvetch418poke((555) 555-555	Edit
Support Dashboard	Learn more about using Fa	cebook on your phone at Facebook Mobile.	
			1 Chat



Configuring Sat-Fi for Facebook

Perform the following to configure Sat-Fi for Facebook posting:

Sat-FI - Globalstar Edition Step 1 On your computer, turn on your 0 Wi-Fi connection and connect to 🖂 🎯 (in) the Sat-Fi network. Default Mail Transfer Status: Password: satfi1234. Send: Receive: Step 2 On your computer open Sat-Fi Log: for Mac, and the Sat-Fi screen Press "Start" to start transfer will be displayed. (The Facebook button will be inactive and grayed out) powered by XGate 🐔 Sat-Fi Program Options Tools Filters View Help About... Step 3 On the Main menu, select Sat-FI - Globalstar Edition 00 Options > Settings... 0 m Hide Sat-FI ₩Н Hide Others ₹ЖН Mail Show All Reco Ouit Sat-Fl жΟ Log: CMail[20] 15:40:25 No mail on server CMail[20] 15:40:25 Mail transaction complete CMail[20] 15:40:25 Finished. CMail[20] 15:40:25 Finished. CMail[0] 15:53:55 Attempt 1 of 1 CMail[0] 15:53:55 No files to send CMail[20] 15:53:55 No files to send CMail[20] 15:53:55 Receiving mail for bdevillers CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 bytes CMail[20] 15:53:56 Receiving 1 mail messages total size = 969 byt CMail[20] 15:53:56 Done receiving mail for bdevillers CMail[20] 15:53:56 Mail transaction complete CMail[20] 15:53:56 Finished. powered by XGate 000 Settings Step 4 In the left-hand pane select Facebook Gateway Connection Social Media. Secret Email: E-Mail Settings Twitte Miscellaneous Mail Filtering Tok The Social Media screen will Images Social Media ret: be displayed. In the XWeb LinkedIn Optimizer, wXa, & Sa Facebook section perform Token: the following: Secret: Sailbl ogs Sub tion Type In the Secret Email field, • Sailblogs Pro - Now included for Free with your subscription O Sailblogs other enter your Post-By-Email Address (This is assigned to you by Facebook to perform Ignore BigMail cutoff size when posting mobile postings) To go back to the main screen, click OK. Cancel OK



Step 5	The Facebook but blue and is active	ton will now be	• • • • Start Stop Break	Sat-F Email XWeb	Facebook LinkedIn Tw	Vitter Sailblogs	Spool Bigmail
	,	Facebook	Mail Transfer Status: Send: Receive: Log: Press "Start" to start trai	nsfer			
_						powered by XGa	te

Sending a Facebook Post

Perform the following to post your pictures and captions on Facebook through Sat-Fi for Mac:

Step 1 On your computer, turn on your 🗞 Sat-Fi - Globalstar Edition Program Options Tools Filters View Help Wi-Fi connection and connect to the Sa Pass Step 2 Open


ne Sat-Fi network. Default Password: satfi1234 .	Start Stop Break Email XWeb Facebook Linkedin Twitter Sailb	ologs Spool Bigmail
Open Sat-Fi for Mac and click on	Send Reside Log:	
Facebook	Press "Start" to start transfer	
		powered by XGate

4


- Step 3 The Post to Facebook Wall screen will be displayed. Perform the following:
 - To add a picture, click on the Browse • button and select your picture to post
 - In the Text field, enter the caption you wish • to include with your picture
 - When finished, click OK

$\bigcirc \bigcirc \bigcirc$	Post to Facebook Wall
	_ Bypass Mail Filter 🗹 Resize Picture Size (kb): 0
Picture:	Browse
Type or pa	ste wall text into space provided (max length 255 characters)
	Cancel OK





Step 5 The Sat-Fi LED Status Indicator will start blinking (Slow Blink) indicating that a data session is being initiated. Within a few seconds your Facebook post will be sent and any email waiting to be received will be delivered.






10. WEB BROWSING WITH COMPRESSION

Sat-Fi employs a web compression agent that allows you to browse the Internet. Web content is compressed, background images are stripped, pop-up ads are removed, advertisements are stripped, animations are removed, and images are compressed.

Sat-Fi can reduce the time it takes to download typical web pages up to a factor of 10x. However, even with compression, Internet browsing will be slow.

Configuring SAT-Fi for Web Browsing

Perform the following to configure Sat-Fi for web browsing:



NOTE: Sat-Fi defaults to Firefox as its web browser.



- Step 4 In the Compression Level section select the appropriate compression level; the higher the compression level, the lower the quality.
 - **Maximum** Low image quality with fast speed
 - Standard Medium image quality with good speed
 - **Minimum** Better image quality with slower speed
 - None Best image quality with slowest speed


Step 5 When finished click OK.

el —	● ○ ● Settings
priate nigher he	Gateway Connection E-Mail Settings Preferred Browser Gateway Connection E-Mail Settings Image: Compression Internet Explorer - Windows only Miscellaneous Mail Filtering Images SociarWebia Compression Proxy Server Tweb Proxy Server
nage ed n ood	Optimizer, wXa, & Sat-Fi Optimizer, wXa, & Sat-Fi Maximum - Lower image quality with fast speed Standard - Medium image quality with good speed Minimum - Better image quality with slower speed None - Best image quality with slowest speed Options Persistent Connections
mage peed quality	Disable Images



Web Browsing

Perform the following to configure Sat-Fi for web browsing:



Yahoo Sports mobile: http://us.m.yahoo.er Social Networking Facebook mobile: http://m.facebook.com/



Cancel OK

Authentication Required

User Name:

Password:

The proxy moz-proxy://199.48.130.178:3120 is requesting a username and password. The site says: "internet"

Step 4 A Security dialog box will be displayed. Perform the following:

- In the User Name field, enter the user name you selected when activating the Sat-Fi App
- In the **Password** field, enter the password you selected when activating the Sat-Fi App
- Click **OK**.

Step 5 Your Web Browser will be displayed and you can now browse the web.