




New Industrial Laser Sintering

NILS 480

**PRODUCTIVITY
REINVENTED**



NILS 480


A NEW INDUSTRIAL SLS 3D PRINTER

with the reinvented productivity ensuring the best ROI on the SLS technology market.

Business Benefits




ROI in as little as 40 days achieved thanks to larger bed size and maximized speed.



Economical & Ergonomic thanks to smart powder distribution systems and automation.



A Range of Materials covering the majority of key industrial needs.




Top printing quality thanks to our experience-based know-how in the SLS industry.



Limited powder waste by automating powder distribution and providing a larger printing area.

Technical Benefits




Build Volume
Industrial-size machine with a bed measuring 200 x 200 x 330 mm.




Exceptionally fast printing
Build speed of 10-14mm/h and full bed printed in 30 hours.



Galvo scanner system
The key element responsible for the exceptional speed.



Open environment
Over 50 open printing parameters and the ability to use external materials.



Automated systems
Automatic Powder Distribution System and Continuous Printing System.

NILS 480 - Specification

| PROPERTIES | VALUE |
|--------------------------|---------------------------------|
| Build Volume | 200 x 200 x 330 (W x D x H) mm |
| | 7.9 x 7.9 x 13.0 (W x D x H) in |
| Max print diagonally | 435 mm |
| | 17.1 in |
| Build speed | 10 - 14 mm/h |
| | 0.39 - 0.56 in/h |
| Scanning type | Galvo |
| Laser Type | IR 30 W |
| Laser Spot Size | 560 [µm] / 0.0220 [in] |
| Files | STL, 3MF, OBJ, 3DS, FBX, DAE |
| Inert gas control system | yes |



Reinvented productivity in NILS 480

Industrial professionals expect to achieve optimal printing costs. However, those costs are down to a variety of factors, including printer performance, the cost and refresh ratio of materials, machine maintenance, machine speed, printer purchase depreciation, and electricity. By accounting for all of these factors and adding two automated systems we have achieved an extraordinarily productive machine: the NILS 480. **It drives down per-part costs, thus boosting ROI much faster than other SLS printers on the market.**

Calculation example:

| | |
|--------------------|-------------------------------------|
| Material | PA12 Smooth |
| Number of parts | 960 pcs |
| Print Time | 25 hrs |
| Print area density | 18% |
| Load | 80% |
| Price | 0.46 € per part 437.90 € per run |

Quantity of parts to make
back machine cost: **36 576**


40 DAYS to pay off
the entire machine.



Sinterit's solution optimizes the printing process

Sinterit supports the user at all stages of the printing process. From preparing the models in the Sinterit Studio, to printing, full post-processing and powder management. This makes using the Sinterit system as easy and functional as possible.

Sinterit's Solution



About Sinterit

Sinterit is a global supplier of innovative 3D printing solutions in SLS technology. With two SLS 3D printer lines - compact and industrial - it answers the needs of engineers, educators, researchers, scientists and, above all, visionaries.

Sinterit SLS 3D printers work every day across multiple industries including automotive, electronics, mechanical engineering, consumer goods, healthcare, and many more.

Sinterit's system is used in over forty markets around the world with more than a thousand installations. The recipient of awards at Formnext and from All3DP authority (multiple times), Sinterit SLS 3D printers are known for their ease of use, uncompromising quality, and availability.

Sinterit
ul. Nad Drwią 10
30-741 Kraków, Poland, EU

contact@sinterit.com