

Construction Material	Stainless Steel
Installation Type	Hardwired
Volts	<b>See Technical Specifications Chart</b>
Watts	<b>See Technical Specifications Chart</b>
Control Screen Size	2"
Maximum Adjusted Cubic Feet	<b>See Technical Specifications Chart</b>
Kilowatt Rating (kW)	<b>See Technical Specifications Chart</b>
Minimum Time	15 MIN
Maximum Time	60 MIN
AMPS	<b>See Technical Specifications Chart</b>
Water Supply Connection	3/8" NPT Water Inlet & 1/2" NPT Steam Outlet
Wire Gauge	<b>See Technical Specifications Chart</b>
Generator Pipe Fitting & Tubing	3/8" NPT & 1/2" NPT
Drain Connection	1/2" NPT
Generator Phase	1 PH
Generator Max Temperature	113°F (45°C)
Generator Line Fuse	<b>See Technical Specifications Chart</b>
Generator Fuel Type & Power	Electric
Control Dimensions	3.63"L x 3.63"W x 0.75"H
SteamHead Dimensions	3"L x 3"W x 1.5"H
AutoFlush Dimensions	4.25"L x 5"W x 2.75"H
Condensation Pan Dimensions	25"L x 9"W x 1.5"H
SteamLinx Dimensions	3.75"L x 3.75"W x 2.5"H
MS Series Generator Dimensions	21"L x 11"W x 16"
MS Series Package Shipping Dimensions	33"L x 13"W x 22"H
MS Series Package Weight	41 lbs
Super Series Generator Dimensions	21"L x 11"W x 16"
Super Series Package Shipping Dimensions	32"L x 13"W x 25"H
Super Series Package Weight	52 lbs