

200G QSFP-DD to QSFP-DD Passive DAC



Available Lengths

- 0.5 Metre
- 1 Metre
- 1.5 Metre
- 2 Metre
- 2.5 Metre
- 3 Metre



>Specifications

Form Factor:	QSFP-DD
Data Rate:	200Gbs
Wire AWG:	28AWG
Power Consumption:	< 0.1W
Minimum Bend Radius:	40.5mm
Power Supply:	3.3V
Temperature Range:	0-70°C
MSA:	SFF-8417

Warranty: Lifetime - See Warranty Document

>Features

- Supports up to 200 Gb/s bit rates
- Passive Copper Twinax Cable
- RoHS-6 compliant
- Compliant with OEM vendor multi-source agreement

>Testing

- Compatibility Tested
- Performance Tested
- 100% Testing of all Transceiver

>Description

This is a multi-vendor compatible 200GBase QSFP28-DD to QSFP28-DD Direct attach cable that operates over passive copper with a maximum reach of 3.0m. It has been programmed, uniquely serialised, data-traffic and application tested to ensure it is 100% compliant and functional. It is guaranteed to be compatible with the OEM host switch, router or network interface card (NIC). This Direct Attach Cable is built to comply with MSA (Multi-Source Agreement) standard. Digital Optical Monitoring (DOM) support is also present to allow access to real-time operating parameters. We stand behind the quality of our products and proudly offer a lifetime warranty.