

Certificate of Analysis (COA)

Report Number:		23-600905	
Report Date	:	12/05/2023	

Samples Received :	11/15/2023
Start of Testing :	11/15/2023
PO Number :	11102023

Item # : 11024 Lab # : 001 Lot # : 101123-52902 RM-23-0051

Test Code	Analysis - Method	Result	Spec
NC	Yeast Count (USP 2021)	<10 CFU/G	< 100 cfu/g
NC	Mold Count (USP 2021)	<10 CFU/G	$< 100 \ cfu/g$
NC	Total Aerobic Microbial Count (USP 2021)	<10 CFU/G	< 1000 cfu/g
USPC17	5 Method Bundle with USP 2021/2022 (no coliform)	Completed	ciu/g
NC	E. coli (USP 2022)	Absent	Absent/10g
NC	Salmonella species (USP 2022)	Absent	Absent/25g
NC	Staphylococcus aureus (USP 2022)	Absent	Absent/10g
COF01	Cocoa Flavonols (HPLC) ALC127A	10.49%	7.5-10.0%
IDFTIR	Identification FT/IR USP	Cocoa ID Confirmed	Conforms
HMS35	Heavy Metal Screen 4 - ICPMS: As, Cd, Hg, Pb	Complete	
NC	Arsenic (As) ICP-MS	0.058 ppm	< 1 ppm
NC	Cadmium (Cd) ICP-MS	0.553 ppm	< 0.5 ppm
NC	Lead (Pb) ICP-MS	0.061 ppm	< 0.5 ppm
NC	Mercury (Hg) ICP-MS	0.061 ppm	< 0.2 ppm



Page 2 of 2

	Report Number :	23-600905 Report Date : 12/05/2023					
Billing Code	Analysis - Method	Result	Spec				
	Sample Temperature Upon Receipt :						
	Remarks :						
	Certified Group - Tustin is accredited to the ISO/IEC 17025:2017 standard and specializes in the testing of botanical ingredients, dietary supplements, and foods. Certified Group - Tustin is not an FDA drug registered facility, therefore any data or results provided by Certified Group - Tustin are not intended to fulfill any requirements under the drug cGMPs dictated in 21 CFR Parts 210 and 211.	714-259-0384 or customerexperience_tustin@certifiedgroup.com					
	All results contained in the above report relate only to the items tested. All samples received in satisfactory condition unless noted otherwise. *The indicated information has been provided by the client to Certified Group - Tustin.						

First Approval By : Yonnie Bai

Signature : Nomie Bui

Second Approval By : Van Nguyen

Signature : Vanyya