

MICRONEEDLE MESOTHERAPY

A MICRO-PUNCTURE TECHNIQUE WITH POWERFUL REGENERATIVE PROPERTIES

MICRONEEDLE MESOTHERAPY

It is a method involving the use of a device equipped with very fine needles, e.g. a pen or derma roller, to mechanically puncture the skin. Micro-punctures in the skin create micro-channels, allowing active substances to penetrate deep into the skin. In addition, producing controlled skin damage triggers an inflammatory response, releasing growth factors that stimulate fibroblast activity. This process results in increased synthesis of collagen, elastin and glucosamine. It helps restore firmness and density in the skin structure.

The key to ensure treatment effectiveness is to select the right active substances for the patient's skin problem.

MAIN BENEFITS OF MICRONEEDLE MESOTHERAPY TREATMENT

Brightening discolouration, evening out skin tone

Reducing acne scars

More defined facial contour

Improved microcirculation

Thickening of the living part of the epidermis

VENOME PEN

It is a device used in microneedle mesotherapy, equipped with three types of cartridges with 11, 24 and 36 needles arranged in a row. The Venome Pen has one of the highest puncture rates on the market of up to 22,000 punctures per minute, so the treatment can be carried out in a shorter time for the full effect of the procedure.

A variable needle extension range of 0.25-2.5 mm allows full control of injection depth. In addition, the Venome Pen has two rechargeable batteries that allow 8 hours of wireless operation.

The pen can be used for microneedle mesotherapy to make punctures at an even depth, so that the active substances will be evenly delivered to the skin; another advantage of the device is that the tip can be changed to a smaller number of needles, which makes it possible to reach hard to access areas such as the nose, eye area and mouth.

MICRO-NEEDLE MESOTHERAPY MECHANISM

Controlled micro-damage to the skin through targeted puncturing

Release of blood droplets from blood vessels initiates a sequence of thrombocyte activation processes

Thrombocytes release growth factors

Growth factors intensify and stimulate restoration and complete remodelling processes by stimulating type III collagen production

INDICATIONS

Wrinkles

Uneven skin texture

Flaccidity

Discolouration

Excessive dryness

Stretch marks

Scars



NEEDLE LENGTH	MECHANISM	USE
0.20 - 0.49 mm	Increased penetration of active substances	Enhanced results of products used
0.50 - 0.90 mm	Increased absorption of active substances and stimulation of collagen production	Pigmentation, fine lines, hair loss
1.00 - 2.00 mm	Increased penetration of active substances and natural collagen induction	Wrinkles, scars, acne, pigmentation, lifting, smoothing out texture



STIMULATE RANGE

These are products that stimulate the production of protein fibres including collagen and elastin, with anti-wrinkle properties. The products ensure deep moisturisation, restoring a healthy appearance to the skin.

VENOME STIMULATE COLLAGEN

Venome Collagen is a unique combination of active substances such as tetrapeptide-2, hydrolysed collagen and sodium hyaluronate. The product helps reduce wrinkles and scars by properly moisturising the skin and improving its texture.







To achieve full results, 4-6 treatments should be performed in a series at a frequency of every 14 days.

TREATMENT PROCEDURE COLLAGEN



















- Remove make-up thoroughly and cleanse the area to be treated (face, neck, décolleté or other body parts). It is recommended to use gloves to protect against the acidic product and to protect mucous membranes, eyes and the eye area, which must not come into contact with the product.
- Put 2-5 ml of product in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face- 3ml, neck- 2ml, décolleté- 2ml, hands- 2ml.
- 3. Apply a thin layer using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.
- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is 0.2mm-1.5mm. Disinfect the area to be treated.
- If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- **Venome Unique Cream**.

VENOME BOOSTER HA 6%

A formulation containing 6% hyaluronic acid, which, thanks to its hygroscopic properties, effectively moisturises the skin. In addition, the product strongly revitalises, smooths the skin and helps improve skin tone and elasticity.








To achieve full results, 4-6 treatments should be performed in a series at a frequency of every 14 days.

TREATMENT PROCEDURE BOOSTER HA 6%

Start







2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face- 3ml, neck- 2ml, décolleté- 2ml, hands- 2ml.



3. Apply **a thin layer** using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.



- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds











- Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is 0.2mm-1.5mm. Disinfect the area to be treated.
- 6. If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- **Venome Unique Cream**.

VENOME PEPTIDES COMPLEX

Formulated with an advanced formula of 4 peptides, marine microalgae extract and ascorbic acid, the product deeply moisturises and revitalises the skin, stimulates fibroblasts to produce protein fibres and blocks the transmission of electrical impulses resulting in reduced fine lines. A complex of active ingredients gives the skin the right firmness and structure.







TREATMENT PROCEDURE PEPTIDES COMPLEX

Start















Procedure performed



- Remove make-up thoroughly and cleanse the area to be treated (face, neck, décolleté or other body parts). It is recommended to use gloves to protect against the acidic product and to protect mucous membranes, eyes and the eye area, which must not come into contact with the product.
- 2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face- 3ml, neck- 2ml, décolleté- 2ml, hands- 2ml.
- 3. Apply **a thin layer** using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.
- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is 0.2mm-1.5mm. Disinfect the area to be treated.
- If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- Venome Unique Cream.



SUCCINATE RANGE

A line that uses a unique combination of two active substances, succinic acid and hyaluronic acid, resulting in products with powerful skin nourishing, antioxidant and regenerating properties.

VENOME AMBER HYDRO 0,55%

A unique combination of succinic acid 1% and non-cross-linked hyaluronic acid 0.55% to improve skin quality and texture. The formula increases hydration levels and minimises oxygen free radicals, which damage lipids and proteins. The product counteracts hypoxia and tissue degradation, which contributes to the healthy appearance of the skin.





TREATMENT PROCEDURE AMBER HYDRO 0,55%

Start















Procedure performed



- Remove make-up thoroughly and cleanse the area to be treated (face, neck, décolleté or other body parts). It is recommended to use gloves to protect against the acidic product and to protect mucous membranes, eyes and the eye area, which must not come into contact with the product.
- 2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face- 3ml, neck- 2ml, décolleté- 2ml, hands- 2ml.
- 3. Apply **a thin layer** using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.
- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 5. Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is **0.2mm-1.5mm**. Disinfect the area to be treated.
- If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- **Venome Unique Cream**.

VENOME SAFFRON+

The unique combination of 1.5% succinic acid, hyaluronic acid and saffron extract restores the skin's moisture, neutralises free oxygen radicals, delaying the ageing process. Thanks to the presence of niacinamide, tranexamic acid and glutathione in the formula, it reduces hyperpigmentation, evening out skin tone.







To achieve full results, 4-6 treatments should be performed in a series at a frequency of every 14 days.

TREATMENT PROCEDURE SAFFRON+










- Remove make-up thoroughly and cleanse the area to be treated (face, neck, décolleté or other body parts). It is recommended to use gloves to protect against the acidic product and to protect mucous membranes, eyes and the eye area, which must not come into contact with the product.
- 2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face- 3ml, neck- 2ml, décolleté- 2ml, hands- 2ml.
- 3. Apply **a thin layer** using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.
- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds







- 6. If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- **Venome Unique Cream**.

Procedure performed



VENOME AMINO BTX

An innovative stimulating formula based on active ingredients such as succinic acid, hyaluronic acid, amino acids and a peptide complex, showing high regenerative potential to further stimulate fibroblasts to produce support structures. Thanks to its concentrated formula, it prevents the formation of new wrinkles and restores skin firmness and elasticity.







To achieve full results, 4-6 treatments should be performed in a series at a frequency of every 14 days.

TREATMENT PROCEDURE AMINO BTX






















- 2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face- 3ml, neck- 2ml, décolleté- 2ml, hands- 2ml.
- 3. Apply **a thin layer** using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.
- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is 0.2mm-1.5mm. Disinfect the area to be treated.
- 6. If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- **Venome Unique Cream**.



PEEL RANGE

Products with strong exfoliating properties, whose composition is based on highly concentrated acids and, thanks to the use of the right concentrations, the formulations are characterised by a high degree of safety.

VENOME MANDALIC GLOW

A chemical peel based on 40% mandelic acid, taking advantage of its best properties including anti-bacterial properties, brightening hyperpigmentation, increasing hydration and boosting the skin's natural barrier. These properties also have a positive effect on skin firmness and help decrease the appearance of wrinkles.



To achieve full results, 4-6 treatments should be performed in a series at a frequency of every 14 days.

TREATMENT PROCEDURE MANDALIC GLOW

Start

 \bigcirc

 \bigcirc

 \bigcirc

 $\langle \rangle$

 \bigcirc

 \bigcirc

 \bigcirc

Procedure performed



- Remove make-up thoroughly and cleanse the area to be treated (face, neck, décolleté or other body parts). It is recommended to use gloves to protect against the acidic product and to protect mucous membranes, eyes and the eye area, which must not come into contact with the product.
- 2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face- 3ml, neck- 2ml, décolleté- 2ml, hands- 2ml.
- 3. Apply a thin layer using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.
- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is 0.2mm-1.5mm. Disinfect the area to be treated.
- 6. If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- **Venome Unique Cream**.

VENOME LACTIC HYDRATION

Formulated with a unique formula of lactic acid, ascorbic acid, three amino acids and allantoin, it helps strengthen the lipid barrier and increase hydration, thereby improving the skin's texture, producing a tensioning and gentle lifting effect.




To achieve full results, 4-6 treatments should be performed in a series at a frequency of every 14 days.

TREATMENT PROCEDURE LACTIC HYDRATION

Start







2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face- 3ml, neck- 2ml, décolleté- 2ml, hands- 2ml.



3. Apply **a thin layer** using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.



- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds











- 5. Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is **0.2mm-1.5mm**. Disinfect the area to be treated.
- 6. If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- **Venome Unique Cream**.

VENOME TCA LIFT

A chemical peel with a unique combination of active ingredients, including 20% TCA- trichloroacetic acid, kojic acid and mandelic acid.

The use of the three acids in the formula contributes to its intensive antioxidant properties, stimulating cell renewal processes and shrinking and tightening pores.





TREATMENT PROCEDURE TCA LIFT

Start















Procedure performed



- Remove make-up thoroughly and cleanse the area to be treated (face, neck, décolleté or other body parts). It is recommended to use gloves to protect against the acidic product and to protect mucous membranes, eyes and the eye area, which must not come into contact with the product.
- 2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face- 3ml, neck- 2ml, décolleté- 2ml, hands- 2ml.
- 3. Apply **a thin layer** using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.
- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 5. Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is **0.2mm-1.5mm**. Disinfect the area to be treated.
- If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- **Venome Unique Cream**.



MESO RANGE

A line of products with a wide range of applications, designed to meet the needs of different skin types. The line offers concentrated formulations to help treat acne-prone, atopic skin prone to wrinkles.

VENOME ACNE

A concentrated formulation of cordyceps, turkey tail mushroom and bioactive ingredients with anti-inflammatory and antibacterial properties, helping minimise the development of further inflammation. In addition, the products improve microcirculation in the blood vessels and promote collagen synthesis.







TREATMENT PROCEDURE ACNE

Start















Procedure performed



- 1. Remove make-up thoroughly and cleanse the area to be treated (face, neck, décolleté or other body parts). It is recommended to use gloves to protect against the acidic product and to protect mucous membranes, eyes and the eye area, which must not come into contact with the product.
- 2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face-3ml, neck-2ml, décolleté-2ml, hands-2ml.
- 3. Apply a thin layer using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.
- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 5. Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is **0.2mm-1.5mm**. Disinfect the area to be treated.
- 6. If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- Venome Unique Cream.

VENOME ANTIAGE

A vitamin cocktail combining unique ingredients such as a synthetic form of vitamin C, pro--retinol and B vitamins resulting in a formulation with powerful anti-ageing, antioxidant and moisturising properties.







To achieve full results, 4-6 treatments should be performed in a series at a frequency of every 14 days.

TREATMENT PROCEDURE *ANTIAGE*











- 1. Remove make-up thoroughly and cleanse the area to be treated (face, neck, décolleté or other body parts). It is recommended to use gloves to protect against the acidic product and to protect mucous membranes, eyes and the eye area, which must not come into contact with the product.
- 2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face-3ml, neck-2ml, décolleté-2ml, hands-2ml.
- 3. Apply a thin layer using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.
- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin









Procedure performed



- 5. Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is **0.2mm-1.5mm**. Disinfect the area to be treated.
- 6. If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition. there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- Venome Unique Cream.

VENOME TIGHT

A meso-cocktail with active ingredients including ascorbic acid, elastin and DMAE with properties that stimulate the regeneration of deep areas of the skin, producing a tightening effect. In addition, the product improves skin structure by stabilising the building fibres and stimulating fibroblasts for further cell division.







To achieve full results, 4-6 treatments should be performed in a series at a frequency of every 14 days.

TREATMENT PROCEDURE TIGHT



















- 1. Remove make-up thoroughly and cleanse the area to be treated (face, neck, décolleté or other body parts). It is recommended to use gloves to protect against the acidic product and to protect mucous membranes, eyes and the eye area, which must not come into contact with the product.
- 2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face-3ml, neck-2ml, décolleté-2ml, hands-2ml.
- 3. Apply a thin layer using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.
- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin
- 5. Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is **0.2mm-1.5mm**. Disinfect the area to be treated.
- 6. If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- Venome Unique Cream.

VENOME HANDS

The concentrated composition of hyaluronic acid, vitamin B3, niacinamide and amino acids has a moisturising and regenerating effect on the delicate skin of the hands. The product counteracts skin ageing, brightening the skin and improving skin tone and density.







To achieve full results, 4-6 treatments should be performed in a series at a frequency of every 14 days.

TREATMENT PROCEDURE HANDS

Start









- Remove make-up thoroughly and cleanse the area to be treated (face, neck, décolleté or other body parts). It is recommended to use gloves to protect against the acidic product and to protect mucous membranes, eyes and the eye area, which must not come into contact with the product.
- 2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face- 3ml, neck- 2ml, décolleté- 2ml, hands- 2ml.
- 3. Apply **a thin layer** using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.
- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds











- 5. Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is **0.2mm-1.5mm**. Disinfect the area to be treated.
- 6. If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- **Venome Unique Cream**.

VENOME ANTICELLULITE

The formula uses the unique properties of ingredients such as caffeine, L-carnitine, artichoke extract and field horsetail to improve lymphatic drainage, seal blood vessels and relieve inflammation. It is a cellulite-reducing product that additionally supports lipid metabolism processes by causing the conversion of fatty acids into energy.







TREATMENT PROCEDURE ANTICELLULITE




















- Remove make-up thoroughly and cleanse the area to be treated (face, neck, décolleté or other body parts). It is recommended to use gloves to protect against the acidic product and to protect mucous membranes, eyes and the eye area, which must not come into contact with the product.
- 2. Put **2-5 ml of product** in a syringe. The final amount may vary depending on the area of the body to be treated and the lesions present. For face- 3ml, neck- 2ml, décolleté- 2ml, hands- 2ml.
- 3. Apply **a thin layer** using a gloved hand, massaging into the treatment area until a sticky layer is achieved. Avoid mucous membranes and the area around the eyes.
- 4. Recommended time to leave on skin **2-3 minutes**. The patient may feel a tingling sensation during the procedure. The length of time the product remains on the skin may vary depending on the skin type and the specific skin problem being treated
 - 2 minutes- skin with visible signs of ageing or a tendency to develop inflammatory changes
 - 3 minutes- oily, combination skin with prominent skin folds
- Proceed with the micro-injection treatment working at the right depths based on the skin type and condition. The recommended range is 0.2mm-1.5mm. Disinfect the area to be treated.
- 6. If the skin requires strong stimulation, apply another layer of product as directed:
 - 2 minutes- normal skin with visible signs of ageing or a tendency to develop inflammatory changes
 - **3 minutes** oily, combination skin with prominent skin folds
- 7. Once the treatment time has passed, wash off any product residue with gauze soaked in water and thoroughly clean the treated skin area and disinfect it. The skin may be slightly reddened, which will subside within a few hours of treatment. In addition, there may be local dryness that is associated with the effects of the product.
- 8. At the end of the treatment, apply moisturising and soothing cream- **Venome Unique Cream**.





- office@venome-global.com
- **f** @venomeofficial
- www.venome-global.com