

## Delicate wash with Silkesextract and Lanolin

Date: 2024-03-12

Version 5.1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier	Delicate wash with Silkesextract and Lanolin
UFI	S500-C029-F00X-DQPV
1.2 Relevant identified uses of the substance or mixture and uses advised against	Laundry detergent
1.3 Details of the supplier of the safety data sheet	Washologi AB
Address	Grevgatan 48 114 58 Stockholm
Homepage / E-mail	<a href="http://www.washologi.se/info@washologi.se">www.washologi.se/info@washologi.se</a>
Telephone	+46 709922884
1.4 Emergency telephone number	NHS 111 (England), NHS 24 (Scotland) or NHS Direct (Wales).

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

Classification CLP (1272/2008/EC)

Not classified as flammable, irritating or dangerous for the environment

**2.2 Label elements**

Pictogram

-

Signal Word: None

Containing substances

-

Hazard statement Code(s)

None

Precautionary statements

None

**2.3 Other hazards**

This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances.

**Labelling according to Regulation (EC) No 648/2004**

Non-ionic Surfactants, 5 - &lt;15%, Anionic Surfactants &lt;5%, Amphoteric Surfactants &lt;5%, Soap &lt;5%, Perfumes &lt;5%.

## Delicate wash with Silkesextract and Lanolin

Date: 2024-03-12

Version 5.1

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

Components	CAS-No EC-No Reg-No	Conc. %	Hazard Class & Category Code*	Hazard statement Code(s)*
Alcohols, C12-14, ethoxylated (> 5 - <15 EO)**	68439-50-9 932-106-6	<1	Acute Tox. 4 Eye Dam. 1 Aquatic Chronic 3	H302 H318 H412
1 propanaminium, 3-amino-N- (carboxymethyl) -N, N- dimethyl, N-C8-18 (even numbered) acyl derivatives. Hydroxides, inner salts***	- 931-296-8 01-2119488533-30-0001	0,1- < 2,5	Eye Dam. 1	H318
Sodium lauryl ether sulfate ****	68891-38-3 500-234-8 01-2119488639-16-0007	0,1- < 2	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3	H315 H318 H412
Etanol	64-17-5	0,1<1	Flam.Liq 2	H225

\* The full text of Hazard statement Codes are listed under section 16.

\*\*Specific concentration limits

>10% H318

>1-10% H319

\*\*\*Specific concentration limits

>10% H318

>4-10% H319

\*\*\*\*Specific concentration limits

The classification is based on data from the chemical supplier and [www.echa.europa.eu](http://www.echa.europa.eu) (databases)

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels.

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

**Inhalation**

Fresh air.

**Skin contact**

Wash with soap and water for several minutes and rinse the skin thoroughly.

**Eye contact**

Rinse with lukewarm water for several minutes. Hold eyelids apart. Remove contact lenses, if present and easy to do. Contact a doctor if the complaints persist.

**Ingestion**

Rinse mouth with water and drink several glasses of water. Contact a doctor if the complaints persist.

## Delicate wash with Silkesextract and Lanolin

Date: 2024-03-12

Version 5.1

**SECTION 4: First aid measures****4.2 Most important symptoms and effects, both acute and delayed**

<b>Inhalation:</b>	No irritation expected.
<b>Skin contact:</b>	Prolonged skin contact with concentrate could cause skin irritation and dry skin, skin cracking and rash.
<b>Eye contact:</b>	May be irritating to eyes. (Pain, redness)
<b>Ingestion:</b>	Ingestion may cause discomfort.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Water spray, fog or mist, foam, powder, carbon dioxide.

**5.2 Special hazards arising from the substance or mixture**

Do not breath fumes as during fire, hazardous fumes may be formed.

**5.3. Advice for firefighters**

Use an appropriate breathing apparatus and protective suites.

**Additional information**

Cool endangered containers with water in case of fire. Move containers from fire area if it can be done without risk.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

**6.2 Environmental precautions**

Do not flush large quantities of the product into surface water or sanitary sewer system.

**6.3 Methods and material for containment and cleaning up**

Re-use product if possible. Small quantities may be wiped up with a cloth. Contain larger spill with inert material. Absorb in vermiculite, dry sand or earth. Place in container for disposal according to local regulations. Flush afterwards with water.

**6.4 Reference to other sections**

See section 7 for proper handling and storage.

For personal protection see section 8.

For disposal of spillage, see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Normal precautions taken when handling chemicals should be observed.

Handle and dosage according to instructions

**7.2 Conditions for safe storage, including any incompatibilities**

Store in tightly closed container.

**7.3 Specific end use(s)**

-

## Delicate wash with Silkesextract and Lanolin

Date: 2024-03-12

Version 5.1

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Appropriate engineering controls

Provide adequate ventilation

##### British limit values (EH40/2005)

Substance	CAS Number	Long-term exposure limit	Short-term exposure limit	Comments
Ethanol	64-17-5	1000 ppm 1920 mg/m <sup>3</sup>	-	-

##### DNEL

1 propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl, N-C8-18 (even numbered) acyl derivatives. Hydroxides, inner salts	Longtermexposure – Worker Sytematic effects, dermalt: 12,5 mg/kg Longtermexposure – Worker Sytematic effects, inhalation: 44 mg/m <sup>3</sup> Långtidsexponering - Consumer Sytematic effects, dermalt: 7,5 mg/kg Långtidsexponering - Consumer Sytematic effects, oralt: 7,5 mg/kg
Sodium lauryl ether sulfate (68891-38-3)	Longtermexposure – Consumer Sytematic effects – Oral: 15 mg/kg Longtermexposure – Consumer Sytematic effects – Dermalt 1650 mg/kg Longtermexposure – Worker Sytematic effects – Dermalt 2750 mg/kg

##### PNEC

1 propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl, N-C8-18 (even numbered) acyl derivatives. Hydroxides, inner salts	0,0135 mg/l	Freshwater
1 propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl, N-C8-18 (even numbered) acyl derivatives. Hydroxides, inner salts	0,00135 mg/l	Seawater
1 propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl, N-C8-18 (even numbered) acyl derivatives. Hydroxides, inner salts	1 mg/kg	Sediment (Freshwater)
1 propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl, N-C8-18 (even numbered) acyl derivatives. Hydroxides, inner salts	0,1 mg/kg	Sediment (Seawater)
1 propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl, N-C8-18 (even numbered) acyl derivatives. Hydroxides, inner salts	0,8 mg/kg	Dirt
1 propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl, N-C8-18 (even numbered) acyl derivatives. Hydroxides, inner salts	3000 mg/l	STP
Sodium lauryl ether sulfate (68891-38-3)	0,24 mg/l	Freshwater
Sodium lauryl ether sulfate (68891-38-3)	0,024 mg/l	Seawater
Sodium lauryl ether sulfate (68891-38-3)	5,45	Sediment

## Delicate wash with Silkesextract and Lanolin

Date: 2024-03-12

Version 5.1

### SECTION 8: Exposure controls/personal protection (...)

#### 8.2 Exposure controls

##### General protective and hygiene measures

The usual precautionary measures for the handling of chemicals have to be observed.

Wash hands before breaks and after work.

##### Individual protection measures, such as personal protective equipment

Always consult a competent person/supplier when selecting personal protective equipment

##### Respiratory protection

Normally not needed.

##### Hand protection

Normally not needed. In case of prolonged contact with concentrated product, protective gloves should be used.

##### Eye protection

Normally not needed.

##### Body protection

Normally not needed.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Light yellow
Odour	Pleasant scent
Melting point/freezing point	Not determined
Boiling point or initial boiling point and boiling range	Not determined
Flammability	Not determined
Lower and upper explosion limit	Not determined
Flash point	Not determined
Auto-ignition temperature	Not determined
Decomposition temperature	Not determined
pH	8-8,5
Kinematic viscosity	Not determined
Solubility	Soluble in water.
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure	Not determined
Density and/or relative density	Not determined
Relative vapour density	Not determined
Particle characteristics	Not determined

#### 9.2 Other information

No specific.

## Delicate wash with Silkesextract and Lanolin

Date: 2024-03-12

Version 5.1

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Stable under recommended storage and handling conditions

**10.2 Chemical stability**

Stable under recommended handling conditions

**10.3 Possibility of hazardous reactions**

None known.

**10.4 Conditions to avoid**

None known.

**10.5 Incompatible materials**

None known.

**10.6 Hazardous decomposition products**

None known.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

See section 4 as well. (Most important symptoms and effects, both acute and delayed)

**Inhalation**

Not irritating.

**Skin contact**

Not irritating.

**Eye contact**

May be irritating.

**Ingestion**

Ingestion can cause discomfort.

**Toxicology data**

Information/data about this preparation is not available.

**Toxicology data for the containing components:**

Alcohols, C12-14, ethoxylated (> 5 - <15EO) (68439-50-9)	LD <sub>50</sub> Oral rat: >300-2000 mg/kg LD <sub>50</sub> Dermal rabbit: >2000 mg/kg
1 propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl, N-C8-18 (even numbered) acyl derivatives. Hydroxides, inner salts	LD <sub>50</sub> Oral rat: 7783 mg/kg LD <sub>50</sub> Dermal rat: >2066 mg/kg NOAEL råttarat 300 mg/kg
Sodium lauryl ether sulfate (68891-38-3)	LD <sub>50</sub> Oral rat: ~4000 mg/kg

**STOT-single exposure -repeated exposure.**

No known

**Routes of exposure**

Inhalation, eyes and skin, ingestion.

**Allergenic potential**

This product is not classified as allergenic by inhalation or skin contact.

**Carcinogenicity, mutagenicity and toxicity for reproduction**

This product is not classified as carcinogen, mutagen and toxic for reproduction.

**Aspiration hazard**

None.

**11.2. Information on other hazards**

No known.

## Delicate wash with Silkesextract and Lanolin

Date: 2024-03-12

Version 5.1

### SECTION 12: Ecological information

This product is not classified as dangerous for the environment.

Do not flush into surface water or sanitary sewer system.

#### 12.1 Toxicity

Information about this preparation is not available.

#### Toxicology data for the containing components

Alcohols, C12-14, ethoxylated (> 5 - <15EO) (68439-50-9)	LC <sub>50</sub> Fish 96h: >1-10 mg/l EC <sub>50</sub> Daphnia 48h: >1-10 mg/l EC <sub>50</sub> Algae 72h: >1-10 mg/l EC <sub>10</sub> Algae 72h: >0,1-1 mg/l EC <sub>50</sub> Bacteria active sludge: 140 mg/l NOEC: 10 mg/kg
1 propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl, N-C8-18 (even numbered) acyl derivatives. Hydroxides, inner salts	LC <sub>50</sub> Fish 96h: 1,11 mg/l EC <sub>50</sub> Daphnia 48h: 1,9 mg/l ErC <sub>50</sub> Algae 72h: 2,4 mg/l EC <sub>0</sub> Bakterier 16h: 3000 mg/l NOEC Bacteria: 0,135 mg/l NOEC Daphnia: 0,3 mg/l NOEC Algae: 0,6 mg/l
Sodium lauryl ether sulfate (68891-38-3)	LC <sub>50</sub> Fish 96h: 1-10 mg/l IC <sub>50</sub> Algae 72h: 10-100 mg/l EC <sub>50</sub> Daphnia 48h: 1-10 mg/l

#### 12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Alcohols, C12-14, ethoxylated (> 5 - <15EO) (68439-50-9) – Biodegradabel

1 propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl, N-C8-18 (even numbered) acyl derivatives.

Hydroxides, inner salts - biodegradable

Sodium lauryl ether sulfate (68891-38-3) – readily biodegradable

#### 12.3 Bioaccumulative potential

No potential for bioaccumulation - 1 propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl, N-C8-18 (even numbered) acyl derivatives. Hydroxides, inner salts

#### 12.4 Mobility in soil

Soluble in water.

#### 12.5 Results of PBT and vPvB assessment

This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances.

#### 12.6. Endocrine disrupting properties

No known.

#### 12.7 Other adverse effects

The product is considered to be readily biodegradable and is not expected to bioaccumulate.

## Delicate wash with Silkesextract and Lanolin

Date: 2024-03-12

Version 5.1

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

This product or residues of this product are not classified as hazardous waste.

Dispose of in accordance with local authority requirements.

#### Suggested EWC-code

20 01 30 detergents other than those mentioned in 20 01 29

#### Disposal of Packaging

Well cleaned packaging could be left for recycling

### SECTION 14: Transport information

The product is not classified as dangerous goods according to ADR/RID, IMDG, DGR.

#### 14.1. UN number or ID number

-

#### 14.2 UN proper shipping name

-

#### 14.3 Transport hazard class(es)

-

#### 14.4 Packing group

-

#### 14.5 Environmental hazards

Marine Pollutant: No

#### 14.6 Special precautions for user

-

#### 14.7. Maritime transport in bulk according to IMO instruments

-

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification according to CLP (1272/2008/EC)

Reach (1907/2006/EC)

#### 15.2 Chemical safety assessment

None.



## Delicate wash with Silkesextract and Lanolin

Date: 2024-03-12

Version 5.1

**SECTION 16: Other information****The full text of Hazard statement Codes listed under section 3:**

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

This information is provided for health and safety assessments by an industrial user. Reference should be made to any relevant local or national health, safety, and environmental legislation.

**Sources**

Safety data sheet provided by the manufacturer. CLP-regulation, [www.echa.europa.eu](http://www.echa.europa.eu) (Databases)

**Version 5.1:** 2024-03-12. Safety data sheet according to Regulation (EC) No. 1907/2006 and (EG) 2020/878  
Change is made in section 2.3.

Version 1: 2015-03-10

Version 2: 2016-08-10

Version 3: 2018-04-18

Version 4: 2019-09-05

Version 5: 2022-05-25

**Abbreviations explanations**

ADR: International Carriage of Dangerous Goods by Road

BCF: Bio Concentration Factor

CAS-nr: Chemical Abstracts Service number

DNEL: Derived No Effect Level

EC<sub>50</sub>: Effect Concentration

EG-nr: A substance number i EINECS, ELINCS or in No-Longer Polymers List.

IMDG: International Maritime Dangerous Goods Code.

LC<sub>50</sub>: Lethal ConcentrationLD<sub>50</sub>: Lethal DoseIC<sub>50</sub>: Median Inhibition Concentration

NOEC: No Observed Effect Concentration

PBT-substance: Persistent, Bio accumulative and Toxic substances.

PNEC: Predicted No Effect Concentration

vPvB-substance: Very persistent and Very Bio accumulative substances.