

SAFETY DATA SHEET

In accordance with 1907/2006 annex II and 1272/2008

(All references to EU regulations and directives are abbreviated into only the numeric term)

Issued 2022-03-10

Version number 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name COTTONFLOWER – Desire

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reed Diffuser

1.3. Details of the supplier of the safety data sheet

Company Washologi
Box 8074
163 08 Spånga
Sweden
Telephone +46 (0)709- 92 28 84
E-mail www.washologi.se

1.4. Emergency telephone number

Phone number for emergencies: 999 or 112. The numbers are available 24/7.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin. Sens. 1, H317
Eye Irrit. 2, H319
Aquatic Chronic 2, H411
(See section 16)

2.2. Label elements

Hazard pictogram



Signal word	Warning
Hazard statements	
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
Precautionary statements	
P101	If medical advice is needed, have product container or label at hand
P102	Keep out of reach of children
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water
P333+P313	If skin irritation or rash occurs: Get medical advice/attention
P501	Dispose of contents and container to authorised waste disposal facility

Supplemental hazard information

Contains: 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE, (Z)-3,4,5,6,6-PENTAMETHYLHEPT-3-EN-2-ONE, 10-UNDECENAL, 3,7-DIMETHYL-1,6-NONADIEN-3-OL, HEXYL SALICYLATE

2.3. Other hazards

This product does not contain any substances that are assessed to be a PBT or a vPvB

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Note that the table shows known hazards of the ingredients in pure form. These hazards are reduced or eliminated when mixed or diluted, see Section 16d.

Constituent	Classification	Concentration
DL-α,β-ISOPROPYLIDENEGLYCEROL		
CAS No: 100-79-8 EC No: 202-888-7	Eye Irrit. 2; H319	74.25 - 75 %
1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE		
CAS No: 54464-57-2 EC No: 259-174-3	Skin Irrit. 2, Skin. Sens. 1B, Aquatic Chronic 1; H315, H317, H410	1.25 - 2.5 %
2,6-DIMETHYLOCT-7-EN-2-OL		
CAS No: 18479-58-8 EC No: 242-362-4	Skin Irrit. 2, Eye Irrit. 2; H315, H319	1.25 - 2.5 %
2-tert-BUTYLCYCLOHEXYL ACETATE		
CAS No: 88-41-5 EC No: 201-828-7 REACH: 01-2119970713-33	Aquatic Chronic 2; H411	1.25 - 2.5 %
(Z)-3,4,5,6,6-PENTAMETHYLHEPT-3-EN-2-ONE		
CAS No: 81786-73-4 EC No: 279-822-9	Skin. Sens. 1, Aquatic Chronic 2; H317, H411	0.25 - 1.25 %
3A,4,5,6,7,7A-HEXAHYDRO- 4,7-METHANO-1H-INDEN-5-YL ISOBUTYRATE		
CAS No: 67634-20-2 EC No: 266-825-5 REACH: 01-2120756110-68	Eye Irrit. 2, Aquatic Chronic 2; H319, H411	0.25 - 1.25 %
BENZYL ACETATE		
CAS No: 140-11-4 EC No: 205-399-7	Aquatic Chronic 3; H412	0.25 - 1.25 %
2-PHENYLETHANOL		
CAS No: 60-12-8 EC No: 200-456-2	Acute Tox. 4, Eye Irrit. 2; H302, H319	0.25 - 1.25 %
4-UNDECANOLIDE		
CAS No: 104-67-6 EC No: 203-225-4	Aquatic Chronic 3; H412	0.25 - 1.25 %
2,6-DIMETHYLOCTAN-2-OL		
CAS No: 18479-57-7 EC No: 242-361-9 REACH: 01-2120756111-66	Skin Irrit. 2; H315	0.25 - 1.25 %
2-METHOXYNAPHTHALENE		
CAS No: 93-04-9 EC No: 202-213-6 REACH: 01-2119937828-21	Aquatic Chronic 2; H411	0.25 - 1.25 %
1-[(2-TERT-BUTYL)CYCLOHEXYLOXY]-2-BUTANOL		
CAS No: 139504-68-0 EC No: 412-300-2 Index No: 603-154-00-2	Aquatic Chronic 2; H411	0.25 - 1.25 %

ANISALDEHYDE		
CAS No: 123-11-5 EC No: 204-602-6	Aquatic Chronic 3; H412	0.25 - 1.25 %
3A,4,5,6,7,7A-HEXAHYDRO-4,7-METHANO-1H-INDEN-6-YL PROPIONATE		
CAS No: 17511-60-3 EC No: 241-514-7	Aquatic Chronic 2; H411	0.25 - 1.25 %
2-CYCLOHEXYLIDENE-2-PHENYLACETONITRILE		
CAS No: 10461-98-0 EC No: 423-740-1 Index No: 608-044-00-8 REACH: 01-0000017023-83-0003	Acute Tox. 4, Aquatic Chronic 2; H302, H411	0.25 - 1.25 %
4-(2,6,6-TRIMETHYLCYCLOHEX-1-ENE-1-YL)-BUT-3-ENE-2-ONE		
CAS No: 14901-07-6 EC No: 238-969-9	Aquatic Chronic 2; H411	0.25 - 1.25 %
TETRAHYDRO-2-ISOBUTYL-4-METILPYRAN-4-OL, BLANDADE ISOMERER (CIS OCH TRANS)		
EC No: 405-040-6 Index No: 603-101-00-3	Eye Irrit. 2; H319	0.25 - 1.25 %
TERPINEOL		
CAS No: 8000-41-7 EC No: 232-268-1 REACH: 01-2119553062-49	Skin Irrit. 2, Eye Irrit. 2; H315, H319	0.25 - 1.25 %
10-UNDECENAL		
CAS No: 112-45-8 EC No: 203-973-1	Skin Irrit. 2, Eye Irrit. 2, Skin. Sens. 1, Aquatic Chronic 3; H315, H319, H317, H412	0.25 - 1.25 %
3,7-DIMETHYL-1,6-NONADIEN-3-OL		
CAS No: 10339-55-6 EC No: 233-732-6	Skin Irrit. 2, Eye Irrit. 2, Skin. Sens. 1B; H315, H319, H317	0.25 - 1.25 %
REAKTIONSBLANDNING AV: (E)-OXACYKLOHEXADEC-12-EN-2-ON		
EC No: 422-320-3 Index No: 606-092-00-4	Aquatic Acute 1, Aquatic Chronic 1; H400, H410	0.25 - 1.25 %
METHYL ANTHRANILATE		
CAS No: 134-20-3 EC No: 205-132-4	Eye Irrit. 2; H319	0.25 - 1.25 %
ACETIC ACID (1- OXOPROPOXY)-, 1-(3,3- DIMETHYLCYCLOHEXYL)ETHYL ESTER		
CAS No: 236391-76-7 EC No: 431-700-8 REACH: 01-0000017792-64	Aquatic Chronic 2; H411	0.25 - 1.25 %
PHENETHYLPHENYL ACETATE		
CAS No: 102-20-5 EC No: 203-013-1	Aquatic Chronic 2; H411	<0.25 %
L-CYCLOCITRONELLENE FORMATE		
CAS No: 25225-08-5 EC No: 246-735-2	Aquatic Chronic 2; H411	<0.25 %
ALLYL (3-METHYLBUTOXY)ACETATE		
CAS No: 67634-00-8 EC No: 266-803-5	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2; H330, H302, H315	<0.25 %
4-CYCLOHEXYL-2-METHYL-2-BUTANOL		
CAS No: 83926-73-2 EC No: 421-750-9 Index No: 603-174-00-1	Eye Dam. 1, Aquatic Chronic 2; H318, H411	<0.25 %

BENZOIC ACID, 2-HYDROXY-, PENTYL ESTER		
CAS No: 2050-08-0 EC No: 218-080-2	Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H302, H400, H410	<0.25 %
4-METHYL-3-DECEN-5-OL		
CAS No: 81782-77-6 EC No: 279-815-0 REACH: 01-2119983528-21	Aquatic Acute 1, Aquatic Chronic 2; H400, H411	<0.25 %
DIPHENYL ETHER		
CAS No: 101-84-8 EC No: 202-981-2	Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H319, H400, H412	<0.25 %
HEXYL SALICYLATE		
CAS No: 6259-76-3 EC No: 228-408-6 REACH: 01-2119638275-36	Skin. Sens. 1B, Aquatic Acute 1, Aquatic Chronic 1; H317, H400, H410	<0.25 %

Explanations to the classification and labelling of the ingredients are given in Section 16e. Official abbreviations are printed in normal font. Text in italics are specifications and/or complements used in the calculation of the classification of this mixture, see Section 16b.

SECTION 4: First aid measures

4.1. Description of first aid measures

Generally

In case of concern, or if symptoms occur, call a doctor/physician.

Upon breathing in

Fresh air and rest. If symptoms persist seek medical advice.

Upon eye contact

Remove contact lenses immediately if possible.

Rinse the eye for several minutes with lukewarm water. If irritation persists call a doctor/ophthalmologist.

Upon skin contact

Remove contaminated clothing.

Wash the skin with soap and water.

If symptoms occur, contact a physician.

Wash contaminated clothing before reuse.

Upon ingestion

Rinse mouth out thoroughly first with water, then SPIT OUT the rinse water. Drink at least half a litre of water and seek medical advice. DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Upon eye contact

Irritation.

Upon skin contact

Allergic reactions.

Upon ingestion

May cause irritation of mucous membranes, nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Upon contact with a doctor, make sure to have the label or this safety data sheet with you.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Extinguish with water mist, powder, carbon dioxide or alcoholresistant foam.

5.2. Special hazards arising from the substance or mixture

Gases detrimental to health can be spread in case of fire.

Note, risk for discharge of environmentally harmful substances.

Avoid that water used for extinguishing fire reaches drains. Water used for extinguishing fire should be handled according to current regulations.

5.3. Advice for firefighters

Protective measures should be taken regarding other material at the site of the fire.

Contain and collect extinguishing liquid.

In case of fire use proper breathing apparatus.

Wear full protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of spillage in protected water, call the emergency services immediately, tel. 112 (in Europe).

Avoid inhalation and exposure to skin and eyes.

Keep unauthorized and unprotected people at a safe distance.

Use recommended safety equipment, see section 8.

Ensure good ventilation.

6.2. Environmental precautions

Avoid release to drains, soil or watercourses.

Dam up the spillage to prevent it reaching street sewers or flowing into the ground.

Always contact the fire department when accidental spillage of this product occurs.

6.3. Methods and material for containment and cleaning up

Minor spills can be cleaned up with a cloth and alcohol. For larger spills wall in with an absorbent inert material, e.g. vermiculite and collect. The collected material should be handled according to section 13.

6.4. Reference to other sections

See section 8 and 13 for personal protection equipment and disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Store this product separately from food items and keep it out of the reach of children and pets.

Avoid spillage, inhalation and contact with eyes and skin.

Do not eat, drink or smoke in premises where this product is handled.

Wash your hands after using the product.

Remove contaminated clothing.

Wash contaminated clothing before reuse.

Keep away from incompatible products.

Use recommended safety equipment, see section 8.

Implement appropriate engineering controls if necessary, see Section 8.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored in a manner which prevents hazards to health and the environment. Avoid exposure to humans and animals and do not discharge the product in a sensitive environment.

Keep out of reach for children.

Store separately from food and animal fodder, incl. utensils or surfaces which have been in contact with these things.

Store tightly, in original packaging.

Do not store close to incompatible materials (see section 10.5).

7.3. Specific end use(s)

See identified uses in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National limit values

DIPHENYL ETHER

United Kingdom (EH40/2005)

Time-weighted-average exposure limit (TWA) 1 ppm / 7 mg/m³

Short term exposure limit (STEL) 2 ppm / 14 mg/m³

DNEL

No data available.

PNEC

2-PHENYLETHANOL

Environmental protection target	PNEC value
Fresh water	215 µg/L
Freshwater sediments	1.454 mg/kg dw
Marine water	21.5 µg/L
Marine sediments	0.1454 mg/kg dw
Microorganisms in sewage treatment	10 mg/L
Intermittent	2.15 mg/L

8.2. Exposure controls

The risks posed by the product or its constituents must be considered in the task specific risk assessment, in accordance with current working environment legislation. The risk assessment should be reviewed regularly and updated if necessary.

8.2.1. Appropriate engineering controls

The ventilation in the workplace must ensure an air quality that meets the requirements of the current working environment legislation. Local exhaust ventilation should be used to remove airborne contaminants at the source.

Eye-rinsing facilities shall be available at the workplace.

Eye/face protection

Use protective glasses with tight seals according to standard EN166.

Skin protection

Use suitable protective clothing.

Use protective gloves fulfilling the standard EN374 if there is a risk of direct contact.

During continuous contact use gloves with a minimum breakthrough time of at least 240 minutes, preferably over 480 minutes.

The most suitable protective glove should be chosen in consultation with the glove supplier, taking into account the risk assessment for the specific task and the properties of the chemicals involved. Note that the breakthrough time of the material is affected by the duration of the exposure, temperature conditions, abrasion, etcetera.

Based on the chemical properties of the product, the following glove materials are recommended (EN 374):.

– Nitrile rubber.

Respiratory protection

Use appropriate respiratory protective equipment in case of insufficient ventilation.

The most appropriate respiratory protective equipment should be decided in consultation with the appointed safety representative, taking into account the risk assessment for the specific task.

Based on the physical and chemical properties of the product, the following filter type(s) and/or filter combination(s) are recommended:.

– A/P2.

8.2.3. Environmental exposure controls

Work with the product should take place in such a way that the product does not get into drains, waterways, soil and air.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(a) Physical state	liquid Form: oil
(b) Colour	Not indicated
(c) Odour	Not indicated
(d) Melting point/freezing point	Not indicated
(e) Boiling point or initial boiling point and boiling range	Not indicated
(f) Flammability	Not indicated
(g) Lower and upper explosion limit	Not indicated
(h) Flash point	Not indicated
(i) Auto-ignition temperature	Not indicated
(j) Decomposition temperature	Not indicated
(k) pH	Not indicated
(l) Kinematic viscosity	Not indicated
(m) Solubility	Not indicated
(n) Partition coefficient n-octanol/water (log value)	Not indicated
(o) Vapour pressure	Not indicated
(p) Density and/or relative density	Not indicated
(q) Relative vapour density	Not indicated
(r) Particle characteristics	Not indicated

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not indicated

9.2.2. Other safety characteristics

Not indicated

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions not expected to occur under normal conditions.

10.2. Chemical stability

The product is stable at normal storage and handling conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on possible health hazards are based on experience and / or toxicological properties of several components in the product.

Acute toxicity

The product is not classified as acutely toxic.

2,6-DIMETHYLOCT-7-EN-2-OL

LD50 rat 24h: 3600 mg/kg Orally

2-PHENYLETHANOL

LD50 rat 24h: 1790 mg/kg Orally

4-UNDECANOLIDE

LD50 rat 24h: 18500 mg/kg Orally

4-(2,6,6-TRIMETHYLCYCLOHEX-1-ENE-1-YL)-BUT-3-ENE-2-ONE

LD50 rat 24h: 4590 mg/kg Orally

Skin corrosion/irritation

The product is not classified for skin corrosion/irritation.

Serious eye damage/irritation

Eye contact may cause burning pain or irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

The product is not classified as mutagen.

Carcinogenicity

The product is not classified as carcinogenic.

Reproductive toxicity

The product is not classified as a reproductive toxicant.

STOT-single exposure

The product is not classified for specific organ toxicity after single exposure.

STOT-repeated exposure

The product is not classified for specific organ toxicity after repeated exposure.

Aspiration hazard

The product is not classified as being toxic for aspiration.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

The product does not have any known endocrine-disrupting properties.

11.2.2. Other information

Not indicated.

SECTION 12: Ecological information

12.1. Toxicity

Prevent release on land, in water and drains.

Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

There is no information regarding persistence or degradability.

12.3. Bioaccumulative potential

There is no information regarding bioaccumulation.

12.4. Mobility in soil

Information about mobility in nature is not available.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances that are assessed to be a PBT or a vPvB.

12.6. Endocrine disrupting properties

The product does not have any known endocrine-disrupting properties.

12.7. Other adverse effects

No known effects or hazards.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste handling of the product

Avoid discharge into sewers.

Discarded products must be disposed of as hazardous waste in accordance with regulations.

Not completely emptied packaging can contain remnants of dangerous substances and should therefore be handled as hazardous waste according to the above. Completely emptied packaging can be recycled.

See directive 2008/98/EC on waste. Observe national or regional provisions on waste management.

SECTION 14: Transport information

Where not otherwise stated the information applies to all of the UN Model Regulations, i.e. ADR (road), RID (railway), ADN (inland waterways), IMDG (sea), and ICAO (IATA) (air).

14.1. UN number or ID number

3082

14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE)

14.3. Transport hazard class(es)

Class

9: Other hazardous substances and articles

Classification code (ADR/RID)

M6: Environmentally-hazardous substances: pollutant for marine environments, liquid

Subsidiary risk (IMDG)

No subsidiary risk according to IMDG

Labels



14.4. Packing group

Packing group III

14.5. Environmental hazards

MARINE POLLUTANT

14.6. Special precautions for user

Tunnel restrictions

Tunnel category: E

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

14.8 Other transport information

Transport category: 3; Maximum total quantity per transport unit: 1000 kgs or litres (ADR 1.1.3.6)

Stowage category A (IMDG)

Emergency Schedule (EmS) for FIRE (IMDG) F-A

Emergency Schedule (EmS) for SPILLAGE (IMDG) S-F

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not indicated.

15.2. Chemical safety assessment

Assessment and chemical safety report in accordance with 1907/2006 Annex I has not yet been performed.

SECTION 16: Other information

16a. Indication of where changes have been made to the previous version of the safety data sheet

Revisions of this document

This is the first version

16b. Legend to abbreviations and acronyms used in the safety data sheet

Full texts for Hazard Class and Category Code mentioned in section 3

Eye Irrit. 2	Serious eye damage/eye irritation, Hazard Category 2 - Eye Irrit. 2, H319 - Causes serious eye irritation
Skin Irrit. 2	Skin corrosion/irritation, Hazard Category 2 - Skin Irrit. 2, H315 - Causes skin irritation
Skin. Sens. 1B	Respiratory or skin sensitisation, Sensitisation — Skin, hazard category 1B - Skin. Sens. 1B, H317 - May cause an allergic skin reaction
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1 - Aquatic Chronic 1, H410 - Very toxic to aquatic life with long lasting effects
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2 - Aquatic Chronic 2, H411 - Toxic to aquatic life with long lasting effects
Skin. Sens. 1	Respiratory or skin sensitisation, Sensitisation — Skin, hazard category 1 - Skin. Sens. 1, H317 - May cause an allergic skin reaction
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3 - Aquatic Chronic 3, H412 - Harmful to aquatic life with long lasting effects
Acute Tox. 4	Acute toxicity (oral), Hazard Category 4 - Acute Tox. 4, H302 - Harmful if swallowed
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1 - Aquatic Acute 1, H400 - Very toxic to aquatic life
Acute Tox. 2	Acute toxicity (inhal.), Hazard Category 2 - Acute Tox. 2, H330 - Fatal if inhaled
Eye Dam. 1	Serious eye damage/eye irritation, Hazard Category 1 - Eye Dam. 1, H318 - Causes serious eye damage

Explanations of the abbreviations in Section 14

ADR European Agreement concerning the International Transport of Dangerous Goods by Road

RID Regulations concerning the International Transport of Dangerous Goods by Rail

IMDG International Maritime Dangerous Goods Code

ICAO International Civil Aviation Organization (ICAO, 999 University Street, Montreal, Quebec H3C 5H7, Canada)

IATA The International Air Transport Association

Tunnel restriction code: E; Passage through category E tunnels is strictly forbidden

Transport category: 3; Maximum total quantity per transport unit: 1000 kgs or litres (ADR 1.1.3.6)

16c. Key literature references and sources for data

Sources for data

Primary data for the calculation of the hazards has preferentially been taken from the official European classification list, 1272/2008 Annex I, as updated to 2022-03-10.

Where such data was not available, alternative documentation used to establish the official classification was used, e.g. IUCLID (International Uniform Chemical Information Database). As a second alternative, information was used from reputable international chemical industries, and as a third alternative other available information was used, e.g. material safety data sheets from other suppliers or information from non-profit associations, where reliability of the source was assessed by expert opinion. If, in spite of this, reliable information could not be sourced, the hazards were assessed by expert opinions based on the known hazards of similar substances, and according to the principles in 1907/2006 and 1272/2008.

Full texts for Regulations mentioned in this Safety Data Sheet

1907/2006	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
1272/2008	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and

16d. Methods of evaluating information referred to in 1272/2008 Article 9 which was used for the purpose of classification

Hazard calculation for this mixture has been performed as a cumulative assessment with the aid of expert assessments in accordance with 1272/2008 Annex I , where all available information which may be significant to establishing the hazards of the mixture was assessed together, and in accordance with 1907/2006 Annex XI .

**16e. List of relevant hazard statements and/or precautionary statements
Full texts for hazard statements mentioned in section 3**

H319 Causes serious eye irritation
H315 Causes skin irritation
H317 May cause an allergic skin reaction
H410 Very toxic to aquatic life with long lasting effects
H411 Toxic to aquatic life with long lasting effects
H412 Harmful to aquatic life with long lasting effects
H302 Harmful if swallowed
H400 Very toxic to aquatic life
H330 Fatal if inhaled
H318 Causes serious eye damage

16f. Advice on any training appropriate for workers to ensure protection of human health and the environment

Warning for misuse

Not indicated.

Other relevant information

Not indicated

Editorial information



This material safety data sheet has been prepared and checked by KemRisk®, KemRisk Sweden AB, Platensgatan 8, SE-582 20 Linköping, Sweden, www.kemrisk.se