

MARK D. THELEN, PT, DSc, OCS<sup>1</sup> • JAMES A. DAUBER, PT, DPT, DSc, OCS<sup>2</sup> • PAUL D. STONEMAN, PT, PhD, OCS<sup>3</sup>

# The Clinical Efficacy of Kinesio Tape for Shoulder Pain: A Randomized, Double-Blinded, Clinical Trial

Shoulder pain is a very common musculoskeletal complaint, and individuals with shoulder pain comprise a significant percentage of patients seeking medical attention. Lifetime prevalence of shoulder pain has been reported to range from 7% to 36% of the population.<sup>11,13</sup> Rotator cuff pathology and subacromial impingement are among the most common diagnoses made in the shoulder region.<sup>11,19</sup> The vast majority of

these cases are initially treated nonoperatively. This places physical therapy as a likely first line of treatment for this

problem. The clinical efficacy of several different treatment regimens have been studied.<sup>10,13,19,28,32</sup> However, a recent sys-

tematic review reveals a lack of high-quality clinical trials in this area.<sup>11</sup>

Taping is widely used in the field of rehabilitation as both a means of treatment and prevention of sports-related injuries.<sup>2,16,21,22,24,33</sup>

The essential function of most tape is to provide support during movement. Some believe that tape serves to enhance proprioception and, therefore, to reduce the occurrence of injuries.<sup>6,25,38</sup> The most commonly used tape applications are done with nonstretch tape. The rationale is to provide protection and support to a joint or a muscle.<sup>1,30</sup> Utilizing Leukotape and CoverRoll stretch tape, investigators have shown clinical improvement in patients with grade III acromioclavicular separations, anterior shoulder impingement, and hemiplegic shoulders.<sup>12,16,31</sup>

In recent years, the use of Kinesio Tape (KT) has become increasingly popular.<sup>20</sup> KT was designed to mimic the qualities of human skin. It has roughly the same thickness as the epidermis and can be stretched between 30% and 40% of its resting length longitudinally. Kase et al<sup>20</sup> have proposed several benefits, depending on the amount of stretch applied to the tape during application: (1) to provide a positional stimulus through the skin, (2) to align fascial tissues, (3) to create



- **STUDY DESIGN:** Prospective, randomized, double-blinded, clinical trial using a repeated-measures design.
- **OBJECTIVES:** To determine the short-term clinical efficacy of Kinesio Tape (KT) when applied to college students with shoulder pain, as compared to a sham tape application.
- **BACKGROUND:** Tape is commonly used as an adjunct for treatment and prevention of musculoskeletal injuries. A majority of tape applications that are reported in the literature involve nonstretch tape. The KT method has gained significant popularity in recent years, but there is a paucity of evidence on its use.
- **METHODS AND MEASURES:** Forty-two subjects clinically diagnosed with rotator cuff tendonitis/impingement were randomly assigned to 1 of 2 groups: therapeutic KT group or sham KT group. Subjects wore the tape for 2 consecutive 3-day intervals. Self-reported pain and disability

and pain-free active range of motion (ROM) were measured at multiple intervals to assess for differences between groups.

- **RESULTS:** The therapeutic KT group showed immediate improvement in pain-free shoulder abduction (mean  $\pm$  SD increase,  $16.9^\circ \pm 23.2^\circ$ ;  $P = .005$ ) after tape application. No other differences between groups regarding ROM, pain, or disability scores at any time interval were found.

- **CONCLUSION:** KT may be of some assistance to clinicians in improving pain-free active ROM immediately after tape application for patients with shoulder pain. Utilization of KT for decreasing pain intensity or disability for young patients with suspected shoulder tendonitis/impingement is not supported.

- **LEVEL OF EVIDENCE:** Therapy, level 1b-  
*J Orthop Sports Phys Ther* 2008;38(7):389-395.  
doi:10.2519/jospt.2008.2791

- **KEY WORDS:** *impingement, rehabilitation, taping*

<sup>1</sup>Chief, Physical Therapy Service, Winn Army Community Hospital, Fort Stewart, GA. <sup>2</sup>Deputy Flight Commander, Physical and Occupational Therapy Services, Eglin Air Force Base, FL. <sup>3</sup>Director, US Military-Baylor University Postprofessional Sports Medicine Physical Therapy Doctoral Residency Program, US Military Academy, West Point, NY; Chief, Physical Therapy, Keller Army Community Hospital, US Military Academy, West Point, NY. The protocol of this study was approved by the Keller Army Community Hospital Institutional Review Board at West Point, NY. This study was completed as a requirement of the US Military-Baylor Postprofessional Sports Medicine Physical Therapy Doctoral Residency Program at the US Military Academy in West Point, NY. We affirm that we have no financial affiliation (including research funding) or involvement with any commercial organization that has a direct financial interest in any matter included in this manuscript. There were no sources of grant support for this study. Opinions or assertions herein are the private views of the authors and are not to be construed as official or as reflecting the views of the United States Army, United States Air Force, or the Department of Defense. Address all correspondence to Mark D. Thelen, 331 Shady Oak Circle, Richmond Hill, GA 31324. E-mail: mark.thelen@us.army.mil

more space by lifting fascia and soft tissue above area of pain/inflammation, (4) to provide sensory stimulation to assist or limit motion, and (5) to assist in the removal of edema by directing exudates toward a lymph duct. KT is unique in several respects when compared to most commercial brands of tape. It is latex free and the adhesive is 100% acrylic and heat activated. The 100% cotton fibers allow for evaporation and quicker drying. This allows KT to be worn in the shower or pool without having to be reapplied. Lastly, prescribed wear time for 1 application is longer, usually 3 to 4 days.


KT can be applied to virtually any muscle or joint in the body. However, minimal evidence exists to support the use of this type of tape in the treatment of musculoskeletal disorders.<sup>14</sup> The limited information on KT tape application suggests improved function, pain, stability, and proprioception in pediatrics<sup>36</sup> and patients with acute patellar dislocation,<sup>27</sup> stroke,<sup>18</sup> ankle<sup>26</sup> and shoulder pain,<sup>8</sup> and trunk dysfunction.<sup>37</sup> This information comes from case series and small pilot studies and thus represents lower levels of clinical evidence.

There appears to be at least some merit for the use of KT as a treatment adjunct, but to our knowledge there are no published randomized clinical trials that evaluate the effects of KT for any musculoskeletal complaint. The purpose of this study was to compare the short-term effect of a therapeutic KT application on reducing pain and disability in subjects with shoulder pain (clinically diagnosed as rotator cuff tendonitis/impingement) as compared to sham KT application.

## METHODS

### Subjects

**A**LL PATIENTS PRESENTING TO THE Cadet Physical Therapy Clinic at the United States Military Academy or Keller Army Community Hospital at West Point, NY between September 2006 and September 2007 with a primary complaint of shoulder pain were considered



**FIGURE 1.** Flow diagram showing the progress of subjects at each stage of the clinical trial.

for enrollment in the study. Screening was performed by 4 physical therapists, all with a minimum of 5 years of clinical experience in outpatient orthopedic settings. Upon clinical exam, the inclusion criteria were (1) pain onset prior to 150° of active shoulder elevation in any plane, (2) positive empty can test indicating possible supraspinatus involvement, (3) positive Hawkins-Kennedy test indicating possible external impingement, (4) subjective complaint of difficulty performing activities of daily living, and (5) being 18 to 50 years of age. The exclusion criteria were shoulder girdle fracture, glenohumeral dislocation/subluxation, acromioclavicular sprain, concomitant cervical spine symptoms, a history of shoulder surgery within the previous 12 weeks, or shoulder pain for longer than 6 months. The exclusion criteria were chosen in an attempt to increase the homogeneity of selected subjects and to eliminate subjects with pathology that would be less likely to respond to the selected taping intervention. Enrollments were only made by the primary author, who ensured that each subject met all 5 inclusion criteria. We enrolled 42 sub-

jects into the study (**FIGURE 1**). All subjects were college students enrolled at the United States Military Academy and ranged from 18 to 24 years of age.

The primary author is a certified KT practitioner and applied all the taping procedures. To avoid bias, the second author, who was blinded to the group assignment, measured outcomes. Informed written and verbal consent were obtained from all subjects before enrollment, and all rights of the subjects were protected. The procedures for this study were approved by the Institutional Review Board of Keller Army Community Hospital at West Point, NY.

### Taping Techniques

Subjects were assigned to 1 of 2 groups using a random-number generator and allocation was concealed. The treatment group received a standardized therapeutic KT application (**FIGURE 2**). The general application guidelines were consistent with the protocol for rotator cuff tendonitis/impingement suggested by Kase et al.<sup>20</sup> Standard 2-in (5-cm) beige Kinesio Tex tape was used for all applications in both groups. The first



FIGURE 2. Therapeutic Kinesio Tape application.



FIGURE 3. Sham Kinesio Tape application.

strip was a Y-strip representative of the supraspinatus, which was applied from its insertion to origin with paper-off tension. A Y-strip refers to a section of tape that has a portion cut down the middle to produce 2 tails. Paper-off tension means applying the tape directly to the skin as it comes off the paper backing. KT is manufactured and applied to its paper backing with approximately 15% to 25% stretch.<sup>20</sup> The first strip was applied with the subject in a position combining cervical side bending to the contralateral side and the arm reaching behind the back as if reaching into the contralateral back pocket. The second strip was a Y-strip representative of the deltoid, also applied from insertion to origin with paper-off tension. The second strip was applied with the first tail to the anterior deltoid while the arm was externally rotated and horizontally abducted. The tail for the posterior deltoid was applied with the arm horizontally adducted and internally rotated as if reaching to the outside of the contralateral hip. The third strip, approximately 20 cm in length, was either an I-strip (no cut down the middle of the tape) or a Y-strip, depending on shoulder contour. It was applied from the region of the coracoid process around to the posterior deltoid with a mechanical correction (approximately 50% to 75% stretch and downward pressure applied to the KT) at the region of perceived pain or tenderness. The mechanical correction technique was applied with the upper extremity externally rotated while at the side. The upper extremity was then

moved into shoulder flexion and slight horizontal adduction as the end of the tape was applied with no stretch.

The sham KT group received a standardized, neutral KT application (FIGURE 3). The sham taping consisted of two 4-in (10-cm) I-strips applied with no tension. They were essentially placed on the skin after the paper backing was completely removed, 1 over the acromioclavicular joint in the sagittal plane and 1 on the distal deltoid in the transverse plane. In many studies that utilize sham taping for comparison, the application usually looks very similar but has all the therapeutic elements removed from the process. When we attempted to apply the KT in that manner during the design phase of this study, 2 test subjects (patients with shoulder pain consistent with subacromial impingement) complained of a very minor sensation of skin shear discomfort at higher ranges of shoulder elevation and rotation. Consequently, we developed the alternative sham-taping application used in this study that we are more confident provided the desired neutral treatment effect. The sham group sites were selected because they are the most common locations of perceived pain by patients with rotator cuff tendonitis or impingement. Although the taping applications looked different, they were well concealed under short-sleeve clothing. Therefore, we do not believe that blinding of the subjects was compromised. This was confirmed by all subjects stating that they were unaware of their group assignment at the end of the study.

## Outcome Measures

We utilized 3 primary outcome measures: the Shoulder Pain and Disability Index (SPADI), pain-free active range of motion (ROM), and a 100-mm visual analogue scale (VAS) to assess pain intensity at the endpoint of pain-free active shoulder ROM. All measures were obtained at baseline, immediately after taping (except the SPADI), 3 days and 6 days after tape application. The SPADI is a 13-item questionnaire that consists of 2 subscales for pain (5 items) and disability (8 items), which is scored by taking an average of the 2 subscales. Scores range from 0 to 100, with higher scores indicating greater pain and disability. The SPADI has been studied extensively and determined to be a valid and reliable instrument that is responsive to change.<sup>3,15,23,34</sup> The minimal clinically important change has been defined as greater than a 10-point decrease in score.<sup>34</sup> We used a 10-point change by day 6 to define success.

Shoulder ROM measurements of forward flexion, abduction, and scapular plane elevation were taken using a standard goniometer. Pain-free active ROM was designated as the ROM attained at the “point of first onset of pain.” We utilized a 100-mm VAS to record the pain intensity experienced at the end point of the pain-free active ROM test. We defined meaningful change as a subject that showed a 15° increase in pain-free active ROM. A 2-point reduction on the 11-point numerical pain rating scale (NPRS) has been shown to be of clinical importance.<sup>7</sup> We therefore established that a 20-mm decrease on the VAS by day 6 would be considered a meaningful change in this study.<sup>7</sup>

## Sample Size Determination

A priori power analysis demonstrated the need for at least 26 subjects per group, given a standard deviation of 25 mm (VAS), a difference in pain intensity between groups of 20 mm on the VAS, an alpha level of .05, and a power set at 80%.<sup>29</sup>

## Procedure

Each subject had ROM and VAS measures completed before and after the initial tape application. Subjects who were prescribed a nonsteroidal anti-inflammatory drug (NSAID) prior to enrollment in the study were instructed to take the medication as directed. Subjects who were not prescribed or taking an over-the-counter NSAID or analgesic were instructed to avoid doing so for the duration of the study. In an effort to control for activity level, all subjects were issued a limited-duty physical profile that excused them from performing upper extremity exercises for 1 week. Subjects were then instructed to wear the tape for 48 to 72 hours and to return to the clinic for re-evaluation 12 to 24 hours after removing the tape. Subjects were instructed to remove the tape prior to the prescribed time only if any persistent skin irritation or increased shoulder discomfort occurred. At the day 3 follow-up we inspected the subjects' skin and reassessed their primary outcome measures. Subjects were then taped with the same technique used previously, based on their group assignment, and instructed to wear the tape for an additional 48 to 72 hours. Again with the tape removed for approximately 12 to 24 hours, all subjects were instructed to return to the clinic on day 6 for the final evaluation. After the final outcome measures were obtained, subjects were disenrolled from the study and we continued to treat them as clinically indicated.

## Data Analysis

We used a group-by-time 2-way mixed-model analysis of variance (ANOVA) with time as the repeated factor. Descriptive statistics were calculated for both groups at 4 time intervals: baseline (before taping), immediately after taping, day 3, and day 6. The SPADI was only measured once at the time of the initial visit, as the score would not be expected to change immediately after taping. Seven subjects (3 from the treatment group and 4 from the sham group) failed to return for day 6 re-evaluation. All 7 subjects improved and did not seek further care for their

TABLE 1	BASELINE CHARACTERISTICS OF SUBJECTS*	
	Sham KT Group (n = 21)	Treatment KT Group (n = 21)
Duration (d)	8 (5-30)	19 (5-35)
Age (y)	19.8 (1.5)	21.3 (1.7)
Males (n)	17	19
Females (n)	4	2
NSAIDs <sup>†</sup>	8	7
SPADI pain subscale	43.7 (14.0)	46.5 (14.2)
SPADI disability subscale	24.2 (17.9)	28.4 (19.4)
SPADI total score	34.0 (13.9)	37.4 (15.2)
VAS (mm)	43.9 (21.7)	44.1 (20.1)
ABD (°)	110.1 (31.4)	93.8 (35.7)
FF (°)	114.7 (23.0)	106.7 (35.8)
SCAP (°)	118.9 (29.0)	106.1 (36.7)

*Abbreviations: ABD, pain-free abduction; FF, pain-free forward flexion; KT, Kinesio Tape; NSAIDs, nonsteroidal anti-inflammatory drugs; SCAP, pain-free scapular plane elevation; SPADI, Shoulder Pain and Disability Index; VAS, visual analogue scale (based on 100-mm scale).*  
*\* Data are mean ± SD, except for duration, which is presented as median (interquartile range), and gender and NSAIDs, which are count.*  
*† Subjects taking prescribed NSAIDs at the start of the study.*

shoulder pain, citing busy class schedules as the reason for not returning to complete the study. We decided to account for the missing data from day 6 by performing an intention-to-treat analysis utilizing the last observation carried forward (LOCF) model.<sup>5,9</sup> This technique involves using the last recorded value for each outcome measure and applying it to the remaining missing value(s). Multivariate analyses of variance (MANOVAs) were utilized to determine any differences between the mean change scores of each group regarding VAS, ROM, and SPADI at each time interval. However, the SPADI was not included in the day 1 MANOVA, as it was only calculated once at baseline and no change score was available for comparison. The F value used was based on Wilks' lambda. When the MANOVA demonstrated a significant effect, a follow-up univariate ANOVA was performed. Results of the MANOVA were regarded as significant at a P value of less than .05, and to protect against the possibility of type I error the alpha level of the ANOVA was set at .01. All statistics were calculated using SPSS, Version 11.5.0 software (SPSS Inc, Chicago, IL).

## RESULTS

**B**ASELINE CHARACTERISTICS AND initial assessment of each outcome measure of the subjects are shown in **TABLE 1**. No meaningful differences existed between groups at baseline. The mean age of all subjects was 20, and the median duration of symptoms was 15 days (interquartile range, 5-30 days). A summary of change scores and mean differences for each of the outcome measure are presented in **TABLE 2**. Negative change scores on VAS and SPADI are indicative of improvement; whereas positive change scores for ROM indicate improvement. The sham KT group showed no immediate change in any of the outcome measures, indicating that the sham KT application likely provided a neutral treatment effect as desired. The day 1 MANOVA revealed a significant main effect for group regarding the mean change scores ( $F_{4,37} = 2.64$ ;  $P = .049$ ). Univariate ANOVA was then conducted to find where a difference existed. The only difference found at day 1 was that the change score for pain-free shoulder abduction ROM in the treatment group



showed a significant improvement when compared to the sham group ( $F_{1,41} = 8.8$ ;  $P = .005$ ). It demonstrated a mean difference of 19.1° (99% CI: 1.7, 36.5) between groups. A repeated-measures MANOVA, which included the SPADI mean change scores, was again calculated for the day 3 and day 6 data. A main effect for change over time ( $F_{5,36} = 9.3$ ,  $P \leq .001$ ) was demonstrated as both groups significantly improved in all outcome measures by day 6 and exceeded the predetermined criteria for success. However, no main effect for group ( $F_{5,36} = 1.3$ ,  $P = .28$ ) or group-by-time interaction effect ( $F_{5,36} = .76$ ,  $P = .58$ ) was observed. No subjects needed to remove the tape earlier than instructed. Two subjects demonstrated a mild, nonpruritic rash at day 6, which resolved within 24 to 48 hours of tape removal. Otherwise, no adverse effects were noted.

## DISCUSSION

VARIOUS AUTHORS HAVE PREVIOUSLY reported improvements in function, pain, and ROM through the use of KT.<sup>8,18,26,27,37</sup> As these reports were either performed on healthy subjects or were case series, this literature represents low level of evidence; however, it points to the need for further investigation. The purpose of this study was to compare the short-term efficacy of therapeutic KT application on reducing pain and disability in subjects with shoulder pain due to rotator cuff tendinitis as compared to sham KT application. Our results are partially consistent with previous reports showing that KT can have a positive effect on ROM when thought to be limited by musculoskeletal shoulder pain.<sup>8</sup> The immediate statistically significant difference between groups no longer existed by day 3. These findings may indicate that the potential benefits of KT application are limited to partially improving pain-free ROM of shoulder abduction immediately after application. No short- or long-term benefit related to pain or function occurred over the 6-day period of tape application.

TABLE 2		CHANGE SCORES COMPARED TO DAY 1 PRETAPE APPLICATION	
Time	Sham KT (n = 21)*	Treatment KT (n = 21)*	Mean Difference (99% CI)†
Day 1 ABD	-2.2 (18.3)	16.9 (23.2)‡	19.1 (1.7, 36.5)
Day 3 ABD	9.4 (23.4)	26.0 (27.7)§	16.6 (-4.1, 38.7)
Day 6 ABD	25.7 (23.1)§	36.0 (33.9)§	10.3 (-13.9, 34.5)
Day 1 FF	0.9 (14.1)	7.6 (10.9)	6.8 (-3.7, 17.3)
Day 3 FF	11.6 (15.3)	17.2 (19.2)	5.6 (-8.8, 20.1)
Day 6 FF	20.3 (15.3)§	29.2 (26.3)§	8.9 (-9.1, 26.8)
Day 1 SCAP	0.7 (12.0)	8.7 (17.7)	8.0 (-4.6, 20.6)
Day 3 SCAP	9.9 (15.2)	20.2 (26.4)§	10.3 (-7.6, 28.3)
Day 6 SCAP	20.4 (21.9)§	25.9 (28.1)§	5.4 (-15.6, 26.5)
Day 1 VAS	-2.9 (6.4)	-9.1 (13.0)	-6.1 (-14.7, 2.4)
Day 3 VAS	-19.8 (15.3)	-16.0 (21.1)	3.8 (-11.6, 19.2)
Day 6 VAS	-27.1 (18.1)§	-23.7 (22.8)§	3.3 (-13.8, 20.5)
Day 3 SPADI total score	-12.2 (12.1)	-13.1 (13.9)	-0.9 (-9.9, 11.8)
Day 6 SPADI total score	-18.8 (13.8)§	-21.0 (16.2)§	-2.2 (-14.7, 10.4)

Abbreviations: ABD, pain-free abduction; CI, confidence interval; FF, pain-free forward flexion; KT, Kinesio Tape; SCAP, pain-free scapular plane elevation; SPADI, Shoulder Pain and Disability Index; VAS, visual analogue scale (based on 100-mm scale).

\* Data presented as mean (SD).

† Calculated as treatment group minus sham group.

‡ Indicates a statistically significant difference between groups ( $P < .01$ ).

§ Indicates that the measure exceeded predetermined meaningful clinical change.

The physiological mechanisms by which KT is presumed to work remain hypothetical, and we can only speculate what they might be. In this study, pain-free abduction ROM in the treatment group immediately improved without a concurrent significant improvement in pain intensity at the end point of pain-free active ROM. Pain modulation via the gate control theory is one plausible explanation for such a change, because it has been proposed that tape stimulates neuromuscular pathways via increased afferent feedback.<sup>21</sup> Under the gate control theory an increase in afferent stimulus to large-diameter nerve fibers can serve to mitigate the input received from the small-diameter nerve fibers conducting nociception. Another possibility is that the improved motion might have been due to an increase in supraspinatus motor units recruited to perform the activity due to an increased proprioceptive stimulus. However, this proposition has not been supported by recent publications, which showed that there was no

significant increase in muscular activity measured with electromyography after taping.<sup>1,6</sup> The immediate effect on ROM may also have been potentially due to KT guiding the shoulder through an arc of improved glenohumeral motion, which reduced mechanical irritation of the involved soft tissue structure(s). Lastly, the possibility that some component of the overall observed effect is that of a placebo effect must also be considered. Further research is required to better understand the mechanisms at play for the initial improvement in abduction ROM.

Pain and disability measures, as a result of taping, were not different between groups in our study. This is in contrast with other published literature using similar outcome measures.<sup>8,36</sup> This lack of agreement could be due to a number of factors. Although the 2 previous studies were also short term, they were both case series and had no control group, making it difficult to ascertain causation. Also, some of our subjects reported lower initial SPADI and VAS scores, leav-

ing minimal room to demonstrate significant improvement when the groups were compared.

A majority of subjects improved and no longer required care within 4 weeks after completion of the study. However, 7 subjects who did not respond to the taping technique (3 KT, 4 sham) continued to seek care for recalcitrant shoulder pain after the conclusion of their participation in the study. On MRI, 3 of these subjects had an anterior labral tear and 3 had a posterior labral tear. All but 1 of these subjects with a labral tear went on to be treated with arthroscopic surgical repair. One subject had persistent pain that responded well to injections of infraspinatus trigger points. We performed the same statistical analysis with these subjects removed and the results were very similar. The significant improvement of pain-free abduction in the treatment group at day 1 was still present. Again, no other significant differences between groups were observed at any time interval, with the exception of a significant difference at day 1 for a greater reduction of VAS in the treatment group ( $F_{1,33} = 7.4$ ,  $P = .01$ ). However, the mean decrease was only 10 mm, and the mean difference between groups of -8.9 mm (99% CI: -17.4, 0.1) did not meet the predetermined criteria for meaningful change.

We intentionally chose not to interfere with subjects' pre-existing medical profile regarding the use of NSAIDs or analgesics. The numbers in each group taking prescribed NSAIDs at enrollment were nearly equivalent (TABLE 1).

Given this active, young, and otherwise healthy subject population, we expected a certain amount of improvement just due to time alone. However, in retrospect, based on the changes that occurred with the sham group, we may have underestimated the extent of the changes related to the natural history of the condition. The improvement noted in both groups makes it difficult to determine any specificity of effect the intended therapeutic tape application may have had over the sham application for all outcome measures in

this study. Despite the intent of the sham application to be nontherapeutic, the absence of a control group that did not receive any intervention precludes a clear determination of the origin of the improvement in that group. Improvement could have been due to natural history alone or some effect of the tape despite the intent of being a sham application, or a combination of both. A strong placebo effect of taping has been well documented in subjects with patellofemoral joint pain.<sup>4,35</sup> The lack of a control group and a seemingly near identical improvement in both groups raise the possibility that tape application might or might not have been beneficial, regardless of how it was applied.

One of the weaknesses of this study is the lack of a true control group, which would have provided a control for the condition's natural history (time) and any potential Hawthorne effect. However, it seemed more clinically useful to compare therapeutic KT application with sham KT application, as previous studies have shown positive effects of taping even when applied in what was considered a neutral, nontherapeutic manner.<sup>17,35</sup> Another potential limitation of the study was the age and underlying pathology of the subject group recruited. The subjects were young (approximate average age 20 years), which needs to be considered when generalizing our results to clinic practice. Furthermore, subjects that fall into this age category may also have concomitant shoulder laxity or instability, which was not thoroughly assessed in the study. The method of therapeutic KT application used in this study was chosen to correct for tendonitis/impingement and not necessarily instability. While, subjects with gross instability evidenced by recent dislocation or known subluxation were excluded from the study, some subjects may have had a lesser degree of joint laxity. Finally, close examination of the 99% confidence intervals in TABLE 2 for mean difference in ROM between groups, shows that these confidence intervals include the 15° change that had

been selected for a meaningful clinical difference in ROM. This inclusion within the confidence intervals indicates a lack of adequate power to completely rule out a small benefit of taping on changes in ROM. A similar observation can be made for the day 6 SPADI comparison. Conversely, the confidence intervals for changes in pain score do not include -20 mm, showing adequate power for the variable used to determine the sample size, despite the final sample size being smaller than initially calculated.

Future clinical trials with a control group and larger sample size should be performed to investigate the effect of KT on patients with rotator cuff tendonitis/impingement, while attempting to exclude those with capsular laxity or suspected labral pathology.

## CONCLUSION

**W**HEN APPLIED TO A YOUNG, ACTIVE patient population with a clinical diagnosis of rotator cuff tendonitis/impingement, KT may assist clinicians to obtain immediate improvement in pain-free shoulder abduction ROM. However, over time, KT appears to be no more efficacious than sham taping at decreasing shoulder pain intensity or disability. ●

## KEY POINTS

**FINDINGS:** Subjects with shoulder pain and clinical diagnosis of rotator cuff tendonitis demonstrated an immediate improvement in pain-free abduction ROM after a therapeutic KT application. No other significant differences between groups were found. While both groups improved in all outcome measures by day 6, KT taping was no more efficacious than sham taping.

**IMPLICATION:** Clinicians may consider utilizing KT to assist in immediate improvement of pain-free shoulder abduction ROM when treating patients with a similar clinical presentation.

**CAUTION:** The results of this study are limited to young subjects (approximate-

ly 20 years). The lack of a control group makes it difficult to determine if similar improvement in both groups was due to natural history, placebo, and a repeated-measures study design.

## REFERENCES

- Alexander CM, Stynes S, Thomas A, Lewis J, Harrison PJ. Does tape facilitate or inhibit the lower fibres of trapezius? *Man Ther*. 2003;8:37-41.
- Birrer RB, Poole B. Athletic taping, part 4: the shoulder and elbow: added support enables the athlete to remain active. *J Musculoskel Med*. 1996;1:52-57.
- Bot SD, Terwee CB, van der Windt DA, Bouter LM, Dekker J, de Vet HC. Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. *Ann Rheum Dis*. 2004;63:335-341.
- Christou EA. Patellar taping increases vastus medialis oblique activity in the presence of patellofemoral pain. *J Electromyogr Kinesiol*. 2004;14:495-504. <http://dx.doi.org/10.1016/j.jelekin.2003.10.007>
- Cook RJ, Zeng L, Yi GY. Marginal analysis of incomplete longitudinal binary data: a cautionary note on LOCF imputation. *Biometrics*. 2004;60:820-828. <http://dx.doi.org/10.1111/j.0006-341X.2004.00234.x>
- Cools AM, Witvrouw EE, Danneels LA, Cambier DC. Does taping influence electromyographic muscle activity in the scapular rotators in healthy shoulders? *Man Ther*. 2002;7:154-162.
- Farrar JT, Young JP, Jr., LaMoreaux L, Werth JL, Poole RM. Clinical importance of changes in chronic pain intensity measured on an 11-point numerical pain rating scale. *Pain*. 2001;94:149-158.
- Frazier S, Whitman J, Smith M. Utilization of kinesio tex tape in patients with shoulder pain or dysfunction: a case series. *Advanced Healing*. 2006;Summer:18-20.
- Gadbury GL, Coffey CS, Allison DB. Modern statistical methods for handling missing repeated measurements in obesity trial data: beyond LOCF. *Obes Rev*. 2003;4:175-184.
- Gerdesmeyer L, Wagenpfeil S, Haake M, et al. Extracorporeal shock wave therapy for the treatment of chronic calcifying tendonitis of the rotator cuff: a randomized controlled trial. *JAMA*. 2003;290:2573-2580. <http://dx.doi.org/10.1001/jama.290.19.2573>
- Green S, Buchbinder R, Hetrick S. Physiotherapy interventions for shoulder pain. *Cochrane Database Syst Rev*. 2003;CD004258. <http://dx.doi.org/10.1002/14651858.CD004258>
- Griffin A, Bernhardt J. Strapping the hemiplegic shoulder prevents development of pain during rehabilitation: a randomized controlled trial. *Clin Rehabil*. 2006;20:287-295.
- Guerra de Hoyos JA, Andres Martin Mdel C, Basas y Baena de Leon E, et al. Randomised trial of long term effect of acupuncture for shoulder pain. *Pain*. 2004;112:289-298. <http://dx.doi.org/10.1177/0363546504270998>
- Halseth T, McChesney JW, DeBeliso M, Vaughn R, Lien J. The effects of kinesio taping on proprioception at the ankle. *J Sports Sci Med*. 2004;3:1-7.
- Heald SL, Riddle DL, Lamb RL. The shoulder pain and disability index: the construct validity and responsiveness of a region-specific disability measure. *Phys Ther*. 1997;77:1079-1089.
- Host HH. Scapular taping in the treatment of anterior shoulder impingement. *Phys Ther*. 1995;75:803-812.
- Hyland MR, Webber-Gaffney A, Cohen L, Lichtman PT. Randomized controlled trial of calcaneal taping, sham taping, and plantar fascia stretching for the short-term management of plantar heel pain. *J Orthop Sports Phys Ther*. 2006;36:364-371. <http://dx.doi.org/10.2519/jospt.2006.2078>
- Jaraczewska E, Long C. Kinesio taping in stroke: improving functional use of the upper extremity in hemiplegia. *Top Stroke Rehabil*. 2006;13:31-42. <http://dx.doi.org/10.1310/33KAXYE3-QWJB-WGT6>
- Johansson KM, Adolfsson LE, Foldevi MO. Effects of acupuncture versus ultrasound in patients with impingement syndrome: randomized clinical trial. *Phys Ther*. 2005;85:490-501.
- Kase K, Wallis J, Kase T. *Clinical Therapeutic Applications of the Kinesio Taping Method*. Tokyo, Japan: Ken Ikai Co Ltd; 2003.
- Kneeshaw D. Shoulder taping in the clinical setting. *J Bodywork Movement Ther*. 2002;6:2-8.
- Lewis JS, Wright C, Green A. Subacromial impingement syndrome: the effect of changing posture on shoulder range of movement. *J Orthop Sports Phys Ther*. 2005;35:72-87.
- MacDermid JC, Solomon P, Prkachin K. The Shoulder Pain and Disability Index demonstrates factor, construct and longitudinal validity. *BMC Musculoskel Disord*. 2006;7:12. <http://dx.doi.org/10.1186/1471-2474-7-12>
- McConnell J. A novel approach to pain relief pre-therapeutic exercise. *J Sci Med Sport*. 2000;3:325-334.
- Morrissey D. Proprioceptive shoulder taping. *J Bodywork and Movement Ther*. 2000;4:189-194.
- Murray H, Husk LJ. Effect of kinesio taping on proprioception in the ankle [abstract]. *J Orthop Sports Phys Ther*. 2001;31:A37.
- Osterhues DJ. The use of Kinesio Taping in the management of traumatic patella dislocation. A case study. *Physiother Theor Pract*. 2004;20:267-270.
- Paoloni JA, Appleyard RC, Nelson J, Murrell GA. Topical glyceryl trinitrate application in the treatment of chronic supraspinatus tendinopathy: a randomized, double-blinded, placebo-controlled clinical trial. *Am J Sports Med*. 2005;33:806-813. <http://dx.doi.org/10.1177/0363546504270998>
- Portney LG, Watkins MP. *Foundations of Clinical Research: Applications to Practice*. Upper Saddle River, NJ: Prentice-Hall, Inc; 2000.
- Refsauge KM, Kilbreath SL, Raymond J. The effect of recurrent ankle inversion sprain and taping on proprioception at the ankle. *Med Sci Sports Exerc*. 2000;32:10-15.
- Shamus JL, Shamus EC. A taping technique for the treatment of acromioclavicular joint sprains: a case study. *J Orthop Sports Phys Ther*. 1997;25:390-394.
- Walther M, Werner A, Stahlschmidt T, Woelfel R, Gohlke F. The subacromial impingement syndrome of the shoulder treated by conventional physiotherapy, self-training, and a shoulder brace: results of a prospective, randomized study. *J Shoulder Elbow Surg*. 2004;13:417-423. <http://dx.doi.org/10.1016/S1058274604000485>
- Wang S. *The Effect of McConnell Shoulder Taping on People With Anterior Shoulder Pain* [thesis]. Houston, TX: Texas Women's University; 1999.
- Williams JW, Jr., Holleman DR, Jr., Simel DL. Measuring shoulder function with the Shoulder Pain and Disability Index. *J Rheumatol*. 1995;22:727-732.
- Wilson T, Carter N, Thomas G. A multicenter, single-masked study of medial, neutral, and lateral patellar taping in individuals with patellofemoral pain syndrome. *J Orthop Sports Phys Ther*. 2003;33:437-443; discussion 444-438.
- Yasukawa A, Patel P, Sisung C. Pilot study: investigating the effects of Kinesio Taping in an acute pediatric rehabilitation setting. *Am J Occup Ther*. 2006;60:104-110.
- Yoshida A, Kahanov L. The effect of kinesio taping on lower trunk range of motions. *Res Sports Med*. 2007;15:103-112. <http://dx.doi.org/10.1080/15438620701405206>
- You SH, Granata KP, Bunker LK. Effects of circumferential ankle pressure on ankle proprioception, stiffness, and postural stability: a preliminary investigation. *J Orthop Sports Phys Ther*. 2004;34:449-460.



**MORE INFORMATION**  
WWW.JOSPT.ORG

**This article has been cited by:**

1. Inmaculada Conejo, Bella Pajares, Emilio Alba, Antonio Ignacio Cuesta-Vargas. 2018. Effect of neuromuscular taping on musculoskeletal disorders secondary to the use of aromatase inhibitors in breast cancer survivors: a pragmatic randomised clinical trial. *BMC Complementary and Alternative Medicine* **18**:1. . [[Crossref](#)]
2. Yildiz Analay Akbaba, Ebru Kaya Mutlu, Suleyman Altun, Derya Celik. 2018. Does the patients' expectations on kinesiotape affect the outcomes of patients with a rotator cuff tear? A randomized controlled clinical trial. *Clinical Rehabilitation* **37**, 026921551877964. [[Crossref](#)]
3. Damla Gulpinar, Sibel Tekeli Ozer, Sevgi Sevi Yesilyaprak. 2018. Effects of Rigid and Kinesio Taping on Shoulder Rotation Motions, Posterior Shoulder Tightness, and Posture in Overhead Athletes: A Randomized Controlled Trial. *Journal of Sport Rehabilitation* **1-10**. [[Crossref](#)]
4. Samara Alencar Melo, Liane de Brito Macedo, Daniel Tezoni Borges, Jamilson Simões Brasileiro. 2018. Effects of kinesio taping on neuromuscular performance and pain of individuals affected by patellofemoral pain: A randomized controlled trial. *Physiotherapy Theory and Practice* **45**, 1-11. [[Crossref](#)]
5. Bartosz Slomka, Witold Rongies, Pawel Ruszczuk, Janusz Sierdzinski, Dorota Saganowska, Sebastian Zdunski, Marta E. Worwag. 2018. Short-term effect of kinesiology taping on temperature distribution at the site of application. *Research in Sports Medicine* **26**:3, 365-380. [[Crossref](#)]
6. Natalia Noce, Caitlin Brady, Kimberly Hreha. 2018. Use of Rigid Tape in Conjunction with Kinesio® Tape to Treat Post-Stroke Shoulder Pain: A Case Report. *Advances in Integrative Medicine* . [[Crossref](#)]
7. Stephanie A. Russo, Dan A. Zlotolow, Ross S. Chafetz, Luisa M. Rodriguez, Devin Kelly, Holly Linamen, James G. Richards, John D. Lubahn, Scott H. Kozin. 2018. Efficacy of 3 therapeutic taping configurations for children with brachial plexus birth palsy. *Journal of Hand Therapy* **31**:3, 357-370. [[Crossref](#)]
8. Sannasi Rajasekar, Ajay Kumar, Jignesh Patel, Muthukrishnan Ramprasad, Asir John Samuel. 2018. Does Kinesio taping correct exaggerated dynamic knee valgus? A randomized double blinded sham-controlled trial. *Journal of Bodywork and Movement Therapies* **22**:3, 727-732. [[Crossref](#)]
9. Rodrigo Sousa Nilo de Araújo Aguiar, Silvia Regina Matos da Silva Boschi, Leandro Lazzareschi, Alessandro Pereira da Silva, Terigi Augusto Scardovelli, Eduardo Filoni, Ana Lúcia Manrique, Annie France Frère. 2018. The late effect of Kinesio Taping® on handgrip strength. *Journal of Bodywork and Movement Therapies* **22**:3, 598-604. [[Crossref](#)]
10. María Carmen Puerma-Castillo, María Carmen García-Ríos, Marta Eloisa Pérez-Gómez, María Encarnación Aguilar-Ferrándiz, María Isabel Peralta-Ramírez. 2018. Effectiveness of kinesio taping in addition to conventional rehabilitation treatment on pain, cervical range of motion and quality of life in patients with neck pain: A randomized controlled trial. *Journal of Back and Musculoskeletal Rehabilitation* **31**:3, 453-464. [[Crossref](#)]
11. Young Jun Shin, Jung Hoon Lee, Yu Won Choe, Myoung Kwon Kim. 2018. Immediate effects of ankle eversion taping on gait ability of chronic stroke patients. *Journal of Bodywork and Movement Therapies* . [[Crossref](#)]
12. Gozde Goncu Berk, Sinem Kahveci. 2018. Design of novel running leggings with thermoplastic polyurethane membrane compression zones. *Textile Research Journal* **28**, 004051751877591. [[Crossref](#)]
13. Adriana Neves dos Santos, Livia Pessarelli Visicatto, Ana Beatriz de Oliveira, Nelci Adriana Cicuto Ferreira Rocha. 2018. Effects of Kinesio taping in rectus femoris activity and sit-to-stand movement in children with unilateral cerebral palsy: placebo-controlled, repeated-measure design. *Disability and Rehabilitation* **109**, 1-11. [[Crossref](#)]
14. Chris Michael Brogden, Kelly Marrin, Richard Michael Page, Matt Greiga. 2018. The efficacy of elastic therapeutic tape variations on measures of ankle function and performance. *Physical Therapy in Sport* . [[Crossref](#)]
15. Suzanne J. Snodgrass, Scott F. Farrell, Henry Tsao, Peter G. Osmotherly, Darren A. Rivett, Lucy S. Chipchase, Siobhan M. Schabrun. 2018. Shoulder Taping and Neuromuscular Control. *Journal of Athletic Training* **53**:4, 395-403. [[Crossref](#)]
16. Saúl León-Ballesteros, Rolando Espinosa-Morales, Patricia Clark-Peralta, Ascención Guadalupe Gómez-Pineda, Jaime Horacio Guadarrama-Becerril. 2018. Kinesiotape and quadriceps strengthening with elastic band in women with knee osteoarthritis and overweight or obesity. A randomized clinical trial. *Reumatología Clínica* . [[Crossref](#)]
17. Rasool Bagheri, Mohammad Reza Pourahmadi, Ali Reza Sarmadi, Ismail Ebrahimi Takamjani, Giti Torkaman, Sayyed Hamed Fazeli. 2018. What is the effect and mechanism of kinesiology tape on muscle activity?. *Journal of Bodywork and Movement Therapies* **22**:2, 266-275. [[Crossref](#)]
18. Feng-Hua Tsai, I-Hua Chu, Chun-Hao Huang, Jing-Min Liang, Jia-Hroung Wu, Wen-Lan Wu. 2018. Effects of Taping on Achilles Tendon Protection and Kendo Performance. *Journal of Sport Rehabilitation* **27**:2, 157-164. [[Crossref](#)]



19. Emma Hoffman, Abrianna D'Onofrio, Shelby Baez, Julie Cavallario. 2018. The Effectiveness of Kinesio Tape in Decreasing Kinesiophobia in Patients With Musculoskeletal Pain: A Critically Appraised Topic. *International Journal of Athletic Therapy and Training* 23:1, 10-15. [[Crossref](#)]
20. Olga Velasco-Roldán, Inmaculada Riquelme, Alejandro Ferragut-Garcías, Alberto Marcos Heredia-Rizo, Cleofás Rodríguez-Blanco, Ángel Oliva-Pascual-Vaca. 2018. Immediate and Short-Term Effects of Kinesio Taping Tightness in Mechanical Low Back Pain: A Randomized Controlled Trial. *PM&R* 10:1, 28-35. [[Crossref](#)]
21. Anja Hochsprung, Angeles Domínguez-Matito, Antonia López-Hervás, Patricia Herrera-Monge, Santos Moron-Martin, Carmen Ariza-Martínez, Anabel Granja-Dominguez, Alberto M. Heredia-Rizo. 2017. Short- and medium-term effect of kinesio taping or electrical stimulation in hemiplegic shoulder pain prevention: A randomized controlled pilot trial. *NeuroRehabilitation* 41:4, 801-810. [[Crossref](#)]
22. Antonia Zellner, Barbara Bockstahler, Christian Peham. 2017. The effects of Kinesio Taping on the trajectory of the forelimb and the muscle activity of the Musculus brachiocephalicus and the Musculus extensor carpi radialis in horses. *PLOS ONE* 12:11, e0186371. [[Crossref](#)]
23. Taegy Kim, Jong-Chul Park. 2017. Short-term effects of sports taping on navicular height, navicular drop and peak plantar pressure in healthy elite athletes. *Medicine* 96:46, e8714. [[Crossref](#)]
24. Tsun-Shun Huang, Hsiang-Ling Ou, Jiu-Jenq Lin. 2017. Effects of trapezius kinesio taping on scapular kinematics and associated muscular activation in subjects with scapular dyskinesis. *Journal of Hand Therapy* . [[Crossref](#)]
25. Leanne K. Miller, Christina Jerosch-Herold, Lee Shepstone. 2017. Effectiveness of edema management techniques for subacute hand edema: A systematic review. *Journal of Hand Therapy* 30:4, 432-446. [[Crossref](#)]
26. Onur Aydoğdu, Zübeyir Sari, S. Ufuk Yurdalan, M. Gülden Polat. 2017. Clinical outcomes of kinesio taping applied in patients with knee osteoarthritis: A randomized controlled trial. *Journal of Back and Musculoskeletal Rehabilitation* 30:5, 1045-1051. [[Crossref](#)]
27. Katie J. Lyman, Kara N. Gange, Thomas A. Hanson, Christopher D. Mellinger. 2017. Effects of 3 Different Elastic Therapeutic Taping Methods on the Subacromial Joint Space. *Journal of Manipulative and Physiological Therapeutics* 40:7, 494-500. [[Crossref](#)]
28. Jin-Ho Choi. 2017. Effects of Kinesio Taping on Muscle Tone, Stiffness in Patients with Shoulder Pain. *Journal of The Korean Society of Physical Medicine* 12:3, 43-47. [[Crossref](#)]
29. Silvia Gianola, Anita Andreano, Greta Castellini, Linda C Li, Lorenzo Moja, Maria Grazia Valsecchi. 2017. Kinesiotaping for rotator cuff disease. *Cochrane Database of Systematic Reviews* 40. . [[Crossref](#)]
30. Heidi Preece, Peter White. 2017. Does kinesiology tape increase trunk forward flexion?. *Journal of Bodywork and Movement Therapies* 21:3, 618-625. [[Crossref](#)]
31. Luiz Henrique Lima Mattos, Ana Lúcia Miluzzi Yamada, Vitor Hugo dos Santos, Carlos A. Hussni, Celso Antonio Rodrigues, Marcos Jun Watanabe, Ana Liz Garcia Alves. 2017. Treatment With Therapeutic Bandages to Control Equine Postarthroscopic Tibio-Patellofemoral Swelling. *Journal of Equine Veterinary Science* 54, 87-92. [[Crossref](#)]
32. Betül Yavuz Keles, Ebru Yılmaz Yalcinkaya, Berrin Gunduz, Ayşe Nur Bardak, Belgin Erhan. 2017. Kinesio Taping in patients with lumbar disc herniation: A randomised, controlled, double-blind study. *Journal of Back and Musculoskeletal Rehabilitation* 30:3, 543-550. [[Crossref](#)]
33. C.H. Gajardo Contreras, P.M. Caballero Moyano, C.A. Caparrós Manosalva, G.X. Correa Beltrán, C.A. Castro Salazar, I.A. Cabrera Aguilera. 2017. Comportamiento de la fuerza isométrica máxima durante la aplicación de vendaje neuromuscular en acortamiento de isquiotibiales: un ensayo clínico aleatorizado. *Fisioterapia* 39:3, 122-129. [[Crossref](#)]
34. Stefan Funk, Roy Finke, Stefan Zeh, Tobias Siebert, Christian Puta. 2017. Effects of a paraspinal-lumbar tape application during 7 days on the perceived area of tape contact. *Physical Therapy in Sport* 25, 89-93. [[Crossref](#)]
35. Disaphon Boobphachart, Nuttaset Manimmanakorn, Apiwan Manimmanakorn, Worrawut Thuwakum, Michael J. Hamlin. 2017. Effects of elastic taping, non-elastic taping and static stretching on recovery after intensive eccentric exercise. *Research in Sports Medicine* 25:2, 181-190. [[Crossref](#)]
36. Amin Kordi Yoosefinejad, Alireza Motealleh, Shekoofeh Abbasalipur, Mahan Shahroei, Sobhan Sobhani. 2017. Can inhibitory and facilitatory kinesiotaping techniques affect motor neuron excitability? A randomized cross-over trial. *Journal of Bodywork and Movement Therapies* 21:2, 234-239. [[Crossref](#)]
37. Joseph Zappala, Carolina Orrego, Emily Boe, Heather Fechner, Derek Salminen, Daniel J. Cipriani. 2017. Influence of Posture-Cuing Shirt on Tennis Serve Kinematics in Division III Tennis Players. *Journal of Chiropractic Medicine* 16:1, 49-53. [[Crossref](#)]
38. Joao Paulo Chieragato Matheus, Rafael Ribeiro Zille, Liana Barbaresco Gomide Matheus, Thiago Vilela Lemos, Rodrigo Luiz Carregaro, Antônio Carlos Shimano. 2017. Comparison of the mechanical properties of therapeutic elastic tapes used in sports and clinical practice. *Physical Therapy in Sport* 24, 74-78. [[Crossref](#)]

39. Karen A. Keenan, Jonathan S. Akins, Michelle Varnell, John Abt, Mita Lovalekar, Scott Lephart, Timothy C. Sell. 2017. Kinesiology taping does not alter shoulder strength, shoulder proprioception, or scapular kinematics in healthy, physically active subjects and subjects with Subacromial Impingement Syndrome. *Physical Therapy in Sport* **24**, 60-66. [[Crossref](#)]
40. Kyung-Min Kim, Brandon Davis, Jay Hertel, Joseph Hart. 2017. Effects of Kinesio taping in patients with quadriceps inhibition: A randomized, single-blinded study. *Physical Therapy in Sport* **24**, 67-73. [[Crossref](#)]
41. Saime Ay, Hatice Ecem Konak, Deniz Evcik, Sibel Kibar. 2017. Efetividade do kinesio taping na dor e incapacidade na síndrome dolorosa miofascial cervical. *Revista Brasileira de Reumatologia* **57**:2, 93-99. [[Crossref](#)]
42. Saime Ay, Hatice Ecem Konak, Deniz Evcik, Sibel Kibar. 2017. The effectiveness of Kinesio Taping on pain and disability in cervical myofascial pain syndrome. *Revista Brasileira de Reumatologia (English Edition)* **57**:2, 93-99. [[Crossref](#)]
43. Michael S. Gart, Thomas A. Wiedrich. 2017. Therapy and Rehabilitation for Upper Extremity Injuries in Athletes. *Hand Clinics* **33**:1, 207-220. [[Crossref](#)]
44. Giulia Farina Lenzi, Tobias Jacoby, Gustavo Portella, Fabiana Silva. 2017. EFEITO DA BANDAGEM ELÁSTICA NO POSICIONAMENTO DA PELVE COM INCLINAÇÃO POSTERIOR. *Revista Brasileira de Medicina do Esporte* **23**:1, 50-54. [[Crossref](#)]
45. Naoko Aminaka, Kari Emineth, Scott Doberstein, Reggie Ronning. 2017. The Effects of Kinesiology Tape on Shoulder Pain and Throwing Kinematics. *Athletic Training & Sports Health Care* **9**:1, 24-32. [[Crossref](#)]
46. Urvashi Sharma, AkhouryGourang Kumar Sinha. 2017. Comparison of effectiveness of kinesio taping with nonelastic taping and no taping in players with acute shin splints. *Physiotherapy - The Journal of Indian Association of Physiotherapists* **11**:1, 21. [[Crossref](#)]
47. J.K. Loudon, T. Seifert, V.J. Shipman. Sports Medicine and Concussion Management 172-182. [[Crossref](#)]
48. Ebru Kaya Mutlu, Rustem Mustafaoglu, Tansu Birinci, Arzu Razak Ozdincler. 2017. Does Kinesio Taping of the Knee Improve Pain and Functionality in Patients with Knee Osteoarthritis?. *American Journal of Physical Medicine & Rehabilitation* **96**:1, 25-33. [[Crossref](#)]
49. Vahid Sobhani, Alireza Shamsoddini, Amideddin Khatibi-Aghda, Vahid Mazloum, Hamid Hesari Kia, Mohammad Kazem Emami Meybodi. 2016. Effectiveness of Dry Needling, Manual Therapy, and Kinesio Taping® for Patients with Chronic Myofascial Neck Pain: A Single-Blind Clinical Trial. *Trauma Monthly* **22**:6. . [[Crossref](#)]
50. Mohammad Forozeshfard, Amir Hoshang Bakhtiary, Atefeh Aminianfar, Sajedeh Sheikhian, Zeinab Akbarzadeh. 2016. Short term effects of kinesio taping on pain and functional disability in young females with menstrual low back pain: A randomised control trial study. *Journal of Back and Musculoskeletal Rehabilitation* **29**:4, 709-715. [[Crossref](#)]
51. Sarah Roberts, Serela Ramklass, Robin Joubert. 2016. Kinesio Taping® of the metacarpophalangeal joints and its effect on pain and hand function in individuals with rheumatoid arthritis. *South African Journal of Physiotherapy* **72**:1. . [[Crossref](#)]
52. Jooyoung Kim, Seunghwan Kim, Joohyung Lee. 2016. Longer application of kinesio taping would be beneficial for exercise-induced muscle damage. *Journal of Exercise Rehabilitation* **12**:5, 456-462. [[Crossref](#)]
53. Figen Kocyigit, Merve Acar, Mehmet Besir Turkmen, Tugce Kose, Nezahat Guldane, Ersin Kuyucu. 2016. Kinesio taping or just taping in shoulder subacromial impingement syndrome? A randomized, double-blind, placebo-controlled trial. *Physiotherapy Theory and Practice* **32**:7, 501-508. [[Crossref](#)]
54. Shihfan Jack Tu, Roger C. Woledge, Dylan Morrissey. 2016. Does 'Kinesio tape' alter thoracolumbar fascia movement during lumbar flexion? An observational laboratory study. *Journal of Bodywork and Movement Therapies* **20**:4, 898-905. [[Crossref](#)]
55. Hamit Göksu, Figen Tuncay, Pinar Borman. 2016. The comparative efficacy of kinesio taping and local injection therapy in patients with subacromial impingement syndrome. *Acta Orthopaedica et Traumatologica Turcica* **50**:5, 483-488. [[Crossref](#)]
56. Cassandra McLaren, Zoe Colman, Alana Rix, Celia Sullohern. 2016. The effectiveness of scapular taping on pain and function in people with subacromial impingement syndrome: A systematic review. *International Musculoskeletal Medicine* **38**:3-4, 81-89. [[Crossref](#)]
57. M N Haik, F Albuquerque-Sendin, R F C Moreira, E D Pires, P R Camargo. 2016. Effectiveness of physical therapy treatment of clearly defined subacromial pain: a systematic review of randomised controlled trials. *British Journal of Sports Medicine* **50**:18, 1124-1134. [[Crossref](#)]
58. Leonid Kalichman, Silvi Frenkel-Toledo, Elisha Vered, Iris Sender, Tal Galinka, Deborah Alperovitch-Najenson, Motti Ratmansky, Iuly Treger. 2016. Effect of kinesio tape application on hemiplegic shoulder pain and motor ability. *International Journal of Rehabilitation Research* **39**:3, 272-276. [[Crossref](#)]
59. Şule Şahin Onat, Seda Biçer, Zehra Şahin, Ayşegül Küçükali Türkyılmaz, Murat Kara, Sibel Özbudak Demir. 2016. Effectiveness of Kinesiotaping and Subacromial Corticosteroid Injection in Shoulder Impingement Syndrome. *American Journal of Physical Medicine & Rehabilitation* **95**:8, 553-560. [[Crossref](#)]

60. Matthew Maddocks, Roger Kerry, Andrew Turner, Jeremy Howick. 2016. Problematic placebos in physical therapy trials. *Journal of Evaluation in Clinical Practice* **22**:4, 598-602. [[Crossref](#)]
61. Paolo Pillastrini, Giulia Rocchi, Deborah Deserri, Paola Foschi, Michele Mardegan, Maria Teresa Naldi, Jorge Hugo Villafañe, Lucia Bertozzi. 2016. Effectiveness of neuromuscular taping on painful hemiplegic shoulder: a randomised clinical trial. *Disability and Rehabilitation* **38**:16, 1603-1609. [[Crossref](#)]
62. Jadwiga Szymura, Marcin Maciejczyk, Magdalena Wiecek, Grzegorz Maciejczyk, Szczepan Wiecha, Katarzyna Ochalek, Magdalena Kepinska, Zbigniew Szygula. 2016. Effects of kinesio taping on anaerobic power recovery after eccentric exercise. *Research in Sports Medicine* **24**:3, 242-253. [[Crossref](#)]
63. J.O. Toxqui Estrada, R. Díaz González Santibáñez, J.I. Reyes Torres. 2016. Efecto inmediato del vendaje neuromuscular aplicado en tronco para disminuir la espasticidad en extremidades superiores e inferiores en niños con parálisis cerebral nivel V conforme al sistema de clasificación de la función motora gruesa. *Fisioterapia* **38**:4, 189-195. [[Crossref](#)]
64. Rogerio Guedes, Martim Bottaro, Igor Magalhães, Matheus Trindade, Lee E. Brown, Jake do Carmo, Rodrigo Luiz Carregaro. 2016. The effects of Kinesiotaping on quadriceps muscle performance at different velocities: A randomized controlled trial. *Isokinetics and Exercise Science* **24**:2, 149-156. [[Crossref](#)]
65. Julio Cerca Serrão, João Gustavo Claudino, Pedro Luis Sampaio Miyashiro, Bruno Mezêncio, Rafael Soncin, Eric Pomi, Eduardo Borges, Miranne Cardoso da Silva, Igor Philip Gloria, Vinicius Zanetti, Luis Mochizuki, Alberto Carlos Amadio. 2016. KINESIO TAPING NÃO ALTERA A RELAÇÃO EMG ENTRE VASTO LATERAL E VASTO MEDIAL DURANTE MEIO-AGACHAMENTO. *Revista Brasileira de Medicina do Esporte* **22**:3, 172-175. [[Crossref](#)]
66. Sara A. Ruggiero, Lydia R. Frost, Lori Ann Vallis, Stephen H. M. Brown. 2016. Effect of short-term application of kinesio tape on the flexion-relaxation phenomenon, trunk postural control and trunk repositioning in healthy females. *Journal of Sports Sciences* **34**:9, 862-870. [[Crossref](#)]
67. Jiyoung Choi, Heegeun Park, Wanglok Lee, Kyunghi Hong. 2016. Effects of 3D Compression Pants and Kinesio Taping on Isokinetic Muscular Function of Leg During Knee Joint Flexion Motion. *Journal of the Korean Society of Clothing and Textiles* **40**:2, 240-257. [[Crossref](#)]
68. María Bravo Aguilar, Javier Abián-Vicén, Jill Halstead, Gabriel Gijon-Nogueron. 2016. Effectiveness of neuromuscular taping on pronated foot posture and walking plantar pressures in amateur runners. *Journal of Science and Medicine in Sport* **19**:4, 348-353. [[Crossref](#)]
69. Volkan Subaşı, Tuncay Çakır, Zuhul Arıca, Rahime Nur Sarier, Meral Bilgilişoy Filiz, Şebnem Koldaş Doğan, Naciye Füsün Toraman. 2016. Comparison of efficacy of kinesiological taping and subacromial injection therapy in subacromial impingement syndrome. *Clinical Rheumatology* **35**:3, 741-746. [[Crossref](#)]
70. U. Tozzi, M. Santagata, A. Sellitto, G. P. Tartaro. 2016. Influence of Kinesiologic Tape on Post-operative Swelling After Orthognathic Surgery. *Journal of Maxillofacial and Oral Surgery* **15**:1, 52-58. [[Crossref](#)]
71. Julio Fernandes de Jesus, Aline de Almeida Novello, Gustavo Bezerra Nakaoka, Amir Curcio dos Reis, Thiago Yukio Fukuda, Flavio Fernandes Bryk. 2016. Kinesio taping effect on quadriceps strength and lower limb function of healthy individuals: A blinded, controlled, randomized, clinical trial. *Physical Therapy in Sport* **18**, 27-31. [[Crossref](#)]
72. Maggie C. Griebert, Alan R. Needle, Jennifer McConnell, Thomas W. Kaminski. 2016. Lower-leg Kinesio tape reduces rate of loading in participants with medial tibial stress syndrome. *Physical Therapy in Sport* **18**, 62-67. [[Crossref](#)]
73. C. Cai, I.P.H. Au, W. An, R.T.H. Cheung. 2016. Facilitatory and inhibitory effects of Kinesio tape: Fact or fad?. *Journal of Science and Medicine in Sport* **19**:2, 109-112. [[Crossref](#)]
74. R.T.H. Cheung, Q.K.C. Yau, K. Wong, P. Lau, A. So, N. Chan, C. Kwok, K.Y. Poon, P.S.H. Yung. 2016. Kinesiology tape does not promote vertical jumping performance: A deceptive crossover trial. *Manual Therapy* **21**, 89-93. [[Crossref](#)]
75. Chuanpis Boonkerd, Weerawat Limroongreungrat. 2016. Elastic therapeutic tape: do they have the same material properties?. *Journal of Physical Therapy Science* **28**:4, 1303-1306. [[Crossref](#)]
76. Emine Eda Kurt, Öznur Büyükturan, Hatice Rana Erdem, Figen Tuncay, Hicabi Sezgin. 2016. Short-term effects of kinesio tape on joint position sense, isokinetic measurements, and clinical parameters in patellofemoral pain syndrome. *Journal of Physical Therapy Science* **28**:7, 2034-2040. [[Crossref](#)]
77. Moira Devereaux, Kinny Quan Velanoski, Amanda Pennings, Amr Elmaraghy. 2016. Short-Term Effectiveness of Precut Kinesiology Tape Versus an NSAID as Adjuvant Treatment to Exercise for Subacromial Impingement. *Clinical Journal of Sport Medicine* **26**:1, 24-32. [[Crossref](#)]
78. Gülcan Öztürk, Duygu Geler Külcü, Nilgün Mesci, Ayşe Duygu Şilte, Ece Aydog. 2016. Efficacy of kinesio tape application on pain and muscle strength in patients with myofascial pain syndrome: a placebo-controlled trial. *Journal of Physical Therapy Science* **28**:4, 1074-1079. [[Crossref](#)]

79. GhadaE El-Refaye, EngyM El Nahas, HassanO Ghareeb. 2016. Effect of kinesio taping therapy combined with breathing exercises on childbirth duration and labor pain: a randomized controlled trial. *Bulletin of Faculty of Physical Therapy* 21:1, 23. [[Crossref](#)]
80. SRaja Rajeswari, TriveniM Gowda, TarunAB Kumar, Kanchan Arya, DhoomSingh Mehta. 2016. Assessment of interns and postgraduate dental student's knowledge regarding equipment ergonomics. *Indian Journal of Dental Research* 27:3, 256. [[Crossref](#)]
81. HazemMohamed Saleh, MarinaOnsy Fahim Edward, AhmedAl Farouk Abdel Fattah, MohamedFarouk Ali. 2016. Potentiation of physiotherapy by low-level laser or kinesio taping for treatment of cervicogenic headache: a randomized controlled study. *The Egyptian Journal of Otolaryngology* 32:4, 248. [[Crossref](#)]
82. Sayed A Tantawy, Dalia M Kamel. 2016. The effect of kinesio taping with exercise compared with exercise alone on pain, range of motion, and disability of the shoulder in postmastectomy females: a randomized control trial. *Journal of Physical Therapy Science* 28:12, 3300-3305. [[Crossref](#)]
83. Peyman Momtazfar, Farshad Ghazalian, Hojatolah Nikbakht. 2015. Effect of kinesio taping on hand muscles strength of Karatekaman man. *Sport Sciences for Health* 11:3, 257-261. [[Crossref](#)]
84. Edwin Choon Wyn Lim, Mathew Guo Xiang Tay. 2015. Kinesio taping in musculoskeletal pain and disability that lasts for more than 4 weeks: is it time to peel off the tape and throw it out with the sweat? A systematic review with meta-analysis focused on pain and also methods of tape application. *British Journal of Sports Medicine* 49:24, 1558-1566. [[Crossref](#)]
85. Uluç Pamuk, Can A. Yucesoy. 2015. MRI analyses show that kinesio taping affects much more than just the targeted superficial tissues and causes heterogeneous deformations within the whole limb. *Journal of Biomechanics* 48:16, 4262-4270. [[Crossref](#)]
86. Rasa Bacevičienė, Laura Janušonienė, Milda Gintilienė. 2015. Vyrų ir moterų nugaros skausmo ir stuburo paslankumo kitimas taikant kinezivyturavimą. *Sveikatos mokslai* 25:5, 152-156. [[Crossref](#)]
87. Figen Kocyigit, Mehmet Besir Turkmen, Merve Acar, Nezahat Guldane, Tugce Kose, Ersin Kuyucu, Mehmet Erdil. 2015. Kinesio taping or sham taping in knee osteoarthritis? A randomized, double-blind, sham-controlled trial. *Complementary Therapies in Clinical Practice* 21:4, 262-267. [[Crossref](#)]
88. Gul Oznur Karabicak, Nilgun Bek, Ugur Tiftikci. 2015. Short-Term Effects of Kinesiotaping on Pain and Joint Alignment in Conservative Treatment of Hallux Valgus. *Journal of Manipulative and Physiological Therapeutics* 38:8, 564-571. [[Crossref](#)]
89. Kirsty A. Woodward, Vish Unnithan, Nicola D. Hopkins. 2015. Forearm Skin Blood Flow After Kinesiology Taping in Healthy Soccer Players: An Exploratory Investigation. *Journal of Athletic Training* 50:10, 1069-1075. [[Crossref](#)]
90. P. Bauvir, J.F. Kaux, L. Pondant, D. Colman, V. Couffignal, F. Delvaux, J.M. Crielaard, J.L. Croisier. 2015. Influence du Kinésio-tape® sur les performances musculaires des ischio-jambiers. *Journal de Traumatologie du Sport* 32:3, 110-115. [[Crossref](#)]
91. Sean P. Riley, Mark P. Cote, Brian Swanson, Vincent Tafuto, Phillip S. Sizer, Jean-Michel Brismée. 2015. The Shoulder Pain and Disability Index: Is it sensitive and responsive to immediate change?. *Manual Therapy* 20:3, 494-498. [[Crossref](#)]
92. Hwi-young Cho, Eun-Hye Kim, Junesun Kim, Young Wook Yoon. 2015. Kinesio Taping Improves Pain, Range of Motion, and Proprioception in Older Patients with Knee Osteoarthritis. *American Journal of Physical Medicine & Rehabilitation* 94:3, 192-200. [[Crossref](#)]
93. Sarfaraz Alam, Deepak Malhotra, Jitender Munjal, Ashima Chachra. 2015. Immediate effect of Kinesio taping on shoulder muscle strength and range of motion in healthy individuals: A randomised trial. *Hong Kong Physiotherapy Journal* . [[Crossref](#)]
94. Aliah F. Shaheen, Anthony M.J. Bull, Caroline M. Alexander. 2015. Rigid and Elastic taping changes scapular kinematics and pain in subjects with shoulder impingement syndrome; an experimental study. *Journal of Electromyography and Kinesiology* 25:1, 84-92. [[Crossref](#)]
95. Paweł Lizis. 2015. Analgesic effect of extracorporeal shock wave therapy versus ultrasound therapy in chronic tennis elbow. *Journal of Physical Therapy Science* 27:8, 2563-2567. [[Crossref](#)]
96. Thiago Vilela Lemos, Kelice Cristina Pereira, Carina Celedonio Protássio, Lorraine Barbosa Lucas, Joao Paulo C. Matheus. 2015. The effect of Kinesio Taping on handgrip strength. *Journal of Physical Therapy Science* 27:3, 567-570. [[Crossref](#)]
97. Ladislav Pyšný, Jana Pyšná, Dominika Petru. 2015. Kinesio Taping Use in Prevention of Sports Injuries During Teaching of Physical Education and Sport. *Procedia - Social and Behavioral Sciences* 186, 618. [[Crossref](#)]
98. Dennis-Peter Born, Hans-Christer Holmberg, Florian Goernert, Billy Sperlich. 2014. A novel compression garment with adhesive silicone stripes improves repeated sprint performance – a multi-experimental approach on the underlying mechanisms. *BMC Sports Science, Medicine and Rehabilitation* 6:1. . [[Crossref](#)]
99. Birgitte Boeskov, Line Tornehøj Carver, Anders von Essen-Leise, Marius Henriksen. 2014. Kinesthetic Taping Improves Walking Function in Patients with Stroke: A Pilot Cohort Study. *Topics in Stroke Rehabilitation* 21:6, 495-501. [[Crossref](#)]
100. P.M. Caballero Moyano, C.A. Caparrós Manosalva, D.A. Rojas Matthei, G.X. Correa Beltrán, C.H. Gajardo Contreras. 2014. Efecto del vendaje neuromuscular sobre el acortamiento de los músculos isquiotibiales. *Fisioterapia* . [[Crossref](#)]



101. Hosein Kouhzad Mohammadi, Khosro Khademi Kalantari, Sedighe Sadat Naeimi, Mohammad Pouretezad, Esmail Shokri, Mojdeh Tafazoli, Mahboobeh Dastjerdi, Leila Kardooni. 2014. Immediate and Delayed Effects of Forearm Kinesio Taping on Grip Strength. *Iranian Red Crescent Medical Journal* 16:8. . [[Crossref](#)]
102. Sudarshan Anandkumar, Shobhalakshmi Sudarshan, Pratima Nagpal. 2014. Efficacy of kinesio taping on isokinetic quadriceps torque in knee osteoarthritis: a double blinded randomized controlled study. *Physiotherapy Theory and Practice* 30:6, 375-383. [[Crossref](#)]
103. Oliver Ristow, Christoph Pautke, Victoria Kehl, Steffen Koerdt, Lilian Hahnefeld, Bettina Hohlweg-Majert. 2014. Kinesiologic taping reduces morbidity after oral and maxillofacial surgery: a pooled analysis. *Physiotherapy Theory and Practice* 30:6, 390-398. [[Crossref](#)]
104. K.Y. Poon, S.M. Li, M.G. Roper, M.K.M. Wong, O. Wong, R.T.H. Cheung. 2014. Kinesiology tape does not facilitate muscle performance: A deceptive controlled trial. *Manual Therapy* . [[Crossref](#)]
105. Ivana Jelínková, Robert Válka, Monika Šorfová. 2014. Active and Passive Therapy of the Upright Posture and Its Influence on the Hemodynamics of the Upper Limbs. *AUC KINANTHROPOLOGICA* 49:2, 23-31. [[Crossref](#)]
106. Derya Ozer Kaya, Gul Baltaci, Ugur Toprak, Ahmet Ozgur Atay. 2014. The Clinical and Sonographic Effects of Kinesiotaping and Exercise in Comparison With Manual Therapy and Exercise for Patients With Subacromial Impingement Syndrome: A Preliminary Trial. *Journal of Manipulative and Physiological Therapeutics* 37:6, 422-432. [[Crossref](#)]
107. Simon S. Yeung, Ella W. Yeung, Yosawin Sakunkaruna, Sutida Mingsoongnern, Wing Y. Hung, Yun L. Fan, Heng C. Iao. 2014. Acute Effects of Kinesio Taping on Knee Extensor Peak Torque and Electromyographic Activity After Exhaustive Isometric Knee Extension in Healthy Young Adults. *Clinical Journal of Sport Medicine* 1. [[Crossref](#)]
108. Raewyn L. Taylor, Lisa O'Brien, Ted Brown. 2014. A scoping review of the use of elastic therapeutic tape for neck or upper extremity conditions. *Journal of Hand Therapy* 27:3, 235-246. [[Crossref](#)]
109. Alberto Gusella, Marcello Bettuolo, Francesco Contiero, Giovanni Volpe. 2014. Kinesiologic taping and muscular activity: A myofascial hypothesis and a randomised, blinded trial on healthy individuals. *Journal of Bodywork and Movement Therapies* 18:3, 405-411. [[Crossref](#)]
110. Scott R. Freedman, Lori Thein Brody, Michael Rosenthal, Justin C. Wise. 2014. Short-Term Effects of Patellar Kinesio Taping on Pain and Hop Function in Patients With Patellofemoral Pain Syndrome. *Sports Health: A Multidisciplinary Approach* 6:4, 294-300. [[Crossref](#)]
111. Alicia M. Montalvo, Ed Le Cara, Gregory D. Myer. 2014. Effect of Kinesiology Taping on Pain in Individuals With Musculoskeletal Injuries: Systematic Review and Meta-Analysis. *The Physician and Sportsmedicine* 42:2, 48-57. [[Crossref](#)]
112. John M. Vasudevan, Barbara J. Browne. 2014. Hemiplegic Shoulder Pain. *Physical Medicine and Rehabilitation Clinics of North America* 25:2, 411-437. [[Crossref](#)]
113. Julio Gómez-Soriano, Javier Abián-Vicén, Carlos Aparicio-García, Pilar Ruiz-Lázaro, Cristina Simón-Martínez, Elisabeth Bravo-Esteban, José Manuel Fernández-Rodríguez. 2014. The effects of Kinesio taping on muscle tone in healthy subjects: A double-blind, placebo-controlled crossover trial. *Manual Therapy* 19:2, 131-136. [[Crossref](#)]
114. Aurélie Morichon, Adrien Pallot. 2014. Le Taping : à l'épreuve des faits ? Revue des revues systématiques. *Kinésithérapie, la Revue* 14:147, 34-66. [[Crossref](#)]
115. Patrícia do Carmo Silva Parreira, Lucíola da Cunha Menezes Costa, Luiz Carlos Hespanhol Junior, Alexandre Dias Lopes, Leonardo Oliveira Pena Costa. 2014. Current evidence does not support the use of Kinesio Taping in clinical practice: a systematic review. *Journal of Physiotherapy* 60:1, 31-39. [[Crossref](#)]
116. Martial Delaire. 2014. Les bandages adhésifs de couleur : un nouveau concept. *Kinésithérapie, la Revue* 14:147, 17-21. [[Crossref](#)]
117. Dérick Patrick Artioli, Gladson Ricardo Flor Bertolini. 2014. Kinesio taping: application and results on pain: systematic review. *Fisioterapia e Pesquisa* 21:1, 94-99. [[Crossref](#)]
118. Miguel Malo-Urriés, César Hidalgo-García, Elena Bueno-Gracia, Elena Estébanez-de-Miguel, Orosia Lucha-López, José Miguel Tricás-Moreno. 2014. Clinical and ultrasonographic evidence of a proximal positional fault of the radius. A case report. *Manual Therapy* . [[Crossref](#)]
119. Rafael Merino-Marban, Emilio Fernandez-Rodriguez, Daniel Mayorga-Vega. 2014. The Effect of Kinesio Taping on Calf Pain and Extensibility Immediately After Its Application and After a Duathlon Competition. *Research in Sports Medicine* 22:1, 1-11. [[Crossref](#)]
120. M. Martínez-Wong, Y.C. Recalde-Alzugaray, E.E. Hein, R.M. Pitana, L.G. Andrini, F.J. Pacheco. 2014. La eficacia clínica del taping neuromuscular para el dolor de espalda alta y cuello: una prueba controlada aleatorizada. *Fisioterapia* 36:1, 25-33. [[Crossref](#)]

121. Sudarshan Anandkumar, Murugavel Manivasagam. 2014. Multimodal physical therapy management of a 48-year-old female with post-stroke complex regional pain syndrome. *Physiotherapy Theory and Practice* **30**:1, 38-48. [[Crossref](#)]
122. Neha Dewan, Kavitha Raja, Ganesh Balthillaya Miyaru, Joy C. MacDermid. 2014. Effect of Box Taping as an Adjunct to Stretching-Strengthening Exercise Program in Correction of Scapular Alignment in People with Forward Shoulder Posture: A Randomised Trial. *ISRN Rehabilitation* **2014**, 1-12. [[Crossref](#)]
123. M? Encarnaci?n Aguilar-Ferr?ndiz, Adelaida Mar?a Castro-S?nchez, Guillermo A Matar?n-Pe?arrocha, Rafael Guisado-Barrilao, M? Carmen Garc?a-R?os, Carmen Moreno-Lorenzo. 2014. A randomized controlled trial of a mixed Kinesio taping?compression technique on venous symptoms, pain, peripheral venous flow, clinical severity and overall health status in postmenopausal women with chronic venous insufficiency. *Clinical Rehabilitation* **28**:1, 69-81. [[Crossref](#)]
124. Mar?a Encarnaci?n Aguilar-Ferr?ndiz, Adelaida Mar?a Castro-S?nchez, Guillermo A. Matar?n-Pe?arrocha, Francisco Garc?a-Muro, Theys Serge, Carmen Moreno-Lorenzo. 2013. Effects of Kinesio Taping on Venous Symptoms, Bioelectrical Activity of the Gastrocnemius Muscle, Range of Ankle Motion, and Quality of Life in Postmenopausal Women With Chronic Venous Insufficiency: A Randomized Controlled Trial. *Archives of Physical Medicine and Rehabilitation* **94**:12, 2315-2328. [[Crossref](#)]
125. A. Luque-Suarez, S. Navarro-Ledesma, P. Petocz, M.J. Hancock, J. Hush. 2013. Short term effects of kinesiotaping on acromiohumeral distance in asymptomatic subjects: A randomised controlled trial. *Manual Therapy* **18**:6, 573-577. [[Crossref](#)]
126. Guilherme S. Nunes, Marcos de Noronha, Helder S. Cunha, Caroline Ruschel, No? G. Borges. 2013. Effect of Kinesio Taping on Jumping and Balance in Athletes. *Journal of Strength and Conditioning Research* **27**:11, 3183-3189. [[Crossref](#)]
127. Dedi Lumbroso, Elad Ziv, Elisha Vered, Leonid Kalichman. 2013. The effect of kinesio tape application on hamstring and gastrocnemius muscles in healthy young adults. *Journal of Bodywork and Movement Therapies* . [[Crossref](#)]
128. Elisa Pelosin, Laura Avanzino, Roberta Marchese, Paola Stramesi, Martina Bilanci, Carlo Trompetto, Giovanni Abbruzzese. 2013. KinesioTaping Reduces Pain and Modulates Sensory Function in Patients With Focal Dystonia. *Neurorehabilitation and Neural Repair* **27**:8, 722-731. [[Crossref](#)]
129. Julia R. Rodrick, Ellen Poage, Ausanee Wanchai, Bob R. Stewart, Janice N. Cormier, Jane M. Armer. 2013. Complementary, Alternative, and Other Noncomplete Decongestive Therapy Treatment Methods in the Management of Lymphedema: A Systematic Search and Review. *PM&R* . [[Crossref](#)]
130. Oliver Ristow, Bettina Hohlweg-Majert, Stephen R. St?rzenbaum, Victoria Kehl, Steffen Koerdt, Lilian Hahnefeld, Christoph Pautke. 2013. Therapeutic elastic tape reduces morbidity after wisdom teeth removal—a clinical trial. *Clinical Oral Investigations* . [[Crossref](#)]
131. A. Sartre, S. Fabri, C. Morana. 2013. Effet du sens de pose du kinesio taping® sur les ?picondyliens. *Journal de Traumatologie du Sport* . [[Crossref](#)]
132. Oliver Ristow, Bettina Hohlweg-Majert, Victoria Kehl, Steffen Koerdt, Lilian Hahnefeld, Christoph Pautke. 2013. Does Elastic Therapeutic Tape Reduce Postoperative Swelling, Pain, and Trismus After Open Reduction and Internal Fixation of Mandibular Fractures?. *Journal of Oral and Maxillofacial Surgery* **71**:8, 1387-1396. [[Crossref](#)]
133. Giancarlo Fratocchi, Francesco Di Mattia, Renato Rossi, Massimiliano Mangone, Valter Santilli, Marco Paoloni. 2013. Influence of Kinesio Taping applied over biceps brachii on isokinetic elbow peak torque. A placebo controlled study in a population of young healthy subjects. *Journal of Science and Medicine in Sport* **16**:3, 245-249. [[Crossref](#)]
134. D. Morris, D. Jones, H. Ryan, C. G. Ryan. 2013. The clinical effects of Kinesio® Tex taping: A systematic review. *Physiotherapy Theory and Practice* **29**:4, 259-270. [[Crossref](#)]
135. Joseph Miller, Richard Westrick, Angela Diebal, Christopher Marks, J. Parry Gerber. 2013. Immediate Effects of Lumbopelvic Manipulation and Lateral Gluteal Kinesio Taping on Unilateral Patellofemoral Pain Syndrome. *Sports Health: A Multidisciplinary Approach* **5**:3, 214-219. [[Crossref](#)]
136. Sudarshan Anandkumar. 2013. Kinesio tape management for superficial radial nerve entrapment: A case report. *Physiotherapy Theory and Practice* **29**:3, 232-241. [[Crossref](#)]
137. Aliah F. Shaheen, Coralie Villa, Yen-Ni Lee, Anthony M.J. Bull, Caroline M. Alexander. 2013. Scapular taping alters kinematics in asymptomatic subjects. *Journal of Electromyography and Kinesiology* **23**:2, 326-333. [[Crossref](#)]
138. Ai Ujino, Lindsey E. Eberman, Leamor Kahanov, Chelsea Renner, Timothy Demchak. 2013. The Effects of Kinesio Tape and Stretching on Shoulder ROM. *International Journal of Athletic Therapy and Training* **18**:2, 24-28. [[Crossref](#)]
139. Caio Alano de Almeida Lins, Francisco Locks Neto, Anita Barros Carlos de Amorim, Liane de Brito Macedo, Jamilson Sim?es Brasileiro. 2013. Kinesio Taping® does not alter neuromuscular performance of femoral quadriceps or lower limb function in healthy subjects: Randomized, blind, controlled, clinical trial. *Manual Therapy* **18**:1, 41-45. [[Crossref](#)]
140. Aur?lie Morichon. 2013. Le K-Taping : ? l'?preuve des faits ?. *Kin?sith?rapie, la Revue* **13**:134, 20. [[Crossref](#)]

141. S. J. Kamper, N. Henschke. 2013. Kinesio taping for sports injuries. *British Journal of Sports Medicine* 47:17, 1128. [[Crossref](#)]
142. Bahar Kavlak, Yeşim Bakar, Zübeyir Sarı. 2012. Investigation of the Efficacy of Different Physiotherapy Methods for Neck Pain. *Journal of Musculoskeletal Pain* 20:4, 284-291. [[Crossref](#)]
143. Oscar M.H. Wong, Roy T.H. Cheung, Raymond C.T. Li. 2012. Isokinetic knee function in healthy subjects with and without Kinesio taping. *Physical Therapy in Sport* 13:4, 255-258. [[Crossref](#)]
144. Filip Struyf, Willem De Hertogh, Joris Gulinck, Jo Nijs. 2012. Evidence-Based Treatment Methods for the Management of Shoulder Impingement Syndrome Among Dutch-Speaking Physiotherapists: An Online, Web-Based Survey. *Journal of Manipulative and Physiological Therapeutics* 35:9, 720-726. [[Crossref](#)]
145. Tsun-Shun Huang, Wei-Cheng Cheng, Jiu-Jenq Lin. 2012. Relationship between trapezius muscle activity and typing speed: taping effect. *Ergonomics* 55:11, 1404-1411. [[Crossref](#)]
146. Mehran Mostafavifar, Jess Wertz, James Borchers. 2012. A Systematic Review of the Effectiveness of Kinesio Taping for Musculoskeletal Injury. *The Physician and Sportsmedicine* 40:4, 33-40. [[Crossref](#)]
147. Hannah L. Stedje, Ryan M. Kroskie, Carrie L. Docherty. 2012. Kinesio Taping and the Circulation and Endurance Ratio of the Gastrocnemius Muscle. *Journal of Athletic Training* 47:6, 635-642. [[Crossref](#)]
148. Shu-Mei Chen, Ron Alexander, Sing Kai Lo, Jill Cook. 2012. Effects of Functional Fascial Taping on pain and function in patients with non-specific low back pain: a pilot randomized controlled trial. *Clinical Rehabilitation* 26:10, 924-933. [[Crossref](#)]
149. L. García Llopis, M. Campos Aranda. 2012. Intervención fisioterápica con vendaje neuromuscular en pacientes con cervicalgia mecánica. Un estudio piloto. *Fisioterapia* 34:5, 189-195. [[Crossref](#)]
150. Manuel Saavedra-Hernández, Adelaida M. Castro-Sánchez, Manuel Arroyo-Morales, Joshua A. Cleland, Inmaculada C. Lara-Palomo, César Fernández-de-las-Peñas. 2012. Short-Term Effects of Kinesio Taping Versus Cervical Thrust Manipulation in Patients With Mechanical Neck Pain: A Randomized Clinical Trial. *Journal of Orthopaedic & Sports Physical Therapy* 42:8, 724-730. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
151. Stefano Vercelli, Francesco Sartorio, Calogero Foti, Lorenzo Colletto, Domenico Virton, Gianpaolo Ronconi, Giorgio Ferriero. 2012. Immediate Effects of Kinesiotaping on Quadriceps Muscle Strength. *Clinical Journal of Sport Medicine* 22:4, 319-326. [[Crossref](#)]
152. Olivera C. Djordjevic, Danijela Vukicevic, Ljiljana Katunac, Stevan Jovic. 2012. Mobilization With Movement and Kinesiotaping Compared With a Supervised Exercise Program for Painful Shoulder: Results of a Clinical Trial. *Journal of Manipulative and Physiological Therapeutics* 35:6, 454-463. [[Crossref](#)]
153. Hsiao-Yun Chang, Chun-Hou Wang, Kun-Yu Chou, Shih-Chung Cheng. 2012. Could Forearm Kinesio Taping Improve Strength, Force Sense, and Pain in Baseball Pitchers With Medial Epicondylitis?. *Clinical Journal of Sport Medicine* 22:4, 327-333. [[Crossref](#)]
154. Jung-hoon Lee, Won-gyu Yoo. 2012. Treatment of chronic Achilles tendon pain by Kinesio taping in an amateur badminton player. *Physical Therapy in Sport* 13:2, 115-119. [[Crossref](#)]
155. Tristan L. Hartzell, Roe Rubinstein, Mojca Herman. 2012. Therapeutic Modalities—An Updated Review for the Hand Surgeon. *The Journal of Hand Surgery* 37:3, 597-621. [[Crossref](#)]
156. Jenny McConnell, Cyril Donnelly, Samuel Hamner, James Dunne, Thor Besier. 2012. Passive and Dynamic Shoulder Rotation Range in Uninjured and Previously Injured Overhead Throwing Athletes and the Effect of Shoulder Taping. *PM&R* 4:2, 111-116. [[Crossref](#)]
157. Sean Williams, Chris Whatman, Patria A. Hume, Kelly Sheerin. 2012. Kinesio Taping in Treatment and Prevention of Sports Injuries. *Sports Medicine* 42:2, 153-164. [[Crossref](#)]
158. M. Fernández Román, A. Castro Méndez, M. Albornoz Cabello. 2012. Efectos del tratamiento con Kinesio tape en el pie plano. *Fisioterapia* 34:1, 11-15. [[Crossref](#)]
159. Marcin Krajczyk, Katarzyna Bogacz, Jacek Luniewski, Jan Szczegieliński. 2012. The Influence of Kinesio Taping on the Effects of Physiotherapy in Patients after Laparoscopic Cholecystectomy. *The Scientific World Journal* 2012, 1-5. [[Crossref](#)]
160. Joeri Kalter, Adri T Apeldoorn, Raymond W Ostelo, Nicholas Henschke, Dirk L Knol, Maurits W van Tulder. 2011. Taping patients with clinical signs of subacromial impingement syndrome: the design of a randomized controlled trial. *BMC Musculoskeletal Disorders* 12:1. . [[Crossref](#)]
161. Javier González-Iglesias, Joshua A. Cleland, Maria del Rosario Gutierrez-Vega, Cesar Fernández-de-las-Peñas. 2011. Multimodal Management of Lateral Epicondylalgia in Rock Climbers: A Prospective Case Series. *Journal of Manipulative and Physiological Therapeutics* 34:9, 635-642. [[Crossref](#)]

162. L. Espejo Antúnez, M.A. Cardero Durán. 2011. Efectos del vendaje neuromuscular (kinesiotaping) en el síndrome del supraespinoso. *Rehabilitación* 45:4, 344-347. [[Crossref](#)]
163. Jenny McConnell, Cyril Donnelly, Samuel Hamner, James Dunne, Thor Besier. 2011. Effect of shoulder taping on maximum shoulder external and internal rotation range in uninjured and previously injured overhead athletes during a seated throw. *Journal of Orthopaedic Research* 29:9, 1406-1411. [[Crossref](#)]
164. Gak Hwang-Bo, Jung-Hoon Lee. 2011. Effects of kinesio taping in a physical therapist with acute low back pain due to patient handling: A case report. *International Journal of Occupational Medicine and Environmental Health* 24:3, 320-323. [[Crossref](#)]
165. Shouta Kaneko, Hiroshi Takasaki. 2011. Forearm Pain, Diagnosed as Intersection Syndrome, Managed by Taping: A Case Series. *Journal of Orthopaedic & Sports Physical Therapy* 41:7, 514-519. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
166. Daniel O'Sullivan, Stephen P. Bird. 2011. Utilization of Kinesio Taping for Fascia Unloading. *International Journal of Athletic Therapy and Training* 16:4, 21-27. [[Crossref](#)]
167. Kristin Briem, Hrefna Eythörðsdóttir, Ragnheidur G. Magnúsdóttir, Rúnar Pálmarrsson, Tinna Rúnarsdóttir, Thorarinn Sveinsson. 2011. Effects of Kinesio Tape Compared With Nonelastic Sports Tape and the Untaped Ankle During a Sudden Inversion Perturbation in Male Athletes. *Journal of Orthopaedic & Sports Physical Therapy* 41:5, 328-335. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)] [[Supplemental Material](#)]
168. L. Espejo, M.D. Apolo. 2011. Revisión bibliográfica de la efectividad del kinesiotaping. *Rehabilitación* 45:2, 148-158. [[Crossref](#)]
169. Erkan Kaya, Murat Zinnuroglu, Ilknur Tugcu. 2011. Kinesio taping compared to physical therapy modalities for the treatment of shoulder impingement syndrome. *Clinical Rheumatology* 30:2, 201-207. [[Crossref](#)]
170. DC Janse van Rensburg, K Nolte. 2011. Sports injuries in adults: overview of clinical examination and management. *South African Family Practice* 53:1, 21-27. [[Crossref](#)]
171. J. Martínez-Gramage, M. Ibáñez Segarra, A. López Ridaura, M. Merelló Peñalver, F.J. Tolsá Gil. 2011. Efecto inmediato del kinesio tape sobre la respuesta refleja del vasto interno ante la utilización de dos técnicas diferentes de aplicación: facilitación e inhibición muscular. *Fisioterapia* 33:1, 13-18. [[Crossref](#)]
172. Jiu-jenq Lin, Cheng-Ju Hung, Pey-Lin Yang. 2011. The effects of scapular taping on electromyographic muscle activity and proprioception feedback in healthy shoulders. *Journal of Orthopaedic Research* 29:1, 53-57. [[Crossref](#)]
173. Hsiao-Yun Chang, Kun-Yu Chou, Jau-Jia Lin, Chih-Feng Lin, Chun-Hou Wang. 2010. Immediate effect of forearm Kinesio taping on maximal grip strength and force sense in healthy collegiate athletes. *Physical Therapy in Sport* 11:4, 122-127. [[Crossref](#)]
174. Bridget L Firth, Paul Dingley, Elizabeth R Davies, Jeremy S Lewis, Caroline M Alexander. 2010. The Effect of Kinesiotape on Function, Pain, and Motoneuronal Excitability in Healthy People and People With Achilles Tendinopathy. *Clinical Journal of Sport Medicine* 20:6, 416-421. [[Crossref](#)]
175. Sharon Fleming Walsh. 2010. Treatment of a brachial plexus injury using kinesiotape and exercise. *Physiotherapy Theory and Practice* 26:7, 490-496. [[Crossref](#)]
176. Kerkour Khelaf. 2010. Rôle et place des bandages adhésifs (tape) actifs de couleurs. *Kinésithérapie, la Revue* 10:104-105, 29-33. [[Crossref](#)]
177. Meredith L. Pope, Andrew Baker, Terry L. Grindstaff. 2010. Kinesio Taping Technique for Patellar Tendinopathy. *Athletic Training & Sports Health Care* 2:3, 98-99. [[Crossref](#)]
178. Peter A Valen, Judy Foxworth. 2010. Evidence supporting the use of physical modalities in the treatment of upper extremity musculoskeletal conditions. *Current Opinion in Rheumatology* 22:2, 194-204. [[Crossref](#)]
179. F.J. Vera-García, J. Martínez-Gramage, R. San Miguel, R. Ortiz, P. Vilanova, E.M. Salvador, N. Delgado, N. Tortajada, J. Valero. 2010. Efecto del Kinesio taping sobre la respuesta refleja de los músculos bíceps femoral y gemelo externo. *Fisioterapia* 32:1, 4-10. [[Crossref](#)]
180. Javier González-Iglesias, César Fernández-de-las-Peñas, Joshua Cleland, Peter Huijbregts, Maria Del Rosario Gutiérrez-Vega. 2009. Short-Term Effects of Cervical Kinesio Taping on Pain and Cervical Range of Motion in Patients With Acute Whiplash Injury: A Randomized Clinical Trial. *Journal of Orthopaedic & Sports Physical Therapy* 39:7, 515-521. [[Abstract](#)] [[PDF](#)] [[PDF Plus](#)] [[Supplemental Material](#)]
181. Jenny McConnell, Brad McIntosh. 2009. The Effect of Tape on Glenohumeral Rotation Range of Motion in Elite Junior Tennis Players. *Clinical Journal of Sport Medicine* 19:2, 90-94. [[Crossref](#)]
182. Daryl A. Rosenbaum. 2009. Please Please Me? Considering the Cost of the Placebo Effect in Clinical Sports Medicine Practice. *Athletic Training & Sports Health Care* 1:1, 9-11. [[Crossref](#)]