


Wyke House, Wyke Works, Hedon Road, Hull, E. Yorkshire, HU9 5NL
Tel: (01482) 714891

Certificate of Analysis

Date Issued	16 Apr 2024
Reference	MAS 240854 v.2

Product Name:	Pure Altai shilajit
Product Code:	A252
Batch Number:	N-15
Date Received:	08 Apr 2024
Name of Customer:	Pure Altai Shilajit
Name of Originator:	Pure Altai Shilajit
PQS (if applicable):	N/A

Results		
Test Procedure	Result	Acceptance Criteria (limits)
Mercury	0.106	<0.5mg/kg
Lead	0.793	<1.5mg/kg
Cadmium	0.125	<1.0mg/kg
Arsenic	0.633	<2mg/kg

Conclusions	
Date test performed / finalized:	16 Apr 2024
Name of Head of Laboratory / Authorized Person:	Christina Perry
Signature:	 16 Apr 2024
<i>This CoA or any portion thereof, cannot be reproduced without the authorization of the laboratory.</i>	

QMS Section:	Documentation	Title:	Certificate of Analysis	Reference:	FRM-332
Prepared by:	Charlotte Pryor	Signature:	See Master Copy	Date:	08 Dec 2023
Approved by:	Christina Perry	Signature:	See Master Copy	Date:	08 Dec 2023
Date:	08 Dec 2023	Issue:	7	Page:	1 of 1