# Safety Data Sheet 92164 Invisible Glass®



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

## **1. IDENTIFICATION**

Stoner Incorporated 1070 Robert Fulton Hwy Quarryville, PA 17566 1-800-227-5538	у.	Product Name: Product Code: Product Use: 24-hour emergency phone:	Invisible Glass® 92164 Glass Cleaner 1-800-424-9300 [CHEMTREC]
L		24-nour emergency phone.	
2. HAZARD IDENTIFIC			
POTENTIAL HEALTH EFFEC Classification of the chemical in a GHS Hazard Symbols		raph (d) of §1910.1200;	
GHS Classification		Liquid Category 2 2 Damage/Eye Irritation Category 2A	
Signal Word	Danger		
Hazard Statements	Highly flammable liquid and vapour. Causes serious eye irritation.		
Precautionary Statements			
Prevention	Keep conta Ground/bor P241 - Use Use only no Take precau P264 - Was	from heat/sparks/open flames/hot surfaces iner tightly closed. Id container and receiving equipment. explosion-proof electrical, ventilating and m-sparking tools. Itionary measures against static discharge. h thoroughly after handling. tive gloves/protective clothing/eye protec	l lighting equipment.
Response	IF IN EYES Continue riv If eye irritat	S: Rinse cautiously with water for several	
Storage		iner tightly closed. rell-ventilated place. Keep cool.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.		

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>COMPONENT</u> Water Proprietary hydrocarbon blend	<u>CAS #</u> 7732-18-5 Mixture		Percent 80 - 100 1-20		
HMIS® III* HAZARDOUS WARNING	GS:				
Health: 2	Flammability: 3	Physical:	0	Personal Protective Equipment:	See Section 8

\* See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

92164

PAGE 1

#### 4. FIRST AID MEASURES

Eyes:	Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there
	is visual difficulty, seek medical attention.
Skin Contact:	In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if
	symptoms persist. Wash clothing before reuse.
Ingestion:	Contact a physician, medical facility, or poison control center immediately.
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Continue your efforts until
	help arrives or the victim starts to breathe on his own. Do not leave victim alone. Seek immediate medical attention. Keep the

#### NOTES TO PHYSICIAN:

No additional first aid information available. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions); liver; kidney; blood forming system;

#### 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards:	Product is water based material, containing minor amounts of flammable ingredients. This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point.
Fire Fighting Instructions:	Use alcohol foam, water fog, dry chemical, or CO2. Fire fighters should wear normal protective equipment and positive-pressure self-contained breathing apparatus. Although this product has a flash point below 200 F, it is an aqueous solution and does not sustain combustion. Water is generally not effective and may spread fire; however, water spray may be used from a safe distance to cool closed containers and protect surrounding area.

#### 6. ACCIDENTAL RELEASE MEASURES

victim warm and quiet.

#### STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

### 7. HANDLING AND STORAGE

Handling: Do not use near ignition sources. If ventilation is not sufficient, wear proper respiratory equipment. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Do not store containers in excessive heat or direct sunlight. Protect container against physical damage. Use with adequate ventilation. Do not use near ignition sources. Protect container against physical damage.
 Storage: Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Empty container may contain residues which are hazardous.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or apparent adverse effects). Local exhaust should be used in areas where exposure limits may be exceeded.			
Eye Protection:	Wear chemically resistant safety glass chemical splash goggles and/or face sl airborne material. Have an eye wash s	nield when the possibility ex		
Skin Protection:	The use of chemically resistant gloves skin.	is recommended if there is	any possibility of prolonged	or repeated liquid contact with
Respiratory Protection:	A supplied air respirator should be use respirator where there is likelihood of		1	nits. Use NIOSH approved
COMPONENT Water	<u>CAS #</u> 7732-18-5	ACGIH TLV Not established	OSHA PEL Not established	OTHER Not established

20 ppm

50 ppm

Not established

Proprietary hydrocarbon blend

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Bulk trigger bottle	Lower Flammability Limit (%):	2.1
Appearance:	Clear Colorless	Upper Flammability Limit (%):	13
Odor:	Mild Alcohol	Vapor Pressure (PSIG @ 70°F):	No data available
Odor Threshold:	Sharp	Vapor Density $[air = 1]$ :	> 1.0
pH:	Not applicable	Relative Density (H2O=1):	0.98
Melting/Freezing Point (°F):	No data available	Solubility in Water:	Complete; 100%
Boiling Point (°F):	No data available	Partial Coefficient: n- octanol/water:	No data available
Flash Point (°F PMCC):	66.2	Autoignition Temperature (°F):	869
Evaporation Rate:	Not determined	Decomposition Temperature (°F):	No data available
Flammability (solid, gas): Percent VOCs (%):	No data available 1-20	Viscosity, dynamic (cSt):	No data available

Mixture

### **10. STABILITY AND REACTION**

Chemical Stability:
Conditions to Avoid:

ons to rivola.

Decomposition Products:

Stable. Avoid contact with: Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Acids. Strong oxidizing agents. Acetaldehyde. Chlorine. Ethylene oxide. Isocyanates. Strong alkalies. Burning can produce the following combustion products: Carbon dioxide and carbon monoxide.

Aquatic LC50 (96h) Algae 6500 - 13000 mg/L

## **11. TOXICOLOGICAL INFORMATION**

II. IOAICOLOGICAL			
Inhalation Toxicity: Reproductive & Developmental Toxicity: IARC Carcinogen Designation:	High concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea; continued inhalation may result in unconsciousness and/or death. No data available. No data available		
Ingredient Proprietary hydrocarbon blend	CAS # Mixture	Toxicological Data DERMAL LD50 Rabbit 220 mg/kg ORAL LD50 GUINEA PIG 1200 mg/kg ORAL LD50 Rat 250 mg/kg INHALATION LC50 Rat 2900 MG/M3 INHALATION LC50 Mouse 700 ppm INHALATION LC50 Mouse 3380 MG/M3	
<b>12. ECOLOGICAL INF</b>	ORMATION		
Ecological Toxicity: Mobility: Degradability:	No data available No data available This material (or one of its co mobile and may contaminate ground water. No data available.	mponents), dissolves in water. If it enters the soil, it will be highly	
Ingredient Proprietary hydrocarbon blend	CAS # Mixture	Toxicological Data Aquatic LC50 (96h) MINNOW = 72860 mg/L Aquatic LC50 (48h) Daphnia > 100 mg/L	

#### **13. DISPOSAL CONSIDERATIONS**

Disposal : Dispose according to Federal, State and local regulations.

#### 14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN1993	Flammable Liquids, n.o.s. (contains Isopropanol) <sup>+</sup>	3	II
IATA	UN1993	Flammable Liquids, n.o.s. (contains Isopropanol) <sup>†</sup>	3	II
IMDG	UN1993	Flammable Liquids, n.o.s. (contains Isopropanol)†	3	II

† "Limited Quantities" may be applicable for this transportation mode.

### 15. REGULATORY INFORMATION

 Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

 COMPONENT
 CAS #
 % BY WEIGHT
 Regulatory Body

 No components listed in this section.
 SARA Section 313

### Toxic Substances Control Act

All components of this product are listed on the TSCA inventory.

#### **California Prop 65**

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

#### **16. OTHER INFORMATION**

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 01/13/2021

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.