Safety Data Sheet 92184 Invisible Glass® Clean & RepelTM



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566		Product Name: Product Code: Product Use:	Invisible Glass® Clean & Repel™ 92184 Glass Cleaner
1-800-227-5538		24-hour emergency phone:	1-800-424-9300 [CHEMTREC]
2. HAZARD IDENTIFICA	TION		
POTENTIAL HEALTH EFFECTS Classification of the chemical in according GHS Hazard Symbols	ordance with para	graph (d) of §1910.1200;	
GHS Classification		e Liquid Category 2 ye Damage/Eye Irritation Category 2A	
Signal Word	Danger		
Hazard Statements	Highly fla Causes set	mmable liquid and vapour. rious eye irritation.	
Precautionary Statements			
Prevention	Keep cont Ground/bo P241 - Us Use only r Take prec P264 - Wa	y from heat/sparks/open flames/hot surfaces ainer tightly closed. ond container and receiving equipment. e explosion-proof electrical, ventilating and non-sparking tools. autionary measures against static discharge. ish thoroughly after handling. ective gloves/protective clothing/eye protect	lighting equipment.
Response	IF IN EYI Continue If eye irrit	ES: Rinse cautiously with water for several r	all contaminated clothing. Rinse skin with water/shower. ninutes. Remove contact lenses, if present and easy to do. nguish.
Storage		ainer tightly closed. well-ventilated place. Keep cool.	
Disposal	Dispose o wastes.	f contents/container in accordance with loca	al/regional/national/international regulation for hazardous

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>COMPONENT</u> Water Proprietary hydrocarbon blend	<u>CAS #</u> 7732-18-5 Mixture	Percent 80 - 100 1-15	
HMIS® III* HAZARDOUS WARNIN	NGS:		
Health: 2	Flammability: 2	Physical: 0	Personal See Section 8 Protective Equipment:

* See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

92184

PAGE 1

4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.

Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse.

Ingestion:Contact a physician, medical facility, or poison control center immediately.Inhalation:Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Continue your efforts until
help arrives or the victim starts to breath on his own. Do not leave victim alone. Seek immediate medical attention. Keep the
victim warm and quiet.

NOTES TO PHYSICIAN:

No additional first aid information available. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions); liver; kidney; blood forming system;

5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards:	Product is water based material, containing minor amounts of flammable ingredients. This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources
Fire Fighting Instructions:	at locations distant from the material's handling point. Use alcohol foam, water fog, dry chemical, or CO2. Water is generally not effective and may spread fire; however, water spray may be used from a safe distance to cool closed containers and protect surrounding area.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly. Use absorbent material to dike around small quantities of spilled material.

7. HANDLING AND STORAGE

which are hazardous.

Handling: Do not use near ignition sources. If ventilation is not sufficient, wear proper respiratory equipment. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Do not store containers in excessive heat or direct sunlight. Protect container against physical damage. Use with adequate ventilation. Do not use near ignition sources. Protect container against physical damage. Normal precautions common to safe manufacturing practice should be followed in handling and storage.
 Storage: Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Empty container may contain residues

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to preve known, suspected or apparent adverse e exceeded.			
Eye Protection:	Wear chemically resistant safety glasses chemical splash goggles and/or face shi airborne material. Have an eye wash sta	eld when the possibility ex	0 1	5 1
Skin Protection:	The use of chemically resistant gloves i skin.	s recommended if there is a	any possibility of prolonged of	or repeated liquid contact with
Respiratory Protection:	A supplied air respirator should be used respirator where there is likelihood of in			its. Use NIOSH approved
<u>COMPONENT</u> Water	<u>CAS #</u> 7732-18-5	ACGIH TLV Not established	OSHA PEL Not established	OTHER Not established

20 ppm

50ppm

Not established

9. PHYSICAL AND CHEMICAL PROPERTIES

	IBINITOTIL I ROT BITTILD		
Physical State:	Bulk trigger bottle	Lower Flammability Limit (%):	2.1
Appearance:	Clear Colorless	Upper Flammability Limit (%):	13
Odor:	Alcohol	Vapor Pressure (PSIG @ 70°F):	4.47
Odor Threshold:	Sharp	Vapor Density $[air = 1]$:	>1
pH:	Not applicable	Relative Density (H2O=1):	0.98
Melting/Freezing Point (°F):	No data available	Solubility in Water:	Complete; 100%
Boiling Point (°F):	No data available	Partial Coefficient: n- octanol/water:	No data available
Flash Point (°F PMCC):	66.2	Autoignition Temperature (°F):	869
Evaporation Rate:	Not determined	Decomposition Temperature (°F):	No data available
Flammability (solid, gas): Percent VOCs (%):	No data available 1-20	Viscosity, dynamic (cSt):	No data available

Proprietary hydrocarbon blend

Mixture

10. STABILITY AND REACTION

Chemical Stability:
Conditions to Avoid:

ons to rivola.

Decomposition Products:

Stable. Avoid contact with: Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Acids. Strong oxidizing agents. Acetaldehyde. Chlorine. Ethylene oxide. Isocyanates. Strong alkalies. Burning can produce the following combustion products: Carbon dioxide and carbon monoxide.

Aquatic LC50 (96h) Algae 6500 - 13000 mg/L

11. TOXICOLOGICAL INFORMATION

II. IOAICOLOGICAL		
Inhalation Toxicity: Reproductive & Developmental Toxicity: IARC Carcinogen Designation:	High concentrations may cause central nervous continued inhalation may result in unconscious No data available. No data available	system depression resulting in headaches, dizziness and nausea; ess and/or death.
Ingredient Proprietary hydrocarbon blend	CAS # Mixture	Toxicological Data DERMAL LD50 Rabbit 220 mg/kg ORAL LD50 GUINEA PIG 1200 mg/kg ORAL LD50 Rat 250 mg/kg INHALATION LC50 Rat 2900 MG/M3 INHALATION LC50 Mouse 700 ppm INHALATION LC50 Mouse 3380 MG/M3
12. ECOLOGICAL INF	ORMATION	
Ecological Toxicity: Mobility: Degradability:	No data available No data available This material (or one of its co mobile and may contaminate ground water. No data available.	mponents), dissolves in water. If it enters the soil, it will be highly
Ingredient Proprietary hydrocarbon blend	CAS # Mixture	Toxicological Data Aquatic LC50 (96h) MINNOW = 72860 mg/L Aquatic LC50 (48h) Daphnia > 100 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN1993	Flammable Liquids, n.o.s.(contains isopropanol)	3	II
IATA	UN1993	Flammable Liquids, n.o.s.(contains isopropanol) [†]	3	II
IMDG	UN1993	Flammable Liquids n.o.s. (contains Isopropanol)*	3	II

† "Limited Quantities" may be applicable for this transportation mode.

15. REGULATORY INFORMATION

 Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

 COMPONENT
 CAS #
 % BY WEIGHT
 Regulatory Body

 No components listed in this section.
 SARA Section 313

Toxic Substances Control Act

All components of this product are listed on the TSCA inventory.

California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

16. OTHER INFORMATION

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 07/28/2021

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.