# Safety Data Sheet



92472 Invisible Glass® Anti-fog Treatment **DLUIG** Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION			
Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538	Product Name: Product Code: Product Use: 24-hour emergency phone:	Invisible Glass® Anti-fog Treatment 92472 Anti-fog Glass Treatment 1-800-424-9300 [CHEMTREC]	
2. HAZARD IDENTIFICATION			
POTENTIAL HEALTH EFFECTS Classification of the chemical in accordance GHS Hazard Symbols	with paragraph (d) of §1910.1200;		
GHS Classification	Flammable Liquid Category 2 Serious Eye Damage/Eye Irritation Category 2A Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3		
Signal Word	Danger		
Hazard Statements	Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.		
Precautionary Statements			
Prevention	Keep away from heat/sparks/open flames/hot surfac Keep container tightly closed. Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical, ventilating ar Use only non-sparking tools. Take precautionary measures against static discharg Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protective	nd lighting equipment. ge.	
Response	<ul> <li>IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312 - Call a poison center, doctor or medical center if you feel unwell.</li> <li>If eye irritation persists: Get medical advice/attention.</li> <li>P370+P378 - In case of fire: Use proper media to extinguish.</li> </ul>		
Storage	Keep container tightly closed. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.		
Disposal	Dispose of contents/container in accordance with lo	ocal/regional/national/international regulation for hazardous wastes.	

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT Dimethyl carbinol		<u>AS #</u> -63-0		<u>Percent</u> 60 - 80		
HMIS® III* HAZARDOUS WARNINGS Health: 1	: Flammability:	3	Physical:	0	Personal Protective Equipment:	See Section 8

\* See www.paint.org/hmis or call the NPCA at 1 (202) 462-6272 for more information on this current rating system.

4. FIRST AID MEASURES			
Eyes:	Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.		
Skin Contact:	In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse.		
Ingestion:	Do not induce vomiting. Contact a physician, medical facility, or poison control center immediately.		
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep the victim warm and quiet. Seek immediate medical attention.		

NOTES TO PHYSICIAN:

No additional first aid information available. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions); kidney; liver;

### 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards:	This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier
	than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other
	flames and ignition sources at locations distant from the material's handling point.
Fire Fighting Instructions:	Use alcohol foam, water fog, dry chemical, or CO2. Water is generally not effective and may spread fire; however, water spray may be used from a safe distance to cool closed containers and protect surrounding area.

## 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

#### 7. HANDLING AND STORAGE

Handling: Do not use near ignition sources. Use with adequate ventilation. If ventilation is not sufficient, wear proper respiratory equipment. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Do not store containers in excessive heat or direct sunlight. Protect container against physical damage. Normal precautions common to safe manufacturing practice should be followed in handling and storage.

Storage: Keep container tightly closed when not in use. Empty container may contain residues which are hazardous.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to preve known, suspected or apparent adverse e exceeded.			
Eye Protection:	Wear chemically resistant safety glasse: chemical splash goggles and/or face shi airborne material. Have an eye wash sta	eld when the possibility exis		
Skin Protection:	The use of chemically resistant gloves i skin.		ny possibility of prolonged of	or repeated liquid contact with
Respiratory Protection:	A supplied air respirator should be used	l if ventilation is not sufficie	nt to maintain exposure limi	its.
<b>COMPONENT</b>	<u>CAS #</u>	ACGIH TLV	OSHA PEL	<u>OTHER</u>
Dimethyl carbinol	67-63-0	200 ppm TWA 400 ppm	400 ppm TWA	200 ppm TWA 500 ppm STEL

9. PHYSICAL AND CH	EMICAL PROPERTIES			
Physical State: Appearance: Odor: Odor Threshold: pH: Melting/Freezing Point (°F): Boiling Point (°F): Flash Point (°F PMCC): Evaporation Rate: Flammability (solid, gas): Percent VOCs (%): <b>10. STABILITY AND R</b>	Bulk trigger Clear Colorless Alcohol Mild Not applicable No data available 66.2 Not determined No data available 60 - 80 EACTION	Lower Flammability Limit (%): Upper Flammability Limit (%): Vapor Pressure (PSIG @ 70°F): Vapor Density [air = 1]: Relative Density (H2O=1): Solubility in Water: Partial Coefficient: n- octanol/water: Autoignition Temperature (°F): Decomposition Temperature (°F): Viscosity, dynamic (cSt):	2 12 Not determined > 1 0.84 Complete; 100% No data available Not applicable No data available No data available	
Chemical Stability: Conditions to Avoid: Decomposition Products:	Stable. Avoid contact with: Ignition sources su Acetaldehyde. Acids. Chlorine. Ethyler	ich as open flames, sparks, static discharg ne oxide. Isocyanates. Strong oxidizing a nbustion products: Carbon dioxide and ca	gents.	
11. TOXICOLOGICAL	INFORMATION			
Inhalation Toxicity: Reproductive & Developmental Toxicity:	High concentrations may cause central continued inhalation may result in unco No data available.	nervous system depression resulting in h onsciousness and/or death.	eadaches, dizziness and nausea;	
Ingredient Dimethyl carbinol	CAS #Toxicological Data67-63-0Dermal LD50 Rabbit > 12800 mg/kgOral LD50 Rat = 5000 mg/kgInhalation LC50 (4h) Rat > 40 mg/L			
12. ECOLOGICAL INF	ORMATION			
Ecological Toxicity: Mobility:	No data available No data available This material (or one mobile and may contaminate ground w	of its components), dissolves in water. Is ater.	it enters the soil, it will be highly	
<b>Ingredient</b> Dimethyl carbinol	<b>CAS</b> # 67-63-0	<b>Toxicological Data</b> Aquatic LC50 (96h) MINNOW = 9640 mg/L 24HR EC50 Daphnia > 10000 mg/L		
13. DISPOSAL CONSIL	DERATIONS			
Disposal : Dispose accordin	ng to Federal, State and local regulations.			
14. TRANSPORTATIO				
AgencyUN NumberDOTUN1219IATAUN1219IMDGUN1219	Proper Shipping name Isopropanol Isopropanol Isopropanol	Hazard Cla 3 3 3	ss Packing Group II II II	
<b>15. REGULATORY INF</b>	FORMATION			
	the following chemicals that are subject t CAS #	% BY WEIGHT Regu	g regulatory bodies listed below: latory Body A Section 313	
Warning: This product may cont No components listed in this sec	tain chemicals known to the State of Califitition.		65 Cancer	

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below. No components listed in this section. Prop65 Birth Defects

All components of this product are listed on the TSCA inventory.

### **16. OTHER INFORMATION**

Other Information : MSDS Prepared by L. Dean Swartz, MSDS Coordinator

1/13/2021 Version Date:

This information contained in this MSDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.