Safety Data Sheet 99016 Windshield Treatment Kit



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538 Product Name: Product Code: Product Use:

24-hour emergency phone:

Windshield Treatment Kit

99016

Glass Cleaner

1-800-424-9300 [CHEMTREC]

This product kit contains the following Stoner products:

92472- Invisible Glass® Anti-fog Treatment

92482- Invisible Glass® Rain Repellent Glass Trmnt.

92164- Invisible Glass®

Safety Data Sheet

92472 Invisible Glass® Anti-fog Treatment



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538 Product Name: Product Code:

Invisible Glass® Anti-fog Treatment

92472

Product Use: 24-hour emergency phone:

Anti-fog Glass Treatment 1-800-424-9300 [CHEMTREC]

2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols > <



GHS Classification

Flammable Liquid Category 2

Serious Eye Damage/Eye Irritation Category 2A

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary Statements

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating and lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Response

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P312 - Call a poison center, doctor or medical center if you feel unwell.

If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use proper media to extinguish.

Storage

Keep container tightly closed.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT CAS# Percent Dimethyl carbinol 67-63-0 60 - 80

HMIS® III* HAZARDOUS WARNINGS:

Health: Flammability: Physical: 0 Personal See Section 8 Protective

Equipment:

4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there

is visual difficulty, seek medical attention.

Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if

symptoms persist. Wash clothing before reuse.

Ingestion: Do not induce vomiting. Contact a physician, medical facility, or poison control center immediately.

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep the victim warm and Inhalation:

quiet. Seek immediate medical attention.

NOTES TO PHYSICIAN:

No additional first aid information available. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions); kidney; liver;

5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier

than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other

flames and ignition sources at locations distant from the material's handling point.

Fire Fighting Instructions: Use alcohol foam, water fog, dry chemical, or CO2. Water is generally not effective and may spread fire; however,

water spray may be used from a safe distance to cool closed containers and protect surrounding area.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

7. HANDLING AND STORAGE

Handling: Do not use near ignition sources. Use with adequate ventilation. If ventilation is not sufficient, wear proper respiratory equipment. Avoid

prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Do not store containers in excessive heat or direct sunlight. Protect container against physical damage. Normal precautions common to safe manufacturing practice should be

followed in handling and storage.

Keep container tightly closed when not in use. Empty container may contain residues which are hazardous. Storage:

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the MSDS (from

known, suspected or apparent adverse effects). Local exhaust should be used in areas where exposure limits may be

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Have an eye wash station available,

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with

A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. Respiratory Protection:

COMPONENT CAS# ACGIH TLV OSHA PEL OTHER Dimethyl carbinol 67-63-0 200 ppm TWA 400 ppm 400 ppm TWA 200 ppm TWA 500 ppm STEL

Stoner Incorporated 92472 PAGE 2

^{*} See www.paint.org/hmis or call the NPCA at 1 (202) 462-6272 for more information on this current rating system.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Bulk trigger Lower Flammability Limit (%): Appearance: Clear Colorless Upper Flammability Limit (%): 12

Odor: Alcohol Not determined Vapor Pressure (PSIG @ 70°F):

Odor Threshold: Mild Vapor Density [air = 1]: >1 pH: Not applicable Relative Density (H2O=1): 0.84

Melting/Freezing Point (°F): No data available Solubility in Water: Complete; 100% Boiling Point (°F): No data available Partial Coefficient: n-No data available

octanol/water:

Flash Point (°F PMCC): 66.2 Autoignition Temperature (°F): Not applicable Evaporation Rate: Not determined Decomposition Temperature (°F): No data available Flammability (solid, gas): No data available Viscosity, dynamic (cSt): No data available

Percent VOCs (%): 60 - 80

10. STABILITY AND REACTION

Chemical Stability:

Conditions to Avoid: Avoid contact with: Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces.

Acetaldehyde. Acids. Chlorine. Ethylene oxide. Isocyanates. Strong oxidizing agents.

Decomposition Products: Burning can produce the following combustion products: Carbon dioxide and carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Inhalation Toxicity: High concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea:

continued inhalation may result in unconsciousness and/or death.

Reproductive & Developmental No data available.

Toxicity:

Ingredient CAS# **Toxicological Data**

Dimethyl carbinol 67-63-0 Dermal LD50 Rabbit > 12800 mg/kg Oral LD50 Rat = 5000 mg/kg

Inhalation LC50 (4h) Rat > 40 mg/L

12. ECOLOGICAL INFORMATION

Ecological Toxicity:

Mobility: No data available This material (or one of its components), dissolves in water. If it enters the soil, it will be highly

mobile and may contaminate ground water.

Ingredient CAS# **Toxicological Data**

Dimethyl carbinol 67-63-0 Aquatic LC50 (96h) MINNOW = 9640 mg/L 24HR EC50 Daphnia > 10000 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

UN Number Agency Proper Shipping name **Hazard Class Packing Group** DOT UN1219 Isopropanol Π IATA UN1219 Isopropanol 3 II IMDG UN1219 Isopropanol 3 II

15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below: COMPONENT

CAS# % BY WEIGHT Regulatory Body No components listed in this section.

SARA Section 313

Warning: This product may contain chemicals known to the State of California to cause cancer. See list below.

No components listed in this section. Prop65 Cancer

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below.

No components listed in this section. Prop65 Birth Defects

All components of this product are listed on the TSCA inventory.

16. OTHER INFORMATION

Other Information: MSDS Prepared by L. Dean Swartz, MSDS Coordinator

Version Date: 1/13/2021

This information contained in this MSDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.

Stoner Incorporated 92472 PAGE 3

Safety Data Sheet

92482 Invisible Glass® Rain Repellent Glass Trmnt.



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538 Product Name: Product Code: Product Use:

24-hour emergency phone:

Invisible Glass® Rain Repellent Glass Trmnt.

92482

Rain Repellant Glass Treatment 1-800-424-9300 [CHEMTREC]

2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols

GHS Classification

Flammable Liquid Category 2

Serious Eye Damage/Eye Irritation Category 2A

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary Statements

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating and lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Response

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing

P312 - Call a poison center, doctor or medical center if you feel unwell.

If eye irritation persists: Get medical advice/attention.
P370+P378 - In case of fire: Use proper media to extinguish.

Storage

Keep container tightly closed.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous

wastes.

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT Dimethyl carbinol CAS # 67-63-0

Percent 80 - 100 HMIS® III* HAZARDOUS WARNINGS:

Health: Flammability: Physical: Personal See Section 8

Protective Equipment:

* See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

4. FIRST AID MEASURES

Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there Eyes:

is visual difficulty, seek medical attention.

Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if

symptoms persist. Wash clothing before reuse.

Ingestion: Contact a physician, medical facility, or poison control center immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep the victim warm and

quiet. Seek immediate medical attention.

NOTES TO PHYSICIAN:

No additional first aid information available.

5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier

than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other

flames and ignition sources at locations distant from the material's handling point.

Fire Fighting Instructions: Use alcohol foam, water fog, dry chemical, or CO2. Water is generally not effective and may spread fire; however,

water spray may be used from a safe distance to cool closed containers and protect surrounding area.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

7. HANDLING AND STORAGE

Do not use near ignition sources. Use with adequate ventilation. If ventilation is not sufficient, wear proper respiratory equipment. Avoid Handling:

prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Do not store containers in excessive heat or direct sunlight. Protect container against physical damage. Normal precautions common to safe manufacturing practice should be

followed in handling and storage.

Storage: Keep container tightly closed when not in use. Empty container may contain residues which are hazardous.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from

known, suspected or apparent adverse effects). Local exhaust should be used in areas where exposure limits may be

exceeded.

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Have an eye wash station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with

Respiratory Protection: A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits.

COMPONENT CAS# ACGIH TLV OSHA PEL OTHER Dimethyl carbinol 67-63-0 400 ppm Not established 500 ppm STEL

9. PHYSICAL AND CHEMICAL PROPERTIES

80 - 100

Physical State: Bulk liquid Lower Flammability Limit (%): 2 Appearance: Clear Colorless Upper Flammability Limit (%): 12.7

Odor: Alcohol Vapor Pressure (PSIG @ 70°F): No data available

Odor Threshold: Mild Vapor Density [air = 1] > 1.0Not applicable Relative Density (H2O=1): 08

Melting/Freezing Point (°F): No data available Solubility in Water: Complete; 100% Boiling Point (°F): No data available Partial Coefficient: n-No data available

Flash Point (°F PMCC): Autoignition Temperature (°F): 750

Evaporation Rate: Not determined Decomposition Temperature (°F): No data available Flammability (solid, gas): No data available Viscosity, dynamic (cSt): No data available

Percent VOCs (%):

octanol/water:

10. STABILITY AND REACTION

Chemical Stability:

Stable.

Conditions to Avoid:

Avoid contact with: Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces.

Acetaldehyde. Acids. Chlorine. Ethylene oxide. Isocyanates. Strong oxidizing agents.

Decomposition Products:

Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. When heated to temperatures above 150°C in the presence of air, one of the ingredients in this product can form formaldehyde vapors. Formaldehyde vapor is harmful by inhalation; irritating to eyes; sensitizer to the respiratory system; an acute toxicant

and a potential cancer hazard at concentrations greater than 0.75 ppm.

11. TOXICOLOGICAL INFORMATION

Inhalation Toxicity:

High concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea;

continued inhalation may result in unconsciousness and/or death.

Reproductive &

No data available.

Developmental Toxicity:

IARC Carcinogen Designation:

No data available

Ingredient Isopropanol CAS#

Toxicological Data

67-63-0

DERMAL LD50 Rabbit 12800 mg/kg ORAL LD50 Mouse 3600 mg/kg

ORAL LD50 Rat 5000 mg/kg

INHALATION LC50 Rat 16000 ppm INHALATION LC50 Mouse 53000 MG/M3

12. ECOLOGICAL INFORMATION

Ecological Toxicity:

Dimethyl carbinol

No data available

Mobility:

No data available This material (or one of its components), dissolves in water. If it enters the soil, it will be highly

mobile and may contaminate ground water.

Ingredient

CAS#

Toxicological Data

67-63-0

Aquatic LC50 (96h) MINNOW = 9640 mg/L

Packing Group

II

II

11

24HR EC50 Daphnia > 10000 mg/L

No data available

Hazard Class

3

3

3

13. DISPOSAL CONSIDERATIONS

UN Number

Disposal:

Dispose according to Federal, State and local regulations.

Proper Chinning name

14. TRANSPORTATION INFORMATION

Agency	CIV IVUILIBLE	r roper Sinpping name	
DOT	UN1219	Isopropanol	
IATA	UN1219	Isopropanol	
IMDG	UN1219	Isopropanol	

15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT

% BY WEIGHT

Regulatory Body SARA Section 313

Toxic Substances Control Act

No components listed in this section.

All components of this product are listed on the TSCA inventory.

California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

CAS#

16. OTHER INFORMATION

Other Information:

SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date:

1/13/2021

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.

Safety Data Sheet 92164 Invisible Glass®

Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538

Product Name: Product Code: Product Use:

24-hour emergency phone:

Glass Cleaner

1-800-424-9300 [CHEMTREC]

Invisible Glass®

92164

2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols

GHS Classification

Flammable Liquid Category 2

Serious Eye Damage/Eye Irritation Category 2A

Signal Word

Hazard Statements

Highly flammable liquid and vapour.

Causes serious eye irritation.

Precautionary Statements

Prevention

Keep away from heat/sparks/open flames/hot surfaces. + No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating and lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

P264 - Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Response

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use proper media to extinguish.

Storage

Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT

Water

Proprietary hydrocarbon blend

7732-18-5

Percent 80 - 100

Mixture

1-20

0

Personal See Section 8

Protective Equipment:

HMIS® III* HAZARDOUS WARNINGS:

Health:

Flammability:

Physical:

* See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there

is visual difficulty, seek medical attention.

Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if

symptoms persist. Wash clothing before reuse.

Ingestion: Contact a physician, medical facility, or poison control center immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Continue your efforts until

help arrives or the victim starts to breathe on his own. Do not leave victim alone. Seek immediate medical attention. Keep the

victim warm and quiet.

NOTES TO PHYSICIAN:

No additional first aid information available. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions); liver; kidney; blood forming system;

5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: Product is water based material, containing minor amounts of flammable ingredients. This product contains a

component(s) that is considered a flammable liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources

at locations distant from the material's handling point.

Fire Fighting Instructions: Use alcohol foam, water fog, dry chemical, or CO2. Fire fighters should wear normal protective equipment and

positive-pressure self-contained breathing apparatus. Although this product has a flash point below 200 F, it is an aqueous solution and does not sustain combustion. Water is generally not effective and may spread fire; however,

water spray may be used from a safe distance to cool closed containers and protect surrounding area.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

7. HANDLING AND STORAGE

Handling: Do not use near ignition sources. If ventilation is not sufficient, wear proper respiratory equipment. Avoid prolonged or repeated contact

with skin. Avoid prolonged or repeated breathing of vapor. Do not store containers in excessive heat or direct sunlight. Protect container against physical damage. Use with adequate ventilation. Do not use near ignition sources. Protect container against physical damage.

Storage: Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Empty container

may contain residues which are hazardous.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from

known, suspected or apparent adverse effects). Local exhaust should be used in areas where exposure limits may be

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Have an eye wash station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with

Respiratory Protection: A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. Use NIOSH approved

respirator where there is likelihood of inhalation of the product mist, spray or acrosol.

COMPONENT CAS# ACGIH TLV OSHA PEL OTHER 7732-18-5 Water Not established Not established Not established

Proprietary hydrocarbon blend Mixture 20 ppm 50 ppm Not established

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Bulk trigger bottle Lower Flammability Limit (%): 2.1 Appearance: Clear Colorless Upper Flammability Limit (%): 13

Odor: Mild Alcohol Vapor Pressure (PSIG @ 70°F): No data available

Odor Threshold: Sharp Vapor Density [air = 1]: > 1.0 Not applicable Relative Density (H2O=1): 0.98

Melting/Freezing Point (°F): No data available Solubility in Water: Complete; 100% Boiling Point (°F): No data available Partial Coefficient: n-No data available

octanol/water: 66.2

Flash Point (°F PMCC): Autoignition Temperature (°F): Evaporation Rate: Not determined Decomposition Temperature (°F): No data available

Flammability (solid, gas): No data available Viscosity, dynamic (cSt): No data available Percent VOCs (%): 1-20

10. STABILITY AND REACTION

Chemical Stability:

Stable.

Conditions to Avoid:

Decomposition Products:

Avoid contact with: Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Acids.

Strong oxidizing agents. Acetaldehyde. Chlorine. Ethylene oxide. Isocyanates. Strong alkalies.

Burning can produce the following combustion products: Carbon dioxide and carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Inhalation Toxicity:

High concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea;

continued inhalation may result in unconsciousness and/or death.

Reproductive &

Ingredient

No data available.

Developmental Toxicity:

n: No data available

IARC Carcinogen Designation:

to data avandore

Proprietary hydrocarbon blend

CAS # Mixture **Toxicological Data**

DERMAL LD50 Rabbit 220 mg/kg ORAL LD50 GUINEA PIG 1200 mg/kg

ORAL LD50 GUINEA PIG 1200 mg/kg ORAL LD50 Rat 250 mg/kg

INHALATION LC50 Rat 2900 MG/M3 INHALATION LC50 Mouse 700 ppm INHALATION LC50 Mouse 3380 MG/M3

12. ECOLOGICAL INFORMATION

Ecological Toxicity:

No data available

Mobility:

No data available This material (or one of its components), dissolves in water. If it enters the soil, it will be highly

mobile and may contaminate ground water.

Degradability: No data available.

Proprietary hydrocarbon blend

Ingredient

CAS#

Toxicological Data

Aquatic LC50 (96h) MINNOW = 72860 mg/L Aquatic LC50 (48h) Daphnia > 100 mg/L

Aquatic LC50 (48h) Daphnia > 100 mg/L Aquatic LC50 (96h) Algae 6500 - 13000 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN1993	Flammable Liquids, n.o.s. (contains Isopropanol)†	3	II F
IATA	UN1993	Flammable Liquids, n.o.s. (contains Isopropanol)†	3	II
IMDG	UN1993	Flammable Liquids, n.o.s. (contains Isopropanol)†	3	II
		1 , (7	**

^{† &}quot;Limited Quantities" may be applicable for this transportation mode.

15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT

CAS#

% BY WEIGHT

Regulatory Body SARA Section 313

Toxic Substances Control Act

No components listed in this section.

All components of this product are listed on the TSCA inventory.

California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

16. OTHER INFORMATION

Other Information: SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 01/13/2021

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.