

# Safety Data Sheet

## 99004 Car Show Touch-up Kit

# Stoner

Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

### 1. IDENTIFICATION

Stoner Incorporated  
1070 Robert Fulton Hwy.  
Quarryville, PA 17566  
1-800-227-5538

Product Name:	Car Show Touch-up Kit
Product Code:	99004
Product Use:	Detailing
24-hour emergency phone:	1-800-424-9300 [CHEMTREC]

This product kit contains the following Stoner products:

- 92354- Speed Bead Quick Detailer
- 95401- Bug Eraser®
- 91164- Invisible Glass®

# Safety Data Sheet

## 92354 Speed Bead Quick Detailer



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

### 1. IDENTIFICATION

Stoner Incorporated  
1070 Robert Fulton Hwy.  
Quarryville, PA 17566  
1-800-227-5538

Product Name: Speed Bead Quick Detailer  
Product Code: 92354  
Product Use: Automotive Appearance  
24-hour emergency phone: 1-800-424-9300 [CHEMTREC]

### 2. HAZARD IDENTIFICATION

#### POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification Not classified as hazardous.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS #	Percent
Water	7732-18-5	80 - 100
Wax emulsion	Mixture	0.1 - 0.99

#### HMIS® III\* HAZARDOUS WARNINGS:

Health: 1      Flammability: 0      Physical: 0      Personal Protective Equipment: See Section 8

\* See [www.paint.org/hmis](http://www.paint.org/hmis) or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

### 4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.  
Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse.  
Ingestion: No harmful effects expected.  
Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

#### NOTES TO PHYSICIAN:

No additional first aid information available.

### 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: Product is a water base material and is not ignitable.  
Fire Fighting Instructions: Use CO2, foam or dry chemical. Fire fighters should wear normal protective equipment and positive-pressure self-contained breathing apparatus. Do not direct a solid stream of water or foam into hot burning pools, this may cause frothing and increase fire intensity.

### 6. ACCIDENTAL RELEASE MEASURES

#### STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Avoid run-off into storm sewers and ditches which may lead to natural waterways. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

### 7. HANDLING AND STORAGE

Handling: Avoid prolonged or repeated contact with skin.  
Storage: Keep container tightly closed when not in use. Store at temperatures between 50° and 86° F. Store in a cool dry place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation is not required for this product.  
Eye Protection: 01/03/18 Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eye wash station available.  
Skin Protection: None generally required. The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.  
Respiratory Protection: No respiratory protection required under normal conditions of use.

<u>COMPONENT</u>	<u>CAS #</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Water	7732-18-5	Not established	Not established	Not established
Wax emulsion	Mixture	Not established	Not established	Not established

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Bulk liquid	Lower Flammability Limit (%):	Not applicable
Appearance:	Milky White	Upper Flammability Limit (%):	Not applicable
Odor:	Pina colada	Vapor Pressure (PSIG @ 70°F):	No data available
Odor Threshold:	Moderate	Vapor Density [air = 1]:	1
pH:	6-8	Relative Density (H2O=1):	1
Melting/Freezing Point (°F):	32.0	Solubility in Water:	Dispersible in water.
Boiling Point (°F):	212.0	Partial Coefficient: n-octanol/water:	No data available
Flash Point (°F PMCC):	None	Autoignition Temperature (°F):	Not applicable
Evaporation Rate:	Not determined	Decomposition Temperature (°F):	No data available
Flammability (solid, gas):	No data available	Viscosity, dynamic (cSt):	No data available
Percent VOCs (%):	0.01 - 0.1		

## 10. STABILITY AND REACTION

Chemical Stability: Stable.  
Conditions to Avoid: Do not freeze. Avoid contact with: Strong oxidizing agents.  
Decomposition Products: Burning can produce the following combustion products: Carbon dioxide and carbon monoxide.

## 11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental Toxicity: No data available.  
IARC Carcinogen Designation: No data available

<u>Ingredient</u>	<u>CAS #</u>	<u>Toxicological Data</u>
No data available		

## 12. ECOLOGICAL INFORMATION

Ecological Toxicity: No data available  
Mobility: No data available

<u>Ingredient</u>	<u>CAS #</u>	<u>Toxicological Data</u>
No data available		

## 13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations.

## 14. TRANSPORTATION INFORMATION

<u>Agency</u>	<u>UN Number</u>	<u>Proper Shipping name</u>	<u>Hazard Class</u>	<u>Packing Group</u>
DOT		Not regulated by agency		
IATA		Not regulated by agency		
IMDG		Not regulated by agency		

## 15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

<u>COMPONENT</u>	<u>CAS #</u>	<u>% BY WEIGHT</u>	<u>Regulatory Body</u>
No components listed in this section.			

**Toxic Substances Control Act**  
All components of this product are listed on the TSCA inventory.

**California Prop 65**  
This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

## 16. OTHER INFORMATION

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 01/03/2021

**This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.**

Safety Data Sheet  
95401 Bug Eraser®

# Stoner

Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

## SAFETY DATA SHEET

Global Harmonized System of Classification and Labeling of Chemicals Format

### I. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME: Bug Eraser®  
PRODUCT CODE: 95401  
PRODUCT TYPE: Automotive appearance

#### Manufacturer / Supplier Information

SDS Prepared by:  
Stoner, Inc.  
1070 Robert Fulton Hwy.  
Quarryville, PA 17566  
(717) 786-7355

Emergency Phone Number (24 hours/day)  
Chemtrec 800-424-9300

*Prepared:* 09/08/2021

*SDS Updated:* New

### II. HAZARD IDENTIFICATION

#### Occupational Health & Safety Components

Hazardous Ingredients	CAS#	Percentage	LD <sub>50</sub> (Mg/kg)	LC <sub>50</sub> (ppm/hr)	SARA Title III
Sodium Dodecylbenzene Sulfonate	25155-30-3	23	See Section XI	See Section XI	-

GHS Classification: Skin Corrosion/Irritation, Category 2 Acute Aquatic, Category 2  
Eye Irritation, Category 2A Chronic Aquatic, Category 3

HMIS: Health-1 Fire-0 Reactivity-0 PPE- B

Signal Word: **Warning**

Health Hazards:

H315: Causes Skin Irritation  
H319: Causes Serious Eye Irritation



Precautionary Statements:

P264: Wash...Thoroughly after handling.  
P280: Wear protective clothing/eye protection

Irritant

- P302 + P352: IF ON SKIN: Wash with plenty of soap and water.  
 P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes.  
 Remove contact lenses, if present and easy to do. Continue rinsing.  
 P332 + P313: IF SKIN IRRITATION OCCURS: Get medical attention/attention.  
 P314: Get medical advice/attention if you feel unwell.

Other Hazards: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. May cause an allergic reaction in sensitive individuals.

---

### III. COMPOSITION/ INFORMATION ON INGREDIENTS

The components of the detergent applied on this nonwoven sheet pose no immediate danger to human health if used in the recommended application which it is manufactured for.

Sodium Silicate            1344-09-8

---

### IV. First Aid Measures

- General: Never give anything by mouth to an unconscious person. IF you feel unwell, seek medical advice.
- Eye Contact: Do not rub. Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, contact physician.
- Skin Contact: Rinse skin with plenty of water. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse.
- Inhalation: Inhalation is not a typical route of exposure given nature of product. Product does not create any particulate under normal use.
- Ingestion: Rinse mouth immediately. Do NOT induce vomiting. Seek medical attention if material is introduced to the mouth. Call a POISON CENTER or doctor/physician.

#### Most important symptoms and effects both Acute and Delayed

- General: Causes skin irritation. Causes serious eye irritation.
- Skin Contact: May cause skin irritation. Symptoms may include: Redness, pain, swelling, itching, Burning, dryness, and dermatitis.
- Eye Contact: Causes serious eye irritation. Symptoms may include: Redness, pain, swelling, itching, burning, tearing, and blurred vision.
- Ingestion: Ingestion is not likely to be harmful or have any adverse effects.
- Chronic Symptoms: None expected under normal conditions of use.

---

### V. Fire Fighting Measures

- |                                     |  |
|-------------------------------------|--|
| FLASH POINT:                        | Non flammable  |
| FIRE AND EXPLOSION HAZARDS:         | No fire or explosive hazards.                                      |
| EXTINGUISHING MEDIA:                | Water, CO <sub>2</sub> , Dry Chemical or Foam                      |
| SPECIAL FIRE FIGHTING INSTRUCTIONS: | None   |
| Hazardous Combustion Products:      | Carbon oxides (CO, CO <sub>2</sub> ), Sulfur oxides, Sodium oxides |
-

**VI. Accidental Release Measures**

PERSONAL PRECAUTIONS: P262: Do not get in eyes, on skin, or on clothing.  
 P264: Wash thoroughly after handling.

ENVIRONMENTAL PRECAUTIONS: P273: Avoid release to the environment. Do not dispose into drains/surface water/groundwater. Dispose of unused material in accordance with local, state and federal regulations.

Methods for Cleaning up: Contain and collect as you would do for any typical household waste

**VII. Handling and Storage**

HANDLING: P262: Do not get into eyes, on skin or on clothing.  
 P264: Wash thoroughly after handling.

STORAGE: P402 + P404: Store in a dry place. Store in a closed container.

INCOMPATIBLE MATERIALS: Incompatible with strong oxidizing agents, strong bases, strong acids and heavy metals.

Store containers between 50° F and 100° F and away from strong oxidizing agents.

SHELF LIFE: 3 years

**VIII. Exposure Control / Personal Protection**

For Occupational / Workplace Settings:

**PERSONAL PROTECTIVE EQUIPMENT (PPE):**

Hand Protection:	Chemical Resistant Gloves
Eye Protection:	Chemical Goggles or Glasses with Side Shields
Skin Protection:	Protective Clothing
Respiratory Protection:	The use of a NIOSH approved respirator protection may be needed if working in a poor ventilated area.

**Engineering Measures/Controls:**

Ventilation:	Handle in adequate ventilation, avoid using in confined area.
--------------	---

Other Measures:	Have eye wash and safety shower in work area. Employees should wash their hands after handling product before eating or drinking.
-----------------	---

---

**IX. Physical and Chemical Properties**

<b>Form and Appearance @ 25°C</b>	Opaque Blue Fabric	<b>Odor</b>	Downy
<b>pH, 1% in water</b>	8.5-10.5	<b>Odor Threshold</b>	ND
<b>Boiling Point</b>	NA	<b>Melting Point/Freezing Point</b>	> 250F
<b>Vapor Pressure</b>	ND	<b>Vapor Density (Air=1)</b>	ND
<b>Flash Point</b>	Non Flammable	<b>Evaporation Rate (H2O=1)</b>	NA
<b>UEL</b>	NA	<b>LEL</b>	NA
<b>Viscosity #5 @ 25° C</b>	Solid Nonwoven	<b>Solubility in Water</b>	Soluble
<b>Octanol/Water Partition Coefficient</b>	NA	<b>Specific Gravity/ Bulk Density</b>	NA
<b>Auto Ignition Temperature</b>	NA	<b>Decomposition Temperature</b>	ND
<b>% VOC</b>	none		
<b>% Solids @ 105° C (IR)</b>	97-98%		

---

**X. Stability and Reactivity**

<b>STABILITY:</b>	Stable
<b>HAZARDOUS POLYMERIZATION:</b>	Will not occur
<b>INCOMPATIBILITIES:</b>	Incompatible with strong cationics, strong bases
<b>DECOMPOSITION PRODUCTS:</b>	CO, CO2, sulfur oxides, metal oxides
<b>CONDITIONS TO AVOID:</b>	Stable at normal temperature and storage conditions. Keep away from moisture, water, ignition sources, direct sunlight, extremely high or low temperatures and incompatible materials.

---

**XI. Toxicological Information**
**Acute Data;**

<b>Routes of Exposure:</b>	Eye contact, skin contact, ingestion, inhalation (dust).
<b>Eye Contact:</b>	Causes serious eye irritation
<b>Skin Contact:</b>	May cause skin irritation
<b>Ingestion:</b>	Harmful if swallowed
<b>Inhalation:</b>	Not typical route of exposure given nature of product.
<b>Skin Sensitization:</b>	ND

**Acute Toxicity/Effects:** Not Classified

**Chronic Data:**

<b>Carcinogenicity</b>	Not Classified
<b>Mutagenicity</b>	Not Classified
<b>Reproductive Effects</b>	Not Classified
<b>Target Organ Effects</b>	Not Classified



---

**XII. Ecological Information**

## Toxicity

Ecology – General: Toxic to aquatic life if subjected to direct contact to the nonwoven sheet.

## Ecotoxicity Effects:

Sodium Dodecylbenzene Sulfonate CAS # 25155-30-3

Test	Test Type	Species	Results	Comments
Acute Toxicity to Fish	LC50	Fathead minnow	29 mg/l, 96 hrs	
Acute Toxicity to Aquatic Invertebrates	EC50	Daphnia 1	3.43 g/l	48 hours
Acute Toxicity to Aquatic Plants			ND	
Chronic toxicity to Fish	EC50	CerioDaphnia dubia (water flea)	3.12 mg/l	48 hours

Sodium Silicate CAS # 1344-09-8

Test	Test Type	Species	Results	Comments
Acute Toxicity to Fish	LC50	Fathead minnow	1108 mg/l	96 hours
Acute Toxicity to Aquatic Invertebrates	EC50	Daphnia/Magna	1700 mg/l	48 hours
Acute Toxicity to Aquatic Plants			ND	
Chronic toxicity to Fish	EC50		ND	

## Environmental Fate:

Persistence/Degradability: Not Established  
 COD/BOD5: ND  
 Bioaccumulation Potential: Not expected to bio-accumulate in environment  
 Mobility in Soil: Not Applicable  
 Other Adverse Effects: Avoid release into the environment.

---

**XIII. Disposal Considerations**

Dispose of residual nonwoven sheet properly.

---

**XIV. Transport Information**

## US DOT Regulations (Land Transport)

Proper Shipping Name: Not regulated

## IATA/ICAO Regulations (Air Transport)

Proper Shipping Name: Not regulated

## IMDG/IMO Regulations (Maritime Transport)

Proper Shipping Name: Not regulated

**XV. Regulatory Information**

EPA/TCSA Compliance status: All Components Listed

**INTERNATIONAL INVENTORIES**

	<i>Yes</i>	<i>No</i>	<i>Unknown</i>
U.S. (TSCA)	X		
Canadian (DSL)	X		
Australian (AICS)	X		
European (EINECS)	X		
Japanese (MITI)	X		
Korean (ECL)	X		
Philippines (PICCS)	X		
China	X		

Contents of this SDS comply with the OSHA standard 29 CFR 1910.1200/Hazcom 2012.

**Domestic Regulations:**

TSCA Status: All the components in this material are listed on or exempt from the TSCA inventory.

SARA Title 302 (Extremely Hazardous Substances) TPQ – None

SARA Title 304 (Extremely Hazardous Substances) RQ – None

CERCLA Hazardous Substances (RQ) None

SARA 311/312 Hazard Acute  Chronic  Fire  Pressure  Reactive

SARA 313 This product does not contain any chemicals, which are subject to Section 313 of Title III, Part 372

Clean Air Act Section 112 (TQ): TQ – Not listed.

**State Information:**

California Proposition 65: None of the composition are listed on the California Proposition 65 list.

State Right to Know/  
Hazardous Substance List  
Information:

None of the raw material in this product are known to be on any state right to know list.

**XVI Additional Information****Key to Abbreviations:**

**NDA- No data available ND- Not Determined NA-Not Applicable NE- Not Established**

### **Disclaimer**

**This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.**

# Safety Data Sheet

## 91164 Invisible Glass®

# Stoner

Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

### 1. IDENTIFICATION

Stoner Incorporated  
1070 Robert Fulton Hwy.  
Quarryville, PA 17566  
1-800-227-5538

Product Name: Invisible Glass®  
Product Code: 91164  
Product Use: Glass Cleaner  
24-hour emergency phone: 1-800-424-9300 [CHEMTREC]

### 2. HAZARD IDENTIFICATION

#### POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols



#### GHS Classification

Gases under pressure - Liquified Gas  
Serious Eye Damage/Eye Irritation Category 2A

#### Signal Word

Warning

#### Hazard Statements

Contains gas under pressure; may explode if heated.  
Causes serious eye irritation.

#### Precautionary Statements

##### Prevention

P264 - Wash thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.

##### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

##### Storage

Protect from sunlight. Store in a well-ventilated place.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>COMPONENT</u>	<u>CAS #</u>	<u>Percent</u>
Water	7732-18-5	80 - 100
Hydrocarbon propellant	68476-86-8	1-20
Proprietary hydrocarbon blend	Trade Secret	1-15

#### HMIS® III\* HAZARDOUS WARNINGS:

Health: 2	Flammability: 2	Physical: 0	Personal Protective Equipment: See Section 8
-----------	-----------------	-------------	--

\* See [www.paint.org/hmis](http://www.paint.org/hmis) or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

### 4. FIRST AID MEASURES

**Eyes:** Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.

**Skin Contact:** In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse. For liquid contact, treat for frostbite if necessary.

**Ingestion:** Contact a physician, medical facility, or poison control center immediately.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Continue your efforts until help arrives or the victim starts to breathe on his own. Do not leave victim alone. Seek immediate medical attention. Keep the victim warm and quiet.

**NOTES TO PHYSICIAN:**

Simple asphyxiant/Frost bite. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions); liver; kidney; blood forming system;

**5. FIRE FIGHTING MEASURES**

**Fire and/or Explosion Hazards:** Product is water based material, containing minor amounts of flammable ingredients. This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point. This product contains a component(s) that is considered an extremely flammable gas(es), which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point.

**Fire Fighting Instructions:** Use alcohol foam, water fog, dry chemical, or CO<sub>2</sub>. Water is generally not effective and may spread fire; however, water spray may be used from a safe distance to cool closed containers and protect surrounding area.

**6. ACCIDENTAL RELEASE MEASURES****STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:**

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

**7. HANDLING AND STORAGE**

**Handling:** Do not use near ignition sources. If ventilation is not sufficient, wear proper respiratory equipment. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Do not store containers in excessive heat or direct sunlight. Protect container against physical damage. Use with adequate ventilation. This material can be harmful or irritating. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Do not use near ignition sources. Protect container against physical damage.

**Storage:** Store in a cool, dry, well ventilated area away from all sources of ignition. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Do not store at temperatures above 122 degrees F. Store away from incompatible materials such as materials that support combustion (oxidizing materials) and corrosive materials (strong acids or bases). Empty container may contain residues which are hazardous.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering Controls:** Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or apparent adverse effects). Local exhaust should be used in areas where exposure limits may be exceeded. Ventilation is required to maintain operator exposure below published exposure limits.

**Eye Protection:** Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eye wash station available.

**Skin Protection:** The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.

**Respiratory Protection:** A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol.

<u>COMPONENT</u>	<u>CAS #</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Water	7732-18-5	Not established	Not established	Not established
Hydrocarbon propellant	68476-86-8	1000ppm	Not established	Not established
Proprietary hydrocarbon blend	Trade Secret	20 ppm	50ppm	Not established

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:	Aerosol can	Lower Flammability Limit (%):	Not applicable
Appearance:	Clear Colorless	Upper Flammability Limit (%):	Not applicable
Odor:	Alcohol	Vapor Pressure (PSIG @ 70°F):	53.00
Odor Threshold:	Mild	Vapor Density [air = 1]:	>1
pH:	Not applicable	Relative Density (H <sub>2</sub> O=1):	0.96
Melting/Freezing Point (°F):	No data available	Solubility in Water:	Not determined
Boiling Point (°F):	No data available	Partial Coefficient: n-octanol/water:	No data available
Flash Point (°F PMCC):	Not applicable	Autoignition Temperature (°F):	869
Evaporation Rate:	Not determined	Decomposition Temperature (°F):	No data available
Flammability (solid, gas):	No data available	Viscosity, dynamic (cSt):	No data available
Percent VOCs (%):	1-20		

**10. STABILITY AND REACTION**

**Chemical Stability:** Stable.

**Conditions to Avoid:** Avoid contact with: Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Acids. Strong oxidizing agents. Acetaldehyde. Chlorine. Ethylene oxide. Isocyanates. Strong alkalis.

**Decomposition Products:** Burning can produce the following combustion products: Carbon dioxide and carbon monoxide.

