

# Safety Data Sheet

## 99055 Exterior Detailing Kit

# Stoner

Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

### 1. IDENTIFICATION

Stoner Incorporated  
1070 Robert Fulton Hwy.  
Quarryville, PA 17566  
1-800-227-5538

Product Name:	Exterior Detailing Kit
Product Code:	99055
Product Use:	Car Detailing
24-hour emergency phone:	1-800-424-9300 [CHEMTREC]

This product kit contains the following Stoner products:

- 95410- Visible Shine Polymer Sealant
- 92354 Speed Bead Quick Detailer
- 91215- Visible Shine™ Coating Wash
- 92207- Wheel Cleaner
- 95420- Brake Dust Eraser (SDS not applicable)
- 95401- Bug Eraser®
- 92046- More Shine™

### Safety Data Sheet

Revision Date: 6/14/2021

Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

#### Section 1. Product and Company Identification

**Product Identifier** 95410 - Visible Shine Polymer Sealant

**Product Use Description:** Viscous white opaque liquid with light solvent odor

##### Manufacturer or suppliers' details

Stoner Incorporated  
1070 Robert Fulton Hwy.  
Quarryville PA 17566  
800-227-5538

Emergency Number (CHEMTREC): 800-424-9300

#### Section 2. Hazards Identification

##### GHS Classification

**Flammable Liquids** : Category 4

**Skin Irritation** : Category 2

**Specific target organ toxicity - single exposure** : Category 3 (Central nervous system)

**Aspiration Hazard** : Category 1

#### GHS Label Elements

##### Hazard pictograms



##### Hazard Word

**Danger**

##### Hazard Statements

**Combustible liquid**  
**May be fatal if swallowed and enters airways**  
**Causes skin irritation**  
**May cause drowsiness or dizziness**

##### Precautionary Statements

---

**Keep away from heat/sparks/open flames/hot surfaces – No smoking**  
**Keep container tightly closed**  
**Avoid breathing dust/fume/gas/mist/vapours/spray**  
**Wash skin thoroughly after handling**  
**Use only outdoors or in a well-ventilated area**  
**Wear protective gloves/protective clothing/eye protection/face protection**

### 3. Composition Information on Ingredients

CAS Number	Wt %	Component Name
68551-19-9	5-15%	Aliphatic Hydrocarbon, Mixture
64741-65-7	5-15%	Odorless Mineral Spirits

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

### 4. First Aid Measures

#### EYE CONTACT

If splashed into the eyes, flush with clear water for 15 minutes or until irritation subsides. If irritation persists, call a physician.

#### SKIN

In case of skin contact, remove any contaminated clothing and wash skin with soap and water. Launder or dry-clean clothing before reuse. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated immediately by a physician as a surgical emergency. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury.

#### INHALATION

If overcome by vapor, remove from exposure and call a physician immediately. If breathing is irregular or has stopped, start resuscitation, administer oxygen, if available.

#### INGESTION

If ingested, DO NOT induce vomiting; call a physician immediately.

### 5. Fire Fighting Measures

#### EXTINGUISHING MEDIA AND FIRE FIGHTING PROCEDURES

Foam, water spray (fog), dry chemical, carbon dioxide and vaporizing liquid type extinguishing agents may all be suitable for extinguishing fires involving this type of product, depending on size or potential size of fire and circumstances related to the situation. Plan fire protection and response strategy through consultation with local fire protection authorities or appropriate specialists.

**95410 - Visible Shine Polymer Sealant**

Revision Date: 6/14/2021

Use dry chemical, foam or carbon dioxide to extinguish the fire. "Water may be ineffective", but water should be used to keep fire-exposed containers cool. If a leak or spill has ignited, use water spray to disperse the vapors and to protect persons attempting to stop a leak. Water spray may be used to flush spills away from exposures. Minimize breathing of gases, vapor, fumes or decomposition products. Use supplied-air breathing equipment for enclosed or confined spaces or as otherwise needed.

**DECOMPOSITION PRODUCTS UNDER FIRE CONDITIONS**

Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes and other decomposition products, in the case of incomplete combustion.

**6. Accidental Release Measures**

Precautions Required if Material is Released or Spilled:

Evacuate area of all unnecessary personnel. Wear protective equipment and/or garments described in Section C if exposure conditions warrant. Shut off source, if possible and contain spill. Protect from ignition. Keep out of water sources and sewers. Absorb in a dry, inert material (sand, clay, etc). Transfer to disposal drums using non-sparking equipment.

Waste Disposal (Insure Conformity with all Applicable Disposal Regulations):

Incinerate or place in permitted waste management facility.

**7. Handling and Storage**

Do not swallow, may be aspirated into lungs. Avoid contact with eyes, skin or clothing. Avoid breathing vapors, mist, fume or dust. Wear protective equipment and/or garments described in Section C if exposure conditions warrant. Wash thoroughly after handling. Launder contaminated clothing before reuse. Use with adequate ventilation. Keep away from heat, sparks and flame. Store in well-ventilated area. Store in tightly closed container. Bond and ground during transfer.

**8. Exposure Controls and Personal Protection**

68551-19-9	Aliphatic Hydrocarbon, Mixture	1200 mg/m <sup>3</sup> , TWA, Manufacturer
64741-65-7	Odorless Mineral Spirits	500 ppm, 2000 mg/m <sup>3</sup> TWA OSHA Z-1 400 ppm, 1600 mg/m <sup>3</sup> TWA OSHA PO

**VENTILATION**

Use only with ventilation sufficient to prevent exceeding recommended exposure limit or buildup of explosive concentrations of vapor in air. No smoking, or use of flame or other ignition sources.

**Safety Data Sheet****95410 - Visable Shine Polymer Sealant**

Revision Date: 6/14/2021

**RESPIRATORY PROTECTION**

Not generally required. Use supplied-air respiratory protection in confined or enclosed spaces, if needed.

**PROTECTIVE GLOVES**

Use chemical-resistant gloves, if needed, to avoid prolonged or repeated skin contact.

**EYE PROTECTION**

Use splash goggles or face shield when eye contact may occur.

**OTHER PROTECTIVE EQUIPMENT**

Use chemical-resistant apron or other impervious clothing, if needed, to avoid contaminating regular clothing, which could result in prolonged or repeated skin contact.

**WORK PRACTICES / ENGINEERING CONTROLS**

To prevent fire or explosion risk from static accumulation and discharge, effectively bond and/or ground product transfer system in accordance with (THE) National Fire Protection Association PUBLICATIONS.

**9. Physical and Chemical Properties**

<b>Flash Point</b>	>61°C (142°F) TCC	<b>Upper Flamability Limit</b>	not established
<b>Auto Ignition</b>	471°C (880°F)	<b>Lower Flamability Limit</b>	not established
<b>Physical State</b>	Liquid	<b>Color</b>	White
<b>pH</b>	7.2	<b>Vapor Press</b>	.12 mmHg
	<b>Specific Gravity</b> 1.10	<b>Viscosity</b>	1000 cst
<b>Vapor Density (Air=1)</b>	>3	<b>Melting Point °F</b>	32
		<b>Odor</b>	Aliphatic solvent
<b>Water Solubility</b>	partially dispersable	<b>VOC Content</b>	2.1 lb/Gal see Section 15 for Details

**10. Stability and Reactivity**

**Stability** Stable **Hazardous Polymerization** Not Expected to Occur

**Conditions to Avoid** Keep away from extreme heat, Strong Acids, Alkalies and Oxidizers such as Chlorine, other Halogens, Hydrogen Peroxide and Oxygen

**Hazardous Decomposition Products** No substances are readily identifiable from composition but no degradation data is available.

**11. Toxicological Information****NATURE OF HAZARD AND TOXICITY INFORMATION**

Prolonged or repeated skin contact with this product tends to remove skin oils, possibly leading to irritation and dermatitis; however, based on human experience and available toxicological data, this product is judged to be neither a "corrosive" nor an "irritant" by OSHA criteria.

**12. Ecological Information**

Do not discharge this product into public waters or waterways unless authorized by a National Pollution Discharge Elimination System (NPDES) permit issued by the Environmental Protection Agency (EPA).

**Safety Data Sheet****95410 - Visable Shine Polymer Sealant**

Revision Date: 6/14/2021

**13. Disposal Considerations**

Options for disposal of this product may depend on the conditions under which it was used. To determine the proper method of disposal, refer to RCRA (40 CFR 261), as well as federal EPA and state and local regulations.

Please refer to Sections 5, 6 and 15 for additional information.

**14. Transportation Information**

Non-bulk packagings (capacity less than or equal to 119 gallons)  
Not regulated

IATA: Not Regulated

Transported by marine vessel:

Bulk packages (capacity greater than 119 Gallons)

UN1993, Flammable Liquid, N.O.S. (Naphtha Solvent), 3, PG III, ERG #128

**15. Regulatory Information**

**OSHA Hazards** : Combustible Hazard, Moderate Skin Irritant

**EPCRA - Emergency Planning and Community Right-to-Know**

**CERCLA Reportable Quantity** - This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard, Fire Hazard, Chronic Health Hazard

**SARA 302:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313:** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop. 65** : This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

ARB VOC info: 14.9% VOC as regulated by CARB Consumer Products requirements, LVP-VOC exception

AQMD VOC Info: 2.1 lb/gal VOC; 250.4 g/L

**16. Other Information**

**Revision Date** 6/14/2018

**Safety Data Sheet****95410 - Visable Shine Polymer Sealant**

Revision Date: 6/14/2021

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH American Conference of Government Industrial Hygienists  
 LD50 Lethal Dose 50%  
 AICS Australia, Inventory of Chemical Substances  
 LOAEL Lowest Observed Adverse Effect Level  
 DSL Canada, Domestic Sub- stances List  
 NFPA National Fire Protection Agency  
 NDSL Canada, Non-Domestic Sub- stances List  
 NIOSH National Institute for Occupational Safety & Health  
 CNS Central Nervous System  
 NTP National Toxicology Program  
 CAS Chemical Abstract Service  
 NZIoC New Zealand Inventory of Chemicals  
 EC50 Effective Concentration  
 NOAEL No Observable Adverse Effect Level  
 EC50 Effective Concentration 50%  
 NOEC No Observed Effect Concentration  
 EGEST EOSCA Generic Exposure Scenario Tool  
 OSHA Occupational Safety & Health Administration  
 EOSCA European Oilfield Specialty Chemicals Association  
 PEL Permissible Exposure Limit  
 EINECS European Inventory of Exist- ing Chemical Substances  
 PICCS Philipines Inventory of Commercial Chemical Substances  
 MAK Germany Maximum Concentration Values  
 PRNT Presumed Not Toxic  
 GHS Globally Harmonized System  
 RCRA Resource Conservation Recovery Act  
 >= Greater Than or Equal To  
 STEL Short-term Exposure Limit  
 IC50 Inhibition Concentration 50%  
 SARA Superfund Amendments and Reauthorization Act.  
 IARC International Agency for Re- search on Cancer  
 TLV Threshold Limit Value  
 IECSC Inventory of Existing Chemical Substances in China  
 TWA Time Weighted Average  
 ENCS Japan, Inventory of Existing and New Chemical Sub- stances  
 TSCA Toxic Substance Control Act  
 KECI Korea, Existing Chemical Inventory  
 UVCB Unknown or Variable Composition, Complex Reaction Products, and Biological Materials  
 <= Less Than or Equal To  
 WHMIS Workplace Hazardous Materials In- formation System  
 LC50 Lethal Concentration 50%

# Safety Data Sheet

**95410 -Visable Shine Polymer Sealant**

Revision Date: 6/14/2021

---

Other Information : SDS Prepared by L. Dean Swartz, SDS  
Coordinator

# Safety Data Sheet

## 92354 Speed Bead Quick Detailer



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

### 1. IDENTIFICATION

Stoner Incorporated  
1070 Robert Fulton Hwy.  
Quarryville, PA 17566  
1-800-227-5538

Product Name: Speed Bead Quick Detailer  
Product Code: 92354  
Product Use: Automotive Appearance  
24-hour emergency phone: 1-800-424-9300 [CHEMTREC]

### 2. HAZARD IDENTIFICATION

#### POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification Not classified as hazardous.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS #	Percent
Water	7732-18-5	80 - 100
Wax emulsion	Mixture	0.1- 0.99

#### HMIS® III\* HAZARDOUS WARNINGS:

Health: 1      Flammability: 0      Physical: 0      Personal Protective Equipment: See Section 8

\* See [www.paint.org/hmis](http://www.paint.org/hmis) or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

### 4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.  
Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse.  
Ingestion: No harmful effects expected.  
Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

#### NOTES TO PHYSICIAN:

No additional first aid information available.

### 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: Product is a water base material and is not ignitable.  
Fire Fighting Instructions: Use CO2, foam or dry chemical. Fire fighters should wear normal protective equipment and positive-pressure self-contained breathing apparatus. Do not direct a solid stream of water or foam into hot burning pools, this may cause frothing and increase fire intensity.

### 6. ACCIDENTAL RELEASE MEASURES

#### STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Avoid run-off into storm sewers and ditches which may lead to natural waterways. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

### 7. HANDLING AND STORAGE

Handling: Avoid prolonged or repeated contact with skin.  
Storage: Keep container tightly closed when not in use. Store at temperatures between 50° and 86° F. Store in a cool dry place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation is not required for this product.  
Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eye wash station available.  
Skin Protection: None generally required. The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.  
Respiratory Protection: No respiratory protection required under normal conditions of use.

<u>COMPONENT</u>	<u>CAS #</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Water	7732-18-5	Not established	Not established	Not established
Wax emulsion	Mixture	Not established	Not established	Not established

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Bulk liquid	Lower Flammability Limit (%):	Not applicable
Appearance:	Milky White	Upper Flammability Limit (%):	Not applicable
Odor:	Pina colada	Vapor Pressure (PSIG @ 70°F):	No data available
Odor Threshold:	Moderate	Vapor Density [air = 1]:	1
pH:	6-8	Relative Density (H2O=1):	1
Melting/Freezing Point (°F):	32.0	Solubility in Water:	Dispersible in water.
Boiling Point (°F):	212.0	Partial Coefficient: n-octanol/water:	No data available
Flash Point (°F PMCC):	None	Autoignition Temperature (°F):	Not applicable
Evaporation Rate:	Not determined	Decomposition Temperature (°F):	No data available
Flammability (solid, gas):	No data available	Viscosity, dynamic (cSt):	No data available
Percent VOCs (%):	0.01 - 0.1		

## 10. STABILITY AND REACTION

Chemical Stability: Stable.  
Conditions to Avoid: Do not freeze. Avoid contact with: Strong oxidizing agents.  
Decomposition Products: Burning can produce the following combustion products: Carbon dioxide and carbon monoxide.

## 11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental Toxicity: No data available.  
IARC Carcinogen Designation: No data available

<u>Ingredient</u>	<u>CAS #</u>	<u>Toxicological Data</u>
No data available		

## 12. ECOLOGICAL INFORMATION

Ecological Toxicity: No data available  
Mobility: No data available

<u>Ingredient</u>	<u>CAS #</u>	<u>Toxicological Data</u>
No data available		

## 13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations.

## 14. TRANSPORTATION INFORMATION

<u>Agency</u>	<u>UN Number</u>	<u>Proper Shipping name</u>	<u>Hazard Class</u>	<u>Packing Group</u>
DOT		Not regulated by agency		
IATA		Not regulated by agency		
IMDG		Not regulated by agency		

## 15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

<u>COMPONENT</u>	<u>CAS #</u>	<u>% BY WEIGHT</u>	<u>Regulatory Body</u>
No components listed in this section.			SARA Section 313

**Toxic Substances Control Act**  
All components of this product are listed on the TSCA inventory.

**California Prop 65**  
This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

## 16. OTHER INFORMATION

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 01/03/2021

**This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.**

# Safety Data Sheet

## 91215 Visible Shine™ Coating Wash

# Stoner

Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

### 1. IDENTIFICATION

Stoner Incorporated  
1070 Robert Fulton Hwy.  
Quarryville, PA 17566  
1-800-227-5538

Product Name: Visible Shine™ Coating Wash  
Product Code: 91215  
Product Use: Automotive Appearance  
24-hour emergency phone: 1-800-424-9300 [CHEMTREC]

### 2. HAZARD IDENTIFICATION

#### POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols



#### GHS Classification

Serious Eye Damage/Eye Irritation Category 1  
Skin Corrosion/Irritation Category 2  
Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3  
Acute Toxicity - Inhalation Vapour Category 4  
Acute Toxicity - Oral Category 4

#### Signal Word

Danger

#### Hazard Statements

Harmful if swallowed or if inhaled.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
Causes serious eye damage.

#### Precautionary Statements

##### Prevention

static discharge.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.

##### Response

P301+P312 - If swallowed: Call a poison center, doctor or medical center if you feel unwell.  
P302+P352 - If on skin: Wash with plenty of soap and water.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 - Call a poison center, doctor or medical center if you feel unwell.  
P321 - Specific treatment (see on this SDS).

If skin irritation occurs: Get medical advice/attention.

##### Storage

Store in a well-ventilated place. Keep container tightly closed.

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>COMPONENT</u>	<u>CAS #</u>	<u>Percent</u>
Surfactant	1643-20-5	1-20
Quaternary ammonium compounds	Mixture	1-20
Glycol ether	111-76-2	1-20
Fatty alkyl amines	68155-39-5	1-20

**HMSI® III\* HAZARDOUS WARNINGS:**

Health: 3	Flammability: 1	Physical: 0	Personal Protective Equipment:	See Section 8
-----------	-----------------	-------------	--------------------------------	---------------

\* See [www.paint.org/hmis](http://www.paint.org/hmis) or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

### 4. FIRST AID MEASURES

**Eyes:** Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.

**Skin Contact:** In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse.

**Ingestion:** If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs. Do not induce vomiting. Have victim drink 8 to 10 ounces of water to dilute the material in the stomach. Contact a physician, medical facility, or poison control center immediately. Aspiration into the lungs can cause serious damage.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep the victim warm and quiet. Seek immediate medical attention.

**NOTES TO PHYSICIAN:**

This material is an aspiration hazard. This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity when deciding whether to induce vomiting. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions); kidney; auditory system; arrhythmias (irregular heartbeats); liver; blood forming system;

### 5. FIRE FIGHTING MEASURES

**Fire and/or Explosion Hazards:** This product contains a component(s) that is considered a combustible liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point.

**Fire Fighting Instructions:** Use alcohol foam, water fog, dry chemical, or CO2. Do not direct a solid stream of water or foam into hot burning pools, this may cause frothing and increase fire intensity.

### 6. ACCIDENTAL RELEASE MEASURES

**STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:**

Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Avoid run-off into storm sewers and ditches which may lead to natural waterways. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly. Ventilate contaminated area. If runoff occurs, notify authorities as required.

### 7. HANDLING AND STORAGE

**Handling:** Avoid prolonged or repeated breathing of vapor. Avoid prolonged or repeated contact with skin. If ventilation is not sufficient, wear proper respiratory equipment. Do not use near ignition sources. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Avoid contact with eyes.

**Storage:** Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Empty container may contain residues which are hazardous. Normal precautions common to safe manufacturing practice should be followed in handling and storage.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or apparent adverse effects). Local exhaust should be used in areas where exposure limits may be exceeded.
Eye Protection:	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eye wash station available.
Skin Protection:	The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.
Respiratory Protection:	If respiratory irritation develops below the recommended exposure limits, use an NIOSH approved nuisance dust/mist/organic vapor respirator. Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol.

<u>COMPONENT</u>	<u>CAS #</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Surfactant	1643-20-5	Not established	Not established	Not established
Quaternary ammonium compounds	Mixture	50 ppm	100 ppm	Not established
Glycol ether	111-76-2	20 ppm [skin]	Not established	Not established
Fatty alkyl amines	68155-39-5	Not established	Not established	Not established

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Bulk liquid	Lower Flammability Limit (%):	Not applicable
Appearance:	Dark amber to gold	Upper Flammability Limit (%):	Not applicable
Odor:	Pina Colada	Vapor Pressure (PSIG @ 70°F):	No data available
Odor Threshold:	Mild	Vapor Density [air = 1]:	> 1
pH:	Not determined	Relative Density (H <sub>2</sub> O=1):	0.98
Melting/Freezing Point (°F):	No data available	Solubility in Water:	Complete; 100%
Boiling Point (°F):	No data available	Partial Coefficient: n-octanol/water:	No data available
Flash Point (°F PMCC):	Not applicable	Autoignition Temperature (°F):	Not applicable
Evaporation Rate:	Not determined	Decomposition Temperature (°F):	No data available
Flammability (solid, gas):	No data available	Viscosity, dynamic (cSt):	No data available
Percent VOCs (%):	Not determined		

## 10. STABILITY AND REACTION

Chemical Stability:	Stable.
Conditions to Avoid:	Avoid contact with: Strong oxidizing agents. Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Strong alkalis. Hydroxides. Nitric Acid.
Decomposition Products:	Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Various hydrocarbons.

## 11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental Toxicity: No data available.

IARC Carcinogen Designation: No data available

<u>Ingredient</u>	<u>CAS #</u>	<u>Toxicological Data</u>
Surfactant	1643-20-5	ORAL LD50 Rat 1064 mg/kg
Glycol ether	111-76-2	DERMAL LD50 Rabbit 220 mg/kg ORAL LD50 GUINEA PIG 1200 mg/kg ORAL LD50 Rat 250 mg/kg

## 12. ECOLOGICAL INFORMATION

Ecological Toxicity: Product may be toxic to aquatic organisms.

Mobility: No data available

<u>Ingredient</u>	<u>CAS #</u>	<u>Toxicological Data</u>
Glycol ether	111-76-2	Aquatic LC50 (96h) MINNOW = 72860 mg/L Aquatic LC50 (48h) Daphnia > 100 mg/L Aquatic LC50 (96h) Algae 6500 - 13000 mg/L

### 13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations.

### 14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT		Not regulated by agency		
IATA		Not regulated by agency		
IMDG		Not regulated by agency		

### 15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT	CAS #	% BY WEIGHT	Regulatory Body
No components listed in this section.			SARA Section 313

#### Toxic Substances Control Act

All components of this product are listed on the TSCA inventory.

#### California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

### 16. OTHER INFORMATION

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 09/24/2021

**This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.**

# SAFETY DATA SHEET

# Stoner

Issuing Date No data available

Revision Date 12-Feb-2021

Revision Number 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name Wheel Cleaner

### Other means of identification

Product Code 92207

### Recommended use of the chemical and restrictions on use

Recommended Use Automotive Appearance

Uses advised against No information available

### Details of the supplier of the safety data sheet

Supplier Name Stoner Incorporated

Supplier Address 1070 Robert Fulton Hwy  
Quarryville PA 17566  
USA

Supplier Phone Number Phone: 1-800-227-5538

### Emergency telephone number

Company Emergency Phone Number Chemtrec: (800) 424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation

Category 2

### GHS Label elements, including precautionary statements

**Emergency Overview**

<b>Signal word</b>	<b>Warning</b>	
<b>Hazard Statements</b> Causes serious eye irritation		
		
<b>Appearance</b> Slightly hazy	<b>Physical state</b> Gel Liquid	<b>Odor</b> Slight surfactant

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection  
Wear eye/face protection

**Precautionary Statements - Response****Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention

**Precautionary Statements - Storage**

None

**Precautionary Statements - Disposal**

None

**Hazards not otherwise classified (HNOC)**

Not applicable

**Unknown Toxicity**

7.8 % of the mixture consists of ingredient(s) of unknown toxicity

**Other information**

Harmful to aquatic life with long lasting effects

**Interactions with Other Chemicals**

No information available.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Triethanolamine	102-71-6	1 - 5	*
Diethylene glycol monobutyl ether	112-34-5	1 - 5	*
Tetrasodium EDTA	64-02-8	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

#### First aid measures

<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash with soap and water.
<b>Inhalation</b>	Remove to fresh air.
<b>Ingestion</b>	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

#### Most important symptoms and effects, both acute and delayed

<b>Most Important Symptoms and Effects</b>	Burning sensation.
--	--------------------

#### Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

No information available.

**Uniform Fire Code**

Irritant: Liquid

### Hazardous Combustion Products

Carbon oxides.

### Explosion Data

**Sensitivity to Mechanical Impact** No.

**Sensitivity to Static Discharge** No.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

**Other Information**

Refer to protective measures listed in Sections 7 and 8.

### Environmental precautions

**Environmental precautions**

Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

**Methods for containment**

Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**

Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Products** None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethanolamine 102-71-6	TWA: 5 mg/m <sup>3</sup>	-	
Diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

### Appropriate engineering controls

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/face protection** If splashes are likely to occur: Wear safety glasses with side shields (or goggles). None required for consumer use.

**Skin and body protection** Wear protective gloves and protective clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

**Physical state** Gel, Liquid

<b>Appearance</b>	Slightly hazy	<b>Odor</b>	Slight surfactant
<b>Color</b>	No information available	<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	8.7	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	1.032	None known	
Water Solubility	Soluble in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		

**Other Information**

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	

## 10. STABILITY AND REACTIVITY

**Reactivity**

No data available.

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization**

Hazardous polymerization does not occur.

**Conditions to avoid**

None known based on information supplied.

**Incompatible materials**

None known based on information supplied.

**Hazardous Decomposition Products**

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

**Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Triethanolamine 102-71-6	= 4190 mg/kg ( Rat )	> 20 mL/kg ( Rabbit ) > 16 mL/kg ( Rat )	-
Diethylene glycol monobutyl ether 112-34-5	= 5660 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-
Tetrasodium EDTA 64-02-8	= 1658 mg/kg ( Rat ) = 10 g/kg ( Rat )	-	-

**Information on toxicological effects**

**Symptoms** May cause redness and tearing of the eyes.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.

**Mutagenic Effects** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Triethanolamine 102-71-6		Group 3		

*IARC (International Agency for Research on Cancer)*

*Group 3 - Not Classifiable as to Carcinogenicity in Humans*

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Chronic Toxicity** No known effect based on information supplied. Carcinogenic potential is unknown.

**Target Organ Effects** Eyes.

**Aspiration Hazard** No information available.

**Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**

30,953.00 mg/kg

**ATEmix (inhalation-dust/mist)**

125.00 mg/l

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Triethanolamine 102-71-6	96h EC50: = 169 mg/L (Desmodesmus subspicatus) 72h EC50: = 216 mg/L (Desmodesmus subspicatus)	96h LC50: 10600 - 13000 mg/L (Pimephales promelas) 96h LC50: > 1000 mg/L (Pimephales promelas) 96h LC50: 450 - 1000 mg/L (Lepomis macrochirus)		24h EC50: = 1386 mg/L
Diethylene glycol monobutyl ether 112-34-5	96h EC50: > 100 mg/L (Desmodesmus subspicatus)	96h LC50: = 1300 mg/L (Lepomis macrochirus)		24h EC50: = 2850 mg/L 48h EC50: > 100 mg/L
Tetrasodium EDTA 64-02-8	72h EC50: = 1.01 mg/L (Desmodesmus subspicatus)	96h LC50: = 41 mg/L (Lepomis macrochirus) 96h LC50: = 59.8 mg/L (Pimephales promelas)		24h EC50: = 610 mg/L

**Persistence and Degradability**

No information available.

**Bioaccumulation**

Chemical name	Log Pow
Triethanolamine 102-71-6	-2.53

**Other adverse effects**

No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods****Disposal methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging**

Dispose of contents/containers in accordance with local regulations.

## 14. TRANSPORT INFORMATION

<b>DOT</b>	NOT REGULATED
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
<b>TDG</b>	Not regulated
<b>MEX</b>	Not regulated
<b>ICAO</b>	Not regulated
<b>IATA</b>	Not regulated
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
<b>IMDG/IMO</b>	Not regulated
Hazard Class	N/A
<b>RID</b>	Not regulated
<b>ADR</b>	Not regulated
<b>ADN</b>	Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Diethylene glycol monobutyl ether - 112-34-5	112-34-5	1 - 5	1.0

#### **SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations****California Proposition 65**

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Triethanolamine 102-71-6	X	X	X		
Diethylene glycol monobutyl ether 112-34-5			X	X	X

**International Regulations****Canada****WHMIS Hazard Class**

Not determined

<b>16. OTHER INFORMATION</b>
------------------------------

<b>NFPA</b>	<b>Health Hazards</b> 2	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Physical and Chemical Hazards</b> -
<b>HMIS</b>	<b>Health Hazards</b> 2	<b>Flammability</b> 0	<b>Physical Hazard</b> 0	<b>Personal Protection</b> X

**Prepared By** L. Dean Swartz  
SDS Corrdinator

**Revision Date** 12-Feb-2021  
**Revision Note** No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**

Safety Data Sheet  
95401 Bug Eraser®



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

**SAFETY DATA SHEET**

Global Harmonized System of Classification and Labeling of Chemicals Format

**I. CHEMICAL PRODUCT & COMPANY IDENTIFICATION**

PRODUCT NAME: Bug Eraser®  
PRODUCT CODE: 95401  
PRODUCT TYPE: Automotive appearance

**Manufacturer / Supplier Information**

SDS Prepared by: Stoner, Inc.  
1070 Robert Fulton Hwy.  
Quarryville, PA 17566  
(717) 786-7355

Emergency Phone Number (24 hours/day)  
Chemtrec 800-424-9300

*Prepared:* 09/08/2021  
*SDS Updated:* New

**II. HAZARD IDENTIFICATION**

**Occupational Health & Safety Components**

Hazardous Ingredients	CAS#	Percentage	LD <sub>50</sub> (Mg/kg)	LC <sub>50</sub> (ppm/hr)	SARA Title III
Sodium Dodecylbenzene Sulfonate	25155-30-3	23	See Section XI	See Section XI	-

GHS Classification: Skin Corrosion/Irritation, Category 2    Acute Aquatic, Category 2  
Eye Irritation, Category 2A    Chronic Aquatic, Category 3

HMIS:      **Health -1**                      **Fire-0**                      **Reactivity-0**                      **PPE- B**

Signal Word: **Warning**

Health Hazards:

H315: Causes Skin Irritation  
H319: Causes Serious Eye Irritation

Precautionary Statements:

P264: Wash...Thoroughly after handling.  
P280: Wear protective clothing/eye protection



Irritant

- P302 + P352: IF ON SKIN: Wash with plenty of soap and water.  
 P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes.  
 Remove contact lenses, if present and easy to do. Continue rinsing.  
 P332 + P313: IF SKIN IRRITATION OCCURS: Get medical attention/attention.  
 P314: Get medical advice/attention if you feel unwell.

Other Hazards: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. May cause an allergic reaction in sensitive individuals.

---

### III. COMPOSITION/ INFORMATION ON INGREDIENTS

The components of the detergent applied on this nonwoven sheet pose no immediate danger to human health if used in the recommended application which it is manufactured for.

Sodium Silicate            1344-09-8

---

### IV. First Aid Measures

- General: Never give anything by mouth to an unconscious person. IF you feel unwell, seek medical advice.
- Eye Contact: Do not rub. Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, contact physician.
- Skin Contact: Rinse skin with plenty of water. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse.
- Inhalation: Inhalation is not a typical route of exposure given nature of product. Product does not create any particulate under normal use.
- Ingestion: Rinse mouth immediately. Do NOT induce vomiting. Seek medical attention if material is introduced to the mouth. Call a POISON CENTER or doctor/physician.

#### Most important symptoms and effects both Acute and Delayed

- General: Causes skin irritation. Causes serious eye irritation.
- Skin Contact: May cause skin irritation. Symptoms may include: Redness, pain, swelling, itching, Burning, dryness, and dermatitis.
- Eye Contact: Causes serious eye irritation. Symptoms may include: Redness, pain, swelling, itching, burning, tearing, and blurred vision.
- Ingestion: Ingestion is not likely to be harmful or have any adverse effects.
- Chronic Symptoms: None expected under normal conditions of use.

---

### V. Fire Fighting Measures

- |                                     |  |
|-------------------------------------|--|
| FLASH POINT:                        | Non flammable  |
| FIRE AND EXPLOSION HAZARDS:         | No fire or explosive hazards.                                      |
| EXTINGUISHING MEDIA:                | Water, CO <sub>2</sub> , Dry Chemical or Foam                      |
| SPECIAL FIRE FIGHTING INSTRUCTIONS: | None   |
| Hazardous Combustion Products:      | Carbon oxides (CO, CO <sub>2</sub> ), Sulfur oxides, Sodium oxides |
-

**VI. Accidental Release Measures**

PERSONAL PRECAUTIONS: P262: Do not get in eyes, on skin, or on clothing.  
 P264: Wash thoroughly after handling.

ENVIRONMENTAL PRECAUTIONS: P273: Avoid release to the environment. Do not dispose into drains/surface water/groundwater. Dispose of unused material in accordance with local, state and federal regulations.

Methods for Cleaning up: Contain and collect as you would do for any typical household waste

**VII. Handling and Storage**

HANDLING: P262: Do not get into eyes, on skin or on clothing.  
 P264: Wash thoroughly after handling.

STORAGE: P402 + P404: Store in a dry place. Store in a closed container.

INCOMPATIBLE MATERIALS: Incompatible with strong oxidizing agents, strong bases, strong acids and heavy metals.

Store containers between 50° F and 100° F and away from strong oxidizing agents.

SHELF LIFE: 3 years

**VIII. Exposure Control / Personal Protection**

For Occupational / Workplace Settings:

**PERSONAL PROTECTIVE EQUIPMENT (PPE):**

Hand Protection:	Chemical Resistant Gloves
Eye Protection:	Chemical Goggles or Glasses with Side Shields
Skin Protection:	Protective Clothing
Respiratory Protection:	The use of a NIOSH approved respirator protection may be needed if working in a poor ventilated area.

**Engineering Measures/Controls:**

Ventilation:	Handle in adequate ventilation, avoid using in confined area.
--------------	---

Other Measures:	Have eye wash and safety shower in work area. Employees should wash their hands after handling product before eating or drinking.
-----------------	--

---

**IX. Physical and Chemical Properties**

<b>Form and Appearance @ 25°C</b>	Opaque Blue Fabric	<b>Odor</b>	Downy
<b>pH, 1% in water</b>	8.5-10.5	<b>Odor Threshold</b>	ND
<b>Boiling Point</b>	NA	<b>Melting Point/Freezing Point</b>	> 250F
<b>Vapor Pressure</b>	ND	<b>Vapor Density (Air=1)</b>	ND
<b>Flash Point</b>	Non Flammable	<b>Evaporation Rate (H2O=1)</b>	NA
<b>UEL</b>	NA	<b>LEL</b>	NA
<b>Viscosity #5 @ 25° C</b>	Solid Nonwoven	<b>Solubility in Water</b>	Soluble
<b>Octanol/Water Partition Coefficient</b>	NA	<b>Specific Gravity/ Bulk Density</b>	NA
<b>Auto Ignition Temperature</b>	NA	<b>Decomposition Temperature</b>	ND
<b>% VOC</b>	none		
<b>% Solids @ 105° C (IR)</b>	97-98%		

---

**X. Stability and Reactivity**

<b>STABILITY:</b>	Stable
<b>HAZARDOUS POLYMERIZATION:</b>	Will not occur
<b>INCOMPATIBILITIES:</b>	Incompatible with strong cationics, strong bases
<b>DECOMPOSITION PRODUCTS:</b>	CO, CO2, sulfur oxides, metal oxides
<b>CONDITIONS TO AVOID:</b>	Stable at normal temperature and storage conditions. Keep away from moisture, water, ignition sources, direct sunlight, extremely high or low temperatures and incompatible materials.

---

**XI. Toxicological Information**
**Acute Data;**

<b>Routes of Exposure:</b>	Eye contact, skin contact, ingestion, inhalation (dust).
<b>Eye Contact:</b>	Causes serious eye irritation
<b>Skin Contact:</b>	May cause skin irritation
<b>Ingestion:</b>	Harmful if swallowed
<b>Inhalation:</b>	Not typical route of exposure given nature of product.
<b>Skin Sensitization:</b>	ND

**Acute Toxicity/Effects:** Not Classified

**Chronic Data:**

<b>Carcinogenicity</b>	Not Classified
<b>Mutagenicity</b>	Not Classified
<b>Reproductive Effects</b>	Not Classified
<b>Target Organ Effects</b>	Not Classified

---

**XII. Ecological Information**

Toxicity

Ecology – General: Toxic to aquatic life if subjected to direct contact to the nonwoven sheet.

Ecotoxicity Effects:

Sodium Dodecylbenzene Sulfonate CAS # 25155-30-3

Test	Test Type	Species	Results	Comments
Acute Toxicity to Fish	LC50	Fathead minnow	29 mg/l, 96 hrs	
Acute Toxicity to Aquatic Invertebrates	EC50	Daphnia 1	3.43 g/l	48 hours
Acute Toxicity to Aquatic Plants			ND	
Chronic toxicity to Fish	EC50	CerioDaphnia dubia (water flea)	3.12 mg/l	48 hours

Sodium Silicate CAS # 1344-09-8

Test	Test Type	Species	Results	Comments
Acute Toxicity to Fish	LC50	Fathead minnow	1108 mg/l	96 hours
Acute Toxicity to Aquatic Invertebrates	EC50	Daphnia/Magna	1700 mg/l	48 hours
Acute Toxicity to Aquatic Plants			ND	
Chronic toxicity to Fish	EC50		ND	

Environmental Fate:

Persistence/Degradability: Not Established  
 COD/BOD5: ND  
 Bioaccumulation Potential: Not expected to bio-accumulate in environment  
 Mobility in Soil: Not Applicable  
 Other Adverse Effects: Avoid release into the environment.

---

**XIII. Disposal Considerations**

Dispose of residual nonwoven sheet properly.

---

**XIV. Transport Information**

US DOT Regulations (Land Transport)

Proper Shipping Name: Not regulated

IATA/ICAO Regulations (Air Transport)

Proper Shipping Name: Not regulated

IMDG/IMO Regulations (Maritime Transport)

Proper Shipping Name: Not regulated

**XV. Regulatory Information****EPA/TCSA Compliance status: All Components Listed****INTERNATIONAL INVENTORIES**

	<i>Yes</i>	<i>No</i>	<i>Unknown</i>
U.S. (TSCA)	X		
Canadian (DSL)	X		
Australian (AICS)	X		
European (EINECS)	X		
Japanese (MITI)	X		
Korean (ECL)	X		
Philippines (PICCS)	X		
China	X		

Contents of this SDS comply with the OSHA standard 29 CFR 1910.1200/Hazcom 2012.

**Domestic Regulations:**

TSCA Status: All the components in this material are listed on or exempt from the TSCA inventory.

SARA Title 302 (Extremely Hazardous Substances) TPQ – None

SARA Title 304 (Extremely Hazardous Substances) RQ – None

CERCLA Hazardous Substances (RQ) None

SARA 311/312 Hazard SARA 313 Acute  Chronic  Fire  Pressure  Reactive

This product does not contain any chemicals, which are subject to Section 313 of Title III, Part 372

Clean Air Act Section 112 (TQ): TQ – Not listed.

**State Information:**

California Proposition 65: None of the composition are listed on the California Proposition 65 list.

State Right to Know/  
Hazardous Substance List  
Information:

None of the raw material in this product are known to be on any state right to know list.

**XVI Additional Information****Key to Abbreviations:**

**NDA- No data available ND- Not Determined NA-Not Applicable NE- Not Established**

### **Disclaimer**

**This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.**

# Safety Data Sheet

## 92046 More Shine™

# Stoner

Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

### 1. IDENTIFICATION

Stoner Incorporated  
1070 Robert Fulton Hwy.  
Quarryville, PA 17566  
1-800-227-5538

Product Name: More Shine™  
Product Code: 92046  
Product Use: Tire Coating  
24-hour emergency phone: 1-800-424-9300 [CHEMTREC]

### 2. HAZARD IDENTIFICATION

#### POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols



#### GHS Classification

Skin Sensitisation Category 1

#### Signal Word

Warning

#### Hazard Statements

May cause an allergic skin reaction.

#### Precautionary Statements

##### Prevention

Avoid breathing dust/fume/gas/mist/vapours/spray.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves/protective clothing/eye protection/face protection.

##### Response

P302+P352 - If on skin: Wash with plenty of soap and water.  
P321 - Specific treatment (see on this SDS).  
If skin irritation or rash occurs: Get medical advice/attention.  
Wash contaminated clothing before reuse.

##### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### COMPONENT

#### CAS #

#### Percent

Biocide Mixture 0.1- 0.99

#### HMIS® III\* HAZARDOUS WARNINGS:

Health: 0 Flammability: 1 Physical: 0 Personal Protective Equipment: See Section 8

\* See [www.paint.org/hmis](http://www.paint.org/hmis) or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

### 4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.  
Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse. Wash the contaminated skin with soap and water.  
Ingestion: Contact a physician, medical facility, or poison control center for advice on whether to induce vomiting. Never give anything by mouth if victim is rapidly losing consciousness or is unconscious or convulsing.  
Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

#### NOTES TO PHYSICIAN:

Treatment is symptomatic and supportive. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this

material: kidney;

## 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: Hazardous decomposition products may be formed (see Sec.10). Product is water based material, containing minor amounts of combustible ingredients.

Fire Fighting Instructions: Use water spray, foam, dry chemical, or CO<sub>2</sub>. Water is generally not effective and may spread fire; however, water spray may be used from a safe distance to cool closed containers and protect surrounding area.

## 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Avoid run-off into storm sewers and ditches which may lead to natural waterways. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

## 7. HANDLING AND STORAGE

Handling: Normal precautions common to safe manufacturing practice should be followed in handling and storage. Avoid prolonged or repeated contact with skin.

Storage: Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or apparent adverse effects).

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eye wash station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.

Respiratory Protection: Where concentrations are above recommended limits as determined by air sampling or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations and use NIOSH/MSHA approved respirators.

<u>COMPONENT</u>	<u>CAS #</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Biocide	Mixture	Not established	Not established	Not established

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Bulk trigger bottle	Lower Flammability Limit (%):	Not applicable
Appearance:	Milky White	Upper Flammability Limit (%):	Not applicable
Odor:	None to very faint	Vapor Pressure (PSIG @ 70°F):	No data available
Odor Threshold:	None	Vapor Density [air = 1]:	> 1
pH:	Not applicable	Relative Density (H <sub>2</sub> O=1):	0.99
Melting/Freezing Point (°F):	No data available	Solubility in Water:	Dispersible in water.
Boiling Point (°F):	No data available	Partial Coefficient: n-octanol/water:	No data available
Flash Point (°F PMCC):	None	Autoignition Temperature (°F):	Not applicable
Evaporation Rate:	Not determined	Decomposition Temperature (°F):	No data available
Flammability (solid, gas):	No data available	Viscosity, dynamic (cSt):	No data available
Percent VOCs (%):	1-3		

## 10. STABILITY AND REACTION

Chemical Stability: Stable.

Conditions to Avoid: Avoid contact with: Strong acids. Strong bases. Strong oxidizing agents.

Decomposition Products: Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. When heated to temperatures above 150°C in the presence of air, one of the ingredients in this product can form formaldehyde vapors. Formaldehyde vapor is harmful by inhalation; irritating to eyes; sensitizer to the respiratory system; an acute toxicant and a potential cancer hazard at concentrations greater than 0.75 ppm.

## 11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental Toxicity: No data available.

IARC Carcinogen Designation: No data available

<u>Ingredient</u>	<u>CAS #</u>	<u>Toxicological Data</u>
Glycol	57-55-6	DERMAL LD50 Rabbit 20800 mg/kg ORAL LD50 Rabbit 18500 mg/kg ORAL LD50 Mouse 20300 mg/kg ORAL LD50 Mouse 22 GM/KG ORAL LD50 Rat 20 GM/KG

## 12. ECOLOGICAL INFORMATION

Ecological Toxicity: No data available

Mobility: No data available

Degradability: This product is unlikely to biodegrade at a significant rate.

**Ingredient**  
Glycol

**CAS #**  
57-55-6

**Toxicological Data**  
Aquatic LC50 (96h) Rainbow Trout > 100 mg/L  
No data available  
No data available

### 13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations.

### 14. TRANSPORTATION INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT		Not regulated by agency		
IATA		Not regulated by agency		
IMDG		Not regulated by agency		

### 15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT	CAS #	% BY WEIGHT	Regulatory Body
No components listed in this section.			SARA Section 313

#### Toxic Substances Control Act

All components of this product are listed on the TSCA inventory.

#### California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

### 16. OTHER INFORMATION

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 07/05/2021

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.