# Safety Data Sheet

# 91110 Ceramic Prep Wash



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 Product Name: Product Code:

24-hour emergency phone:

Product Use:

Ceramic Prep Wash

91110

Automotive Cleaner

1-800-424-9300 [CHEMTREC]

# 2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols

1-800-227-5538

**GHS Classification** 

Serious Eye Damage/Eye Irritation Category 1

Skin Sensitisation Category 1 Skin Corrosion/Irritation Category 2

Signal Word

Danger

**Hazard Statements** 

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye damage.

**Precautionary Statements** 

Prevention

Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302+P352 - If on skin: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a poison center, doctor or medical center.

P321 - Specific treatment (see on this SDS).

If skin irritation occurs: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous

wastes.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS#	Percent
Surfactant	Mixture	20 - 40
Surfactant	Mixture	20 - 40
Surfactant	Mixture	1 - 5
Surfactant	68439-46-3	1 - 5
Surfactant	1300-72-7	1 - 5
Ethanol	64-17-5	05-15

HMIS® III\* HAZARDOUS WARNINGS:

Health: 2 \*

Flammability:

Physical:

Personal Protective See Section 8

Stoner Incorporated

91110

PAGE 1

Equipment:

#### 4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there

is visual difficulty, seek medical attention.

Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if

symptoms persist. Wash clothing before reuse.

Ingestion: Do not induce vomiting. Aspiration into the lungs can cause serious damage. Contact a physician, medical facility, or poison

control center immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

#### NOTES TO PHYSICIAN:

No additional first aid information available. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions);

#### 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier

than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point. Vapors are heavier than air and may accumulate in low areas. Vapors are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, other flames and ignition sources at locations distant from material

handling point.

Fire Fighting Instructions:

Use water spray, foam, dry chemical, or CO2. Fire fighters should wear normal protective equipment and positive-

pressure self-contained breathing apparatus.

#### 6. ACCIDENTAL RELEASE MEASURES

#### STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Avoid run-offinto storm sewers and ditches which may lead to natural waterways. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly. Remove all sources of ignition.

## 7. HANDLING AND STORAGE

Storage:

Handling: Wash hands thoroughly after handling. Avoid prolonged or repeated breathing of vapor. Avoid prolongedor repeated contact with skin.

Wear proper protective equipment. Use with adequate ventilation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such

containers to heat, flame, sparks, static electricity, or other sources of ignition; they may explode and cause injury or death.

Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Normal

precautions common to safe manufacturing practice should be followed in handling and storage.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from

known, suspected or apparent adverse effects).

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Have an eye wash station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with

skin.

Respiratory Protection: Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol.

COMPONENT Surfactant	CAS # Mixture	ACGIH TLV Not established	OSHA PEL Not established	OTHER Not established	
Surfactant	Mixture	Not established	Not established	Not established	
Surfactant	Mixture	Not established	Not established	Not established	
Surfactant	68439-46-3	Not established	Not established	Not established	
Surfactant	1300-72-7	Not established	Not established	Not established	
Ethanol	64-17-5	1000ppm TWA	1000ppm TWA	Not established	

<sup>\*</sup> See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

9. PHYSICAL AND CHEMICAL PROPERTIES

Bulk liquid Physical State:

Appearance: Red Odor: Cherry

Odor Threshold: Moderate pH: Not applicable

Melting/Freezing Point (°F): -150 No data available

Boiling Point (°F):

212

Flash Point (°F PMCC): Evaporation Rate: <0.020 (n-Butyl acetate = 1) No data available

Flammability (solid, gas): Percent VOCs (%): 0.5 - 1.5 Lower Flammability Limit (%): Upper Flammability Limit (%): Vapor Pressure (PSIG @ 70°F):

Vapor Density [air = 1]:

Not applicable Not applicable No data available 1.0

Relative Density (H2O=1): Solubility in Water: Not determined Partial Coefficient: n-No data available

octanol/water: Autoignition Temperature (°F):

Not applicable Decomposition Temperature (°F): Viscosity, dynamic (cSt):

No data available No data available

10. STABILITY AND REACTION

Chemical Stability:

Stable.

Conditions to Avoid:

Avoid contact with: Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Strong oxidizing agents. Peroxides. Alkaline earth metals. Strong acids. Contact with nitric and sulfuric acids will form

nitocresols that can decompose violently.

Decomposition Products:

Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Sulfur Compounds.

11. TOXICOLOGICAL INFORMATION

Reproductive &

No data available.

Developmental Toxicity: IARC Carcinogen Designation:

No data available

Ingredient Ethanol

CAS# 64-17-5

**Toxicological Data** 

No data available

Dermal LD50 Rat 6.2 g/kg

Inhalation LC50 (4h) Mouse 39 MG/L

12. ECOLOGICAL INFORMATION

Ecological Toxicity:

No data available No data available

Mobility: Ingredient Ethanol

CAS#

64-17-5

Toxicological Data

Aquatic LC50 (96h) Rainbow Trout 12000 - 16000

48HR EC50 Daphnia > 10000 MG/L NRWK EC50 PSEUDOKIRCHNERIELLA

SUBCAPITATA 58.7ul/l

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

Agency DOT

IATA

**IMDG** 

**UN Number** 

Proper Shipping name Not regulated by agency Not regulated by agency Not regulated by agency

Hazard Class

**Packing Group** 

15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT

CAS#

% BY WEIGHT

Regulatory Body SARA Section 313

Toxic Substances Control Act

No components listed in this section.

All components of this product are listed on the TSCA inventory.

California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

16. OTHER INFORMATION

Other Information:

SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date:

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.

Stoner Incorporated

91110

PAGE 3

# Safety Data Sheet

# 95451 Trim Shine® Ceramic Coating



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc., product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538 Product Name: Product Code:

24-hour emergency phone:

Trim Shine® Ceramic Coating

95451

Product Use: No data available

1-800-424-9300 [CHEMTREC]

#### 2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

**GHS Hazard Symbols** 

**(!)** 

**GHS Classification** 

Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 2A

Flammable Liquid Category 4 Acute Toxicity - Oral Category 4

Signal Word

Warning

**Hazard Statements** 

Combustible Liquid Harmful if swallowed, Causes skin irritation. Causes serious eye irritation.

**Precautionary Statements** 

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P264 - Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P312 - If swallowed: Call a poison center, doctor or medical center if you feel unwell.

P302+P352 - If on skin: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P321 - Specific treatment (see on this SDS).

Rinse mouth.

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

P370+P378 - In case of fire: Use proper media to extinguish.

Storage

Store in a well-ventilated place. Keep cool.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous

wastes.

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT

CAS#

Percent 10 - 30

Polysilazane

HMIS® III\* HAZARDOUS WARNINGS:

Health:

Flammability:

Physical:

Personal

See Section 8

Protective Equipment: \* See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

#### 4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there

is visual difficulty, seek medical attention.

Skin Contact: Seek medical attention if symptoms persist. Wash the contaminated skin with soap and water. Seek immediate medical attention. Ingestion: Have victim drink 8 to 10 ounces of water to dilute the material in the stomach. Contact a physician, medical facility, or poison

Have victim drink 8 to 10 ounces of water to dilute the material in the stomach. Contact a physician, medical facility, or poison control center immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

NOTES TO PHYSICIAN:

No additional first aid information available.

#### 5. FIRE FIGHTING MEASURES

Fire Fighting Instructions:

Fire fighters should wear normal protective equipment and positive-pressure self-contained breathing apparatus.

#### 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

#### 7. HANDLING AND STORAGE

Handling: Combustible. Keep away from heat and flame.

Storage: Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Moisture

sensitive.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from

known, suspected or apparent adverse effects).

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Have an eye wash station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with

skin.

Respiratory Protection: No respiratory protection required under normal conditions of use.

 COMPONENT
 CAS #
 ACGIH TLV
 OSHA PEL
 OTHER

 Polysilazane
 475645-84-2
 Not established
 Not established
 Not established

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Bulk liquid Lower Flammability Limit (%): Not applicable Appearance: Clear Colorless Upper Flammability Limit (%): Not applicable Odor: Slight Ammonia Vapor Pressure (PSIG @ 70°F): No data available Odor Threshold: None Vapor Density [air = 1]: Not applicable

pH: Not applicable Relative Density (H2O=1): 0.97

Melting/Freezing Point (°F): No data available Solubility in Water: Not determined Boiling Point (°F): No data available Partial Coefficient: n- No data available

octanol/water:

Flash Point (°F PMCC): 192.0 Autoignition Temperature (°F): Not applicable Evaporation Rate: Not determined Decomposition Temperature (°F): No data available Flammability (solid, gas): No data available Viscosity, dynamic (cSt): No data available

Percent VOCs (%): < 0.0001

## 10. STABILITY AND REACTION

Chemical Stability: Stable under recommended storage conditions.

Conditions to Avoid: None known.

Decomposition Products: Burning can produce the following combustion products: Oxides of siloxanes. Carbon dioxide and carbon monoxide.

## 11. TOXICOLOGICAL INFORMATION

Reproductive & No data available.

Developmental Toxicity:

IARC Carcinogen Designation: No data available

Ingredient CAS # Toxicological Data

No data available

# 12. ECOLOGICAL INFORMATION

Ecological Toxicity: No data available Mobility: No data available

Ingredient CAS # Toxicological Data

Stoner Incorporated 95451 PAGE 2

No data available

## 13. DISPOSAL CONSIDERATIONS

Disposal: Dispose according to Federal, State and local regulations.

#### 14. TRANSPORTATION INFORMATION

**UN Number** Agency **Proper Shipping name** Hazard Class **Packing Group** 

DOT Not regulated by agency Not regulated by agency IATA **IMDG** Not regulated by agency

#### 15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT

CAS # % BY WEIGHT Regulatory Body

Regulatory Body SARA Section 313

No components listed in this section.

**Toxic Substances Control Act** All components of this product are listed on the TSCA inventory.

California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

## 16. OTHER INFORMATION

Other Information: SDS Prepared by L. Dean Swartz, SDS Coordinator

3/1/2023 Version Date:

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.

# Safety Data Sheet

# 92333 Trim Shine® HYBRID



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc., product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy.

Quarryville, PA 17566

1-800-227-5538

Product Name:

Product Code: Product Use:

24-hour emergency phone:

Trim Shine® HYBRID

92333

Mold Release

1-800-424-9300 [CHEMTREC]

#### 2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

**GHS Classification** 

Not classified as hazardous.

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT

Not classified as hazardous.

Percent

HMIS® III\* HAZARDOUS WARNINGS:

Health:

Flammability: 0

CAS#

Physical: (

Personal

See Section 8

Protective Equipment:

#### 4. FIRST AID MEASURES

Eyes:

Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there

is visual difficulty, seek medical attention.

Skin Contact:

In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if

symptoms persist. Wash clothing before reuse.

Ingestion:

Contact a physician, medical facility, or poison control center for advice on whether to induce vomiting. Never give anything by

mouth if victim is rapidly losing consciousness or is unconscious or convulsing.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

NOTES TO PHYSICIAN:

Treatment is symptomatic and supportive.

#### 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards:

Product is a water base material and is not ignitable.

Fire Fighting Instructions:

Use water spray, foam, dry chemical, or CO2. Fire fighters should wear normal protective equipment and positive-

pressure self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Avoid run-offinto storm sewers and ditches which may lead to natural waterways. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly. Remove all sources of ignition.

### 7. HANDLING AND STORAGE

Handling: Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Wash hands

thoroughly after handling. Use with adequate ventilation.

Storage: Keep container tightly closed when not in use. Store in a cool dry place.

<sup>\*</sup> See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from

known, suspected or apparent adverse effects).

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Have an eye wash station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with

Respiratory Protection: If respiratory irritation develops below the recommended exposure limits, use an NIOSH/MSHA approved respirator.

COMPONENT

Not classified as hazardous.

CAS#

ACGIH TLV

**OSHA PEL** 

**OTHER** 

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Appearance: Odor: Odor Threshold: Bulk liquid Milky White

None to very faint None Not applicable

pH: Melting/Freezing Point (°F): No data available

Boiling Point (°F):

Flash Point (°F PMCC): Evaporation Rate: Flammability (solid, gas):

Percent VOCs (%):

212.0 None

Not determined No data available 0.01 - 0.1

Vapor Pressure (PSIG @ 70°F): Vapor Density [air = 1]: Relative Density (H2O=1): Solubility in Water:

Partial Coefficient: noctanol/water: Autoignition Temperature (°F):

Lower Flammability Limit (%):

Upper Flammability Limit (%):

Decomposition Temperature (°F): Viscosity, dynamic (cSt):

Not applicable Not applicable No data available

0.95

Complete; 100% No data available Not applicable

No data available No data available

## 10. STABILITY AND REACTION

Chemical Stability:

Stable.

Conditions to Avoid:

Avoid contact with: Oxidizers.

Decomposition Products: When heated to temperatures above 150°C in the presence of air, one of the ingredients in this product can form formaldehyde vapors. Formaldehyde vapor is harmful by inhalation; irritating to eyes; sensitizer to the respiratory

system; an acute toxicant and a potential cancer hazard at concentrations greater than 0.75 ppm. Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Sulfur Compounds. Formaldehyde.

#### 11. TOXICOLOGICAL INFORMATION

Reproductive &

No data available.

Developmental Toxicity:

IARC Carcinogen Designation: No data available

Ingredient

Water based emulsion

CAS#

Mixture

Toxicological Data

Dermal LD50 > 5000 mg/kg Oral LD50 > 5000 mg/kg

Inhalation LC50 (4h) > 40 MG/L

### 12. ECOLOGICAL INFORMATION

Ecological Toxicity:

No data available No data available

Mobility: Degradability:

No data available.

Ingredient

Water based emulsion

CAS# Mixture

Toxicological Data No data available

48HR EC50 Daphnia 0.97 MG/L

No data available

## 13. DISPOSAL CONSIDERATIONS

Disposal:

DOT

IATA IMDG Dispose according to Federal, State and local regulations.

# 14. TRANSPORTATION INFORMATION

**UN Number** Agency

Proper Shipping name Not regulated by agency Not regulated by agency Not regulated by agency Hazard Class

**Packing Group** 

## 15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT

CAS # % BY WEIGHT

Regulatory Body

No components listed in this section.

SARA Section 313

#### **Toxic Substances Control Act**

All components of this product are listed on the TSCA inventory.

#### California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

#### 16. OTHER INFORMATION

Other Information:

SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date:

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.