

wallPlanter is a tried and tested product providing an instant fully planted finish, which has proven to be highly successful over a number of years on both new and existing facades. WallPlanter consists of large specifically designed customized aluminium planters in which fully grown hedge elements Green Living Fence can be placed.

IRRIGATION AND DRAINAGE SYSTEM

These planters are placed on the facade of the project. These buildings include: car parks, hotels, office buildings. Using a fully automated irrigation and drainage system, hedges receive water and nutrients, allowing the hedge to develop, keeping the green facade looking spectacular year after year. A green facade adds to the attraction of the area for residents, visitors and potential buyers.






WALLPLANTER MATERIALS

Coconut fibre container: The coconut fibre container consists of coconut fibre held together by natural latex. This container is made from 100% biological material and is 100% degradable.

Steel grid and brackets: The Green Living Fence consists of a galvanised steel grid that is 100% recyclable. The brackets for the wooden posts are made from galvanised iron. The brackets for the metal posts are galvanised and green coated. Both are fully recyclable.

Aluminium planters: The planters in which the Green Living Fences are placed are made of recyclable aluminium. The planters include insulation, a drainage system and a specially composed substrate. According to preferences, the planters can be supplied with front cover planting and/or a powder coat.

Planting: The plants that are used in the pre-grown aluminium planters in the WallPlanter system are grown at the Dartplant production site under "On the way to PlantProof" certification. This independent certification proves that the plants for the WallPlanter have been produced more sustainably and therefore a better c hoice for nature, climate and animals.





Due to the weight of the WallPlanter elements, a robust support structure is necessary. This supporting structure, depending on the strength of the wall and the foundation, is attached to the wall or resting on the base. Apply to support construction: The planters will be installed on the support structure using a crane.

IRRIGATION

These planters are placed on the facade of the project. These buildings include: car parks, hotels, office buildings. Using a fully automated irrigation and drainage system, hedges receive water and nutrients, allowing the hedge to develop, keeping the green facade looking spectacular year after year. A green facade adds to the attraction of the area for residents, visitors and potential buyers.


DIMENSIONS

The standard planter has the following dimensions: $50\times50\times390$ cm. Other lengths (260 cm, 130 cm, and customised sizes) are possible. The Green Living Fences in the planters are up to 220 cm high. The total height of an element (including Planter and support points) is 285 cm. The total weight of a standard container of 390 cm length and 220 cm high, and a Green Living Fence is 1450 kg (maximum saturated state). This is equivalent to the weight of approximately 140 kg per m2 green wall surface.


PLACING AND WATERING


er	
✓	
	✓

Watergi	ft
Manual	
Tank	
Irrigation System	✓























PROJECT INFORMATION

Commissioned by The Bracknell Regeneration Partnership (BRP), a dull, grey and run-down residential area with post-war architecture has been transformed into a hypermodern shopping centre with lots of green elements. In England Lexicon Bracknell, more than 1500 m2 of green façade has been realized with the WallPlanter system. The green transformation is an important development in the creation of a sustainable and natural environment within the Lexicon shopping centre. The Lexicon has a retail area of approximately 11 football fields. The large-scale application of greenery is a key part of the project developer's philosophy.

FULLY GROWN

The WallPlanter system consists of aluminium planters in which Green Living Fences are placed. A fully covered green façade is created immediately upon delivery without having to wait for years. The ground floor, elevator shafts and walkways, among other things, get a friendly and natural appearance. In addition, the Green Living Fences also capture fine dust and reduce CO2.

CLIENT: Bracknell Regeneration Partnership (BRP) ARCHITECT: BDP.

CONTRACTOR: Hedera Screen **YEAR OF CONSTRUCTION:** 2017

LOCATION: Bracknell, UK

