

SAFETY DATA SHEET

OSS Odorless Silicone Solvent

1. Identification	
Product identifier	Silicone Art Materials OSS Odorless Silicone Solvent
Other means of identification	
SDS number	SAM OSS Odorless Silicone Solvent
Product code	SAM OSS
Recommended use	Low odor Solvent for uncured silicone compounds
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/I	Distributor information
Manufacturer/Supplier	Silicone Art Materials
	c/o 62 Mount Pleasant Avenue
	Troy, New York 12180
	USA
Email:	tommcLaughlin75@hotmail.com
Contact person:	Health & Safety Manager
General Assistance:	201-273-2613
Emergency Telephone: 24 hour:	ChemTel
US and Canada:	1-800-255-3924
International:	+1-813-248-0585
2. Hazard(s) identification	on
Physical hazards	Flammable liquids Category 4 (GHS 4 = Slight Hazard)
Health hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	Warning
11	

Hazard statement Combustible liquid. **Precautionary statement** Prevention Keep away from flames and hot surfaces. - No smoking. Wear protective gloves/ protective clothing/eye protection/face protection. Response In case of fire: Use appropriate media to extinguish. Storage Store in a well-ventilated place. Keep cool. Disposal Dispose of waste and residues in accordance with local authority requirements. Hazard(s) not otherwise None known. classified (HNOC) Supplemental information None.

3. Composition/information on ingredients

Substances		
Chemical name	CAS number	%
Decamethylcyclopentasiloxane	541-02-6 9	0 - 100
Composition comments	I concentrations are in percent by weight unless ingred	dient is a gas.

Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects acute and delayed	, Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measure	95
Suitable extinguishing media	Alcohol resistant foam. Dry sand. Dry chemical.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. Carbon oxides. During fire, gases hazardous to health may be formed. This material may generate formaldehyde at temperatures greater than 150°C (300°F) in air or the presence of oxygen. Silicon oxides.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Combustible liquid. Heating may generate vapors which may form explosive vapor/air mixtures.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.
	Large Spills: Dike the spilled material, where this is possible. Stop the flow of material, if this is without risk. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. The product is immiscible with water and will spread on the water surface. Prevent product from entering drains. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid contact with skin, eyes and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits	3		
US. Workplace Environmenta Components	al Exposure Level (WEE	L) Guides Type	Value
Decamethylcyclopentasiloxane	(CAS 541-02-6)	TWA	10 ppm
Biological limit values	No biological expos	ure limits noted for the i	ngredient(s).
Appropriate engineering controls	conditions. If applic other engineering c exposure limits. If e	able, use process enclo ontrols to maintain airbo xposure limits have not able level. Eye wash fac	entilation rates should be matched to sures, local exhaust ventilation, or orne levels below recommended been established, maintain airborne ilities and emergency shower must be
Individual protection measur	es, such as personal pi	otective equipment	
Eye/face protection Skin protection Hand protection	For prolonged or re		suitable protective gloves. Suitable
Skin protoction	gloves can be recor	mmended by the glove s	supplier.
Skin protection Other	Wear suitable prote	ctive clothing.	
Respiratory protection	respiratory protection Z88.2 requirements	on program that meets C must be followed when	able respiratory equipment. A DSHA's 29 CFR 1910.134 and ANSI ever work place conditions warrant a tective equipment suppliers.
Thermal hazards	Wear appropriate th	ermal protective clothin	g, when necessary.
General hygiene considerations	smoke. Always obs handling the materia wash work clothing	erve good personal hyg al and before eating, dri and protective equipme	ents. When using, do not eat, drink or iene measures, such as washing after nking, and/or smoking. Routinely ent to remove contaminants. Routinely ent to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Colorless.
Odor	Mild to none.
Odor threshold	Property has not been measured.
рН	Not applicable (material is insoluble in water).
Melting point/freezing point	-47.2 °F (-44 °C)
Initial boiling point and boiling	411.8 °F (211 °C)
range	
Flash point	170.6 °F (77 °C) Pensky-Martens Closed Cup
Evaporation rate	< 1 (n-butyl acetate = 1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Explosive limit - lower (%)	Property has not been measured.
Explosive limit - upper (%)	Property has not been measured.
Vapor pressure	0.02 kPa (20 °C)
Vapor density	> 1 (air=1) (25 °C)
Relative density	0.95 g/cmÑ (25 °C)
Solubility(ies)	
Solubility (water)	Insoluble (in water).
Partition coefficient	Not applicable (material is insoluble in water).
(n. aatanal/watar)	
(n-octanol/water)	

Decomposition temperature Viscosity Other information	Property has not been measured. 3.8 cSt (20 °C)
Explosive properties Kinematic viscosity Kinematic viscosity	Not explosive. 3.8 cSt 77 °F (25 °C)
temperature Oxidizing properties Percent volatile	Not oxidizing. Property has not been measured.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Vapors may form explosive mixtures with air.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	This material may generate formaldehyde at temperatures greater than 150°C (300°F). Silicon oxides. Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation Skin contact Eye contact Ingestion	Prolonged inhalation may be harmful. No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.	
Information on toxicological effe	ects	
Acute toxicity	Not expected to be acutely toxic.	
Components	Species	Test Results
Decamethylcyclopentasiloxane (C/	AS 541-02-6)	
Acute Dermal LD50 Inhalation dust/mist	Rabbit	> 2000 mg/kg, 24 Hours
LC50 Oral	Rat	8.67 mg/l, 4 Hours
LD50	Rat	> 20000 mg/kg
Skin corrosion/irritation Serious eye damage/eye irritation	Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization	I	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall Evaluation of Carcinogenicity Not listed. NTP Report on Carcinogens Not listed.		

OSHA Specifically Regulated S Not listed.	Substances (29 CFR 1910.1001-1053)
Reproductive toxicity	Results from a 2 year repeated vapor inhalation exposure study to rats of decamethylcyclopentasiloxane (D5) indicate effects (uterine endometrial tumors) in female animals. This finding occurred at the highest exposure dose (160 ppm) only. Studies to date have not demonstrated if this effect occurs through a pathway that is relevant to humans. This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard Chronic effects	Not an aspiration hazard. Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	The product is expected to be slowly biodegradable. Biodegradation rate 0.14% (28 days).
Bioaccumulative potential	No data available on bioaccumulation.
Mobility in soil	The product is insoluble in water.
Other adverse effects	None known.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT	
UN number	NA1993
UN proper shipping name	Combustible Liquid, n.o.s (Cyclopentasiloxane)
Transport hazard class(es)	
Class	Combustible Liquid
Subsidiary risk	-
Packing group	III
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB3, T1, T4, TP1
Packaging exceptions	150
Packaging non bulk	203
Packaging bulk	241
ΙΑΤΑ	
Not regulated as dangerous goo	ds.
IMDG	
Not regulated as dangerous goo	ds.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. Toxic Substances Control Act (TSCA) All components on the TSCA 8(b) inventory are designated "active". Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous Yes chemical **Classified hazard** Flammable (gases, aerosols, liquids, or solids) categories SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) **US state regulations** US. Massachusetts RTK - Substance List Not regulated. US. New Jersey Worker and Community Right-to-Know Act Not listed. US. Pennsylvania Worker and Community Right-to-Know Law Not listed. US. Rhode Island RTK Not regulated. California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov. US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) Decamethylcyclopentasiloxane (CAS 541-02-6) **International Inventories** Country(s) or region Inventory name On inventory (yes/no)* Australia Australian Inventory of Industrial Chemicals (AICIS) Yes Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No China Inventory of Existing Chemical Substances in China (IECSC) Yes Europe European Inventory of Existing Commercial Chemical Yes Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Europe No Inventory of Existing and New Chemical Substances (ENCS) Japan Yes Korea Existing Chemicals List (ECL) Yes

New Zealand Philippines	New Zealand Inventory Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	11-June-2022
Revision date	-
Version #	01
HMIS® ratings	Health: 0 Flammability: 2 (Moderate Hazard) Physical hazard: 0 Personal protection: B
Disclaimer	Silicone Art Materials cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.