

**Client:** Mesyon Limited  
The Black Church  
St. Mary's Place  
Dublin  
D07 P4AX  
IRELAND

**Certificate Code:** AR-25-UD-426099-01  
**Page Number:** Page 1 of 1  
**Reported On:** 26/09/2025  
**PO reference:** AJM221250104-01  
**Reported By:** James Bate  
Analytical Service Manager  
CUK003

## Certificate of Analysis

**Sample number** 400-2025-00417040 **Received on** 11/09/2025  
**Analysis started on** 12/09/2025

### Customer Supplied Information

**Your sample code** 25-ARI-974  
**Your sample reference** Chaga Extract

Test Code	Analyte	Results	Units	Method Ref.
HEC4J	‡ Alpha-glucan	58.2	% (w/w)	
HEC4J	‡ Beta-glucan (hydrolysis corrected)	4.4	% (w/w)	
HEC4J	‡ Beta-Glucan (uncorrected)	<0.6	% (w/w)	

‡ Indicates that the analysis was subcontracted and not accredited to ISO 17025

Opinions and interpretations within this report are outside our accreditation scope.  
Pass/Fail criteria or other comments where shown are based on specifications agreed with client or Eurofins general limits and do not take in to account measurement of uncertainty, unless stated  
Unless otherwise stated, all results are expressed on a sample as received basis.  
The laboratory is not responsible for the data provided by the customers. The data provided may affect the validity of the results.  
This certificate of analysis shall not be reproduced except in full, without the written permission of the laboratory.

**Key:** cfu colony forming units  
< denotes less than  
> denotes greater than

**Eurofins Food Testing UK Limited**  
i54 Business Park  
Valiant Way  
Wolverhampton  
WV9 5GB

T +44 1902 627200  
F +441902627296  
[www.eurofins.co.uk](http://www.eurofins.co.uk)

**Registered Office:**  
i54 Business Park  
Valiant Way  
Wolverhampton  
WV9 5GB  
Regd in England No: 5009315