

Builder Grade 6.0 GPM Indoor Tankless Water Heater



FEATURES

Universal Energy Factor: 0.81



Automatic temperature control



Power ventilation for safety and efficiency



Digital temperature display



0.75" NPT gas inlet



Built-in anti-freeze circuit



Saves 20-40% off of your gas utility bill



0.75" NPT water inlet and outlet



CSA Certified

6GB

| | Installation | Indoor Only |
|----------------|---------------------|--|
| | вти | 18,000-145,000 |
| | Flow Rate | Rated 6.0 GPM |
| | Min Flow Activation | 0.6 GPM |
| | Portable | No |
| | Voltage | 110/120 |
| | Gas Type | Available in NG & LP |
| | Venting | 3" - Sold Separately |
| 2 | Regulator & Hose | Not Included |
| <u></u> | Temperature Control | Automatic 90°-140°F |
| SPECIFICATIONS | Warranty | Heat Exchanger 10 Years All other parts 5 Years Free Accessories 30 days |
| Z L | Product Dimensions | 23.9" x 15.5" x 7.3" - 36.4 lbs |
| | Package Dimensions | 31.1" x 18.7" x 10" - 39.5 lbs |

The Eccotemp Builder Series 6 GPM Indoor Liquid Propane Tankless Water Heater (6GB-ILP) is CSA approved and rated at an impressive 6 GPM with a temperature rise of 45 degrees. This tankless water heater is rated at 145,000 BTU and can produce unlimited hot water for 2-3 applications simultaneously. Eccotemp's advanced 0.53 GPM low flow ignition technology allows users to enjoy endless hot water without experiencing cold spots.

We recommend the 6 GPM Indoor Liquid Propane Tankless Water Heater (6GB-ILP) for standard to smaller size single family homes, townhomes, condos, cabins, as well as smaller commercial applications and home builders. With our upgraded product control board performance and an all-new gas modulating valve, consumers can experience best in class temperature performance that is budget friendly.

PACKAGE CONTENTS

1 X 6GB TANKLESS WATER HEATER 1X MOUNTING HARDWARE 1X GAS APPLIANCE SHUT OFF VALVE 1X PRODUCT MANUAL



Builder Grade 6.5 GPM Indoor Tankless Water Heater



FEATURES

Universal Energy Factor: 0.81



Automatic temperature control



Power ventilation for safety and efficiency



Digital temperature display



0.75" NPT gas inlet



Built-in anti-freeze circuit



Saves 20-40% off of your gas utility bill



0.75" NPT water inlet and outlet



CSA Certified

6.5GB

| | Installation | Indoor Only |
|----------------|---------------------|--|
| | вти | 24,000-170,000 |
| | Flow Rate | Rated 6.5 GPM |
| | Min Flow Activation | 0.6 GPM |
| | Portable | No |
| | Voltage | 110/120 |
| 7 | Gas Type | Available in NG & LP |
| | Venting | 3" - Sold Separately |
| SPECIFICATIONS | Regulator & Hose | Not Included |
| | Temperature Control | Automatic 90°-140°F |
| | Warranty | Heat Exchanger 10 Years All other parts 5 Years Free Accessories 30 days |
| | Product Dimensions | 26.2" x 17.1" x 7.3" - 40.8 lbs |
| | Package Dimensions | 33.1" x 20.9" x 10" - 48.4 lbs |

The Eccotemp 6.5 GPM Indoor Tankless Water Heater (6.5GB-ILP) is the second largest capacity model in the Builder Series. CSA approved and rated at an impressive 6.5 GPM with a temperature rise of 45 degrees. This tankless water heater is rated at 170,000 BTU and can produce unlimited hot water for 3-4 applications simultaneously. Eccotemp's advanced 0.66 GPM low flow ignition technology allows users to enjoy endless hot water without experiencing cold

We recommend the 6.5 GPM Indoor Liquid Propane Tankless Water Heater (6.5GB-ILP) for large, medium, and small size single family homes, townhomes, condos, cabins, as well as smaller commercial applications and home builders. With our upgraded product control board performance and an all-new gas modulating valve, consumers can experience best in class temperature performance that is budget friendly.

PACKAGE CONTENTS

1 X 6.5GB TANKLESS WATER HEATER 1X MOUNTING HARDWARE 1X GAS APPLIANCE SHUT OFF VALVE 1X PRODUCT MANUAL



Builder Grade 7.0 GPM Outdoor Tankless Water Heater



FEATURES

Universal Energy Factor: 0.81



Automatic temperature control



Compact Size



0.75" NPT gas inlet



Built-in anti-freeze circuit



Saves 20-40% off of your gas utility bill



0.75" NPT water inlet and outlet



CSA Certified

7GB

| Installation | Outdoor Only |
|---------------------|--|
| вти | 40,000-180,000 |
| Flow Rate | Rated 7.0 GPM |
| Min Flow Activation | 0.6 GPM |
| Portable | No |
| Voltage | 110/120 |
| Gas Type | Available in NG & LP |
| Venting | Not Needed |
| Regulator & Hose | Not Included |
| Temperature Control | Automatic 90° - 140°F |
| Warranty | Heat Exchanger 10 Years All other parts 5 Years Free Accessories 30 days |
| Product Dimensions | 26.2" x 17.1" x 7.3" - 43.2 lbs |
| Package Dimensions | 33.1" x 20.9" x 10" - 50.6 lbs |

The Eccotemp 7.0 GPM Outdoor Liquid Propane Tankless Water Heater (7GB-LP) is the largest capacity model in the Builder Series. ETL approved and rated at an impressive 7 GPM with a temperature rise of 45 degrees. This tankless water heater is rated at 180,000 BTU and can produce unlimited hot water for 4-5 applications simultaneously. Eccotemp's advanced 0.79 GPM low flow ignition technology allows users to enjoy endless hot water without experiencing cold spots.

We recommend the 7.0 GPM Outdoor Liquid Propane Tankless Water Heater (7GB-LP) for large, medium, small size single family homes, townhomes, condos, cabins, as well as smaller commercial applications and home builders. With our upgraded product control board performance and an all-new gas modulating valve, consumers can experience best in class temperature performance that is budget friendly.

PACKAGE CONTENTS

1 X 7GB TANKLESS WATER HEATER 1X MOUNTING HARDWARE 1X GAS APPLIANCE SHUT OFF VALVE 1X PRODUCT MANUAL