Revision: 09.29.2023

1 Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
· Tradename: <u>Urethane WB Part A</u>
<ul> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> </ul>
<ul> <li>• 1.3 Details of the supplier of the Safety Data Sheet</li> <li>• Manufacturer/Supplier: One Stop Epoxy, LLC</li> <li>6422 Milner Blvd, STE 101</li> <li>Orlando, FL 32809</li> <li>Phone: 407-352-7653</li> <li>Sales@OneStopEpoxy.com</li> </ul>
· 1.4 Emergency telephone number:
ChemTel Inc. (800)255-3924, +1 (813)248-0585
2 Hazards identification
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008 The product is not classified as hazardous according to GHS regulations. The product is not classified as hazardous according to the CLP regulation.</li> <li>Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.</li> <li>Information concerning particular hazards for human and environment: The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.</li> <li>Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data.</li> </ul>
The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.
<ul> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 Not Regulated</li> <li>Hazard pictograms Not Regulated</li> <li>Signal word Not Regulated</li> </ul>
<ul> <li>Hazard-determining components of labelling: None.</li> <li>Hazard statements Not Regulated</li> <li>Additional information: Safety data sheet available on request.</li> <li>Hazard description:</li> </ul>
• WHMIS-symbols: Not hazardous under WHMIS. (Contd. on page 2)

Tradename: Urethane WB Part A (Contd. of page 1) · NFPA ratings (scale 0 - 4) Health = 0 Fire = 1Reactivity = 0 · HMIS-ratings (scale 0 - 4) Health = 0 HEALTH 1 Fire = 1 FIRE REACTIVITY O Reactivity = 0 HMIS Long Term Health Hazard Substances None of the ingredients is listed. · 2.3 Other hazards Results of PBT and vPvB assessment · **PBT:** Not applicable. vPvB: Not applicable. **3** Composition/information on ingredients · 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: None in reportable quantities. CAS: 102-71-6 2,2',2"-nitrilotriethanol ≤ 2,5% substance with a Community workplace exposure limit EINECS: 203-049-8 CAS: 7664-41-7 ammonia, anhydrous < 2,5% 😡 T R23; 🗾 Ć R34; 擬 N R50 R10 EINECS: 231-635-3 Index number: 007-001-00-5 🚸 Flam. Liq. 3, H226 Press. Gas, H280 Acute Tox. 3, H331 A Skin Corr. 1B. H314 Aquatic Acute 1, H400 Flam. Gas 2, H221 • Additional information: For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

· 4.1 Description of first aid measures

· General information: No special measures required.

· After eye contact: Remove contact lenses if worn.

• After swallowing: Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Tradename: Urethane WB Part A

(Contd. of page 2)

- · Hazards No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

## 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### 7 Handling and storage

- 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Tradename: Urethane WB Part A

	(Contd. of page 3)	
· 8.1 Control parameters		
· Ingredients with limit values that r	require monitoring at the workplace:	
102-71-6 2,2',2"-nitrilotriethanol		
TLV (USA) Long-term value: 5 mg	g/m³	
EL (Canada) Long-term value: 5 mg	g/m³	
EV (Canada) Long-term value: 3,1 n	ng/m³, 0,5 ppm	
• DNELs No further relevant information • PNECs No further relevant information • Additional information: The lists variable		
· 8.2 Exposure controls		
Personal protective equipment:		
• Respiratory protection: Not require	<b>neasures:</b> No further relevant information available. ed under normal conditions of use.	
<ul> <li>Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.</li> </ul>		
<ul> <li>Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.     </li> <li>Penetration time of glove material         The exact break through time has to be found out by the manufacturer of the protective gloves and has the observed.     </li> </ul>		
Eye protection:     Safety glasses     Body protection: Not required.     Limitation and supervision of exponent measures No spectrum.	<b>osure into the environment</b> No special requirements. pecial requirements.	
9 Physical and chemical prop	erties	
9 Physical and chemical properties		
9.1 Information on basic physical a	and chemical properties	
· Appearance:		
Form:	Fluid	
Colour: · Odour:	Clear Mild	
· Odour: · Odour threshold:	Not determined.	
· pH-value:	Not determined.	

Tradename: Urethane WB Part A

		(Contd. of page
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not Determined. 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Auto/Self-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density: Relative density Vapour density Evaporation rate	Not determined. Not determined. Not determined. Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water	r): Not determined.	
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
Solvent content:		
Organic solvents:	1,2 %	
Water:	59,9 %	
9.2 Other information	No further relevant information available.	

## 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 6)

Tradename: Urethane WB Part A

(Contd. of page 5)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

## **12 Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

#### · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Tradename: Urethane WB Part A

Γ

(Contd. of page 6)

14 Transport information		
· 14.1 UN-Number		
· DOT, ADR, ADN, IMDG, IATA	Not Regulated	
<ul> <li>14.2 UN proper shipping name</li> </ul>		
· DOT, ADR, ADN, IMDG, IATA	Not Regulated	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
· 14.4 Packing group	-	
· DOT, ADR, IMDG, IATA	Not Regulated	
• 14.5 Environmental hazards:		
· Marine pollutant:	No	
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.	
14.7 Transport in bulk according to Ann		
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

15.1 Safety, health and environmental regulations/legisla United States (USA) SARA	ation specific for the substance or mix
Section 355 (extremely hazardous substances):	
7664-41-7 ammonia, anhydrous	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for fem	ales:
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for mal	les:
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	

Tradename: Urethane WB Part A

(Contd. of page 7)

3

· IARC (International Agency for Research on Cancer)

102-71-6 2,2',2"-nitrilotriethanol

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Canada

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

102-71-6 2,2',2"-nitrilotriethanol

• Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H221 Flammable gas.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H314 Causes severe skin burns and eye damage.
- H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

- R10 Flammable.
- R23 Toxic by inhalation.
- R34 Causes burns.
- R50 Very toxic to aquatic organisms.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

(Contd. of page 8)

## Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Tradename: Urethane WB Part A

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Flam. Gas 2: Flammable gases, Hazard Category 2 Press. Gas: Gases under pressure: Compressed gas Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 3: Acute toxicity, Hazard Category 3 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

٦

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Г

Revision: 09.29.2023

1 Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
· Tradename: Urethane WB Part B
<ul> <li>Article number: 224801, 226801</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> </ul>
• 1.3 Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier: One Stop Epoxy, LLC 6422 Milner Blvd, STE 101 Orlando, FL 32809 Phone: 407-352-7653 Sales@OneStopEpoxy.com
· <b>1.4 Emergency telephone number:</b> ChemTel Inc.
(800)255-3924, +1 (813)248-0585
2 Hazards identification
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> </ul>
Acute Tox. 4 H332 Harmful if inhaled.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.
<ul> <li>Classification according to Directive 67/548/EEC or Directive 1999/45/EC</li> <li>Xn; Harmful</li> </ul>
R20: Harmful by inhalation.
Xi; Irritant
R37: Irritating to respiratory system.
Xi; Sensitising
R43: May cause sensitisation by skin contact.
<ul> <li>Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.</li> <li>Classification system:</li> </ul>
The classification is according to the latest editions of the EU-lists, and extended by company and
literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. (Contd. on page 2)

Tradename: Urethane WB Part B (Contd. of page 1) · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labelling: Hexane, 1.6-diisocvanato-, homopolymer hexamethylene-di-isocyanate · Hazard statements H332 Harmful if inhaled. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. **Precautionary statements** P280 Wear protective clothing / eye protection. Use only outdoors or in a well-ventilated area. P271 P261 Avoid breathing mist/vapours/spray. Call a POISON CENTER/doctor if you feel unwell. P312 P403+P233 Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · Additional information: Contains isocyanates. May produce an allergic reaction. · Hazard description: · WHMIS-symbols: D2B - Toxic material causing other toxic effects · NFPA ratings (scale 0 - 4) Health = 2Fire = 1 Reactivity = 0 · HMIS-ratings (scale 0 - 4) 2 Health = 2 FIRE 1 Fire = 1 REACTIVITY O Reactivity = 0 HMIS Long Term Health Hazard Substances 822-06-0 hexamethylene-di-isocyanate (Contd. on page 3)

(Contd. of page 2)

## Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Tradename: Urethane WB Part B

#### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

**vPvB:** Not applicable.

### 3 Composition/information on ingredients

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>		
CAS: 28182-81-2	Hexane, 1,6-diisocyanato-, homopolymer	50-100%
NLP: 500-060-2	🗙 Xn R20; 🗙 Xi R37; 🗙 Xi R43	
	Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 822-06-0	hexamethylene-di-isocyanate	< 1%
EINECS: 212-485-8	🔜 T R23; 🔀 Xn R42/43; 🔀 Xi R36/37/38	
Index number: 615-011-00-1	Acute Tox. 3, H331	
	🚯 Resp. Sens. 1, H334	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317;	
	STOT SE 3, H335	
Additional information: For the wording of the listed risk phrases refer to section 16.		·

## 4 First aid measures

### · 4.1 Description of first aid measures

## · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

#### • After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

#### • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### • After eye contact:

Immediately remove contact lenses if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

• **4.2 Most important symptoms and effects, both acute and delayed** Asthma attacks Allergic reactions Coughing Breathing difficulty

(Contd. on page 4)

Tradename: Urethane WB Part B

(Contd. of page 3)

Profuse sweating Gastric or intestinal disorders when ingested.

· Hazards Danger of impaired breathing.

• **4.3 Indication of any immediate medical attention and special treatment needed** Treat skin and mucous membrane with antihistamine and corticoid preparations. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants. Contains isocyanates. May produce an allergic reaction.

## **5** Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information No further relevant information available.

### 6 Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

### · 7.1 Precautions for safe handling

Prevent formation of aerosols.

Keep receptacles tightly sealed.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 5)

Tradename: Urethane WB Part B

(Contd. of page 4)

• 7.2 Conditions for safe storage, including any incompatibilities • Storage:

• Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame. Protect from humidity and water.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Store away from water.

Do not store together with acids.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

8.1 Control	parameters
-------------	------------

Tradename: Urethane WB Part B

(Contd. of page 5)

### • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

## 9 Physical and chemical properties

· 9.1 Information on ba	sic physical and	chemical properties
-------------------------	------------------	---------------------

General	Information
A	

· Appearance:	
Form:	Liquid
Colour:	Clear
· Odour:	Nearly odourless
· Odour threshold:	Not determined.
· pH-value:	Not determined.
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Not Determined. Undetermined.
· Flash point:	365 °F / 185 °C
· Flammability (solid, gaseous):	Not applicable.
· Auto/Self-ignition temperature:	883 °F / 445 °C

(Contd. on page 7)

Tradename: Urethane WB Part B

		(Contd. of page 6)
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapour pressure at 20 °C:	<0,001 hPa	
Density at 20 °C: Relative density Vapour density Evaporation rate	1,15 g/cm <sup>3</sup> Not determined. Not determined. Not determined.	
blubility in / Miscibility with water: Not miscible or difficult to mix.		
Partition coefficient (n-octanol/water): Not determined.		
Viscosity: Dynamic at 23 °C: Kinematic: 9.2 Other information	726 mPas Not determined. No further relevant information available.	

# 10 Stability and reactivity

<ul> <li>10.1 Reactivity</li> <li>10.2 Chemical stability</li> <li>Thermal decomposition / conditions to be avoided:</li> </ul>
No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions
Contact with acids releases toxic gases.
Toxic fumes may be released if heated above the decomposition point.
Exothermic polymerization.
Reacts with catalysts, oxidizing agents and strong alkali.
· 10.4 Conditions to avoid
Store away from oxidizing agents.
Moisture.
<ul> <li>10.5 Incompatible materials: No further relevant information available.</li> </ul>
10.6 Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)
Isocyanate

(Contd. on page 8)

Tradename: Urethane WB Part B

(Contd. of page 7)

1 Toxico	ological information				
· 11.1 Inf	· 11.1 Information on toxicological effects				
· Acute toxicity:					
· LD/LC50 values relevant for classification:					
28182-81-2 Hexane, 1,6-diisocyanato-, homopolymer					
Oral	LD50 >5000 mg/kg (rat)				
	Estimated Value				
Dermal	LD50 >5000 mg/kg (rabbit)				
822-06-	0 hexamethylene-di-isocyanate				
Oral	LD50 738 mg/kg (rat)				
Dermal	LD50 593 mg/kg (rat)				
	y irritant effect:				
	skin: Slight irritant effect on skin and mucous membranes.				
	eye: Slight irritant effect on eyes.				
· Sensitiz					
	ration possible through skin contact.				
	ing effect through inhalation is possible by prolonged exposure.				
	nal toxicological information:				
	oduct shows the following dangers according to the calculation method of the General E				
	cation Guidelines for Preparations as issued in the latest version:				
Harmful	i de la constante de				
Irritant	through align adaptition				
	through skin adsorption. nd/or corrosive effects may be delayed up to 24 hours.				
	on of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions an				
	he, dizziness, etc.				
	ed dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.				
-					
	gical information				
• 12.1 To	c toxicity: No further relevant information available.				
	rsistence and degradability Not easily biodegradable				
	oaccumulative potential No further relevant information available.				
	bility in soil No further relevant information available.				
	nal ecological information:				
	• General notes: Avoid transfer into the environment.				
	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water				
	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage				
system.					
12.5 Re	sults of PBT and vPvB assessment				
	ot applicable.				
· vPvB: N	Not applicable.				
	(Contd. on page 5				

(Contd. on page 9)

Tradename: Urethane WB Part B

(Contd. of page 8)

· 12.6 Other adverse effects No further relevant information available.

## **13 Disposal considerations**

#### · 13.1 Waste treatment methods

#### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information		
· 14.1 UN-Number		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
<ul> <li>14.2 UN proper shipping name</li> <li>DOT, ADR, ADN, IMDG, IATA</li> <li>14.3 Transport hazard class(es)</li> </ul>	Not Regulated	
· DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
· 14.4 Packing group		
· DOT, ADR, IMDG, IATA	Not Regulated	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
• 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

### 15 Regulatory information

 $^{\cdot}$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\cdot}$  United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 10)

Tradename: Urethane WB Part B

	(Contd. of page
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
<sup>·</sup> Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
822-06-0 hexamethylene-di-isocyanate	
Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	
· Other regulations, limitations and prohibitive regulations	
• Substances of very high concern (SVHC) according to REACH, Article 57	
None of the ingredients is listed.	
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been car	ried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## · Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 11)

Tradename: Urethane WB Part B

		(Contd. of page 10)		
H3 H3 H3 H3	Toxic if inhaled. Harmful if inhaled.			
H3	5 May cause respiratory irritation.			
R2				
R2 R3	Toxic by inhalation. 5/37/38 Irritating to eyes, respiratory system and ski	n.		
R3	Irritating to respiratory system.			
R4 R4	May cause sensitisation by inhalation and s May cause sensitisation by skin contact.	kin contact.		
	previations and acronyms:			
Inte IMD DO	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association			
GH: ACC EIN	GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances			
NFF HM	CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)			
DNI PNI	WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH)			
	LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent			
Acu Skir	Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2			
Res Skir ST(	Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3			
	Irces			
	S Prepared by: mTel Inc.			
	5 North Florida Avenue			
To	npa, Florida USA 33602-2902 Free North America 1-888-255-3924 Intl. +01 813- bsite: www.chemtelinc.com	248-0573		