Toxic

Ingredient Dictionary
Go to your bathroom cupboard and discover just how "natural" your current skin and hair care is! Then make an informed decision about continuing to use them.

| 1,4-dioxane | A carcinogenic contaminant of cosmetic products. Almost 50% of cosmetics containing ethoxylated surfactants were found to contain dioxane. |
|--|---|
| | See Ethoxylated surfactants |
| , | From Material Safety Data Sheet (MSDS): 1,4-DIOXANE MAY EXERT ITS EFFECTS THROUGH INHALATION, SKIN ABSORPTION, AND INGESTION. 1,4-DIOXANE IS LISTED AS A CARCINOGEN. |
| | EFFECTS OF OVEREXPOSURE: 1,4-DIOXANE IS AN EYE AND MUCOUS MEMBRANE IRRITANT, PRIMARY SKIN IRRITANT, CENTRAL NERVOUS SYSTEM DEPRESSANT, NEPHROTOXIN, AND HEPATOTOXIN. |
| | ACUTE EXPOSURE CAUSES IRRITATION, HEADACHE, DIZZINESS, AND NARCOSIS. CHRONIC INHALATION EXPOSURE CAN PRODUCE DAMAGE TO THE LIVER AND KIDNEYS, AND BLOOD DISORDERS. |
| · | MEDICAL CONDITION AGGRAVATED BY EXPOSURE PRECLUDE FROM EXPOSURE THOSE INDIVIDUALS WITH DISEASE OF THE BLOOD, LIVER KIDNEYS, CENTRAL NERVOUS SYSTEM, AND THOSE SUSCEPTIBLE TO DERMATITIS. |
| 2-bromo-2-nitropropane-1,3-diol (Bronopol) | Toxic, causes allergic contact dermatitis. See Nitrosating agents |
| Alcohol, isopropyl (SD-40) | A very drying and irritating solvent and dehydrator that strips your skin's natural acid mantle, making us more vulnerable to bacteria, moulds and viruses. It is made from propylene, a petroleum derivative. It may promote brown spots and premature aging of skin. |
| Ammonium Laureth Sulfate (ALES) | See Anionic Surfactants |
| | See Sodium Laureth Sulfate |
| Ammonium Lauryl Sulfate (ALS) | See Nitrosating Agents See Anionic Surfactants |
| | See Sodium Lauryl Sulfate |
| Anionic Surfactants | See Nitrosating Agents |
| , who he during the hard the h | Anionic refers to the negative charge these surfactants have. They may be contaminated with nitrosamines, which are carcinogenic. Surfactants can pose serious health threats. They are used in car washes, as garage floor cleaners and engine degreasers - and in 90% of personal-care products that foam. Sodium Lauryl Sulfate (SLS) Sodium Laureth Sulfate (SLES) |
| | Ammonium Lauryl Sulfate (ALS) Ammonium Laureth Sulfate (ALES) Sodium Methyl Cocoyl Taurate |
| | Sodium Lauroyl Sarcosinate Sodium Cocoyl Sarcosinate |
| | Sodium Cocoyl Sarcosinate Potassium Coco Hydrolysed Collagen |
| | TEA (Triethanolamine) Lauryl Sulfate |
| | TEA (Triethanolamine) Laureth Sulfate |
| | Lauryl or Cocoyl Sarcosine Disodium Oleamide Sulfosuccinate |
| | Disodium Laureth Sulfosuccinate |
| D | Disodium Dioctyl Sulfosuccinate etc |
| Benzalkonium Chloride | Highly toxic, primary skin irritant. |
| | See Cationic surfactants |
| | From Material Safety Data Sheet (MSDS): MATERIAL IS HIGHLY TOXIC VIA ORAL ROUTE. |
| | EFFECTS OF OVEREXPOSURE: MISTS CAN CAUSE IRRITATION TO THE SKIN, EYES, NOSE, THROAT AND MUCOUS MEMBRANES. AVOID DIRECT CONTACT. SYMPTOMS: MUSCULAR PARALYSIS, LOW BLOOD PRESSURE, CNS DEPRESSION AND WEAKNESS. |
| | EMERGENCY AND FIRST AID PROCEDURES EYES: CORROSIVE! IMMEDIATELY WASH EYES WITH PLENTY OF WATER. INHALATION: REMOVE PERSON TO FRESH AIR. GIVE OXYGEN (IF BREATHING IS DIFFICULT). CALL PHYSICIAN. |
| | INGESTION: IF CONSCIOUS, IMMEDIATELY DRINK LARGE QUANTITIES OF FLUID TO DILUTE AND INDUCE VOMITING. CALL PHYSICIAN. |

| Butylated hudroxyanisole (BHA) | Causes allergic contact dermatitis. |
|--|--|
| Butylated Hydroxytoluene (BHT) | Causes allergic contact dermatitis. |
| odiyiateo Hydroxytottiene (BHT) | Contains toluene. |
| | See see Toluenc. |
| Cationic surfactants | These chemicals have a positive electrical charge. They contain a quaternary ammonium group and are often call |
| | "quats". These are used in hair conditioners, but originated from the paper and fabric industries as softeners and a |
| | static agents. In the long run they cause the hair to become dry and brittle. They are synthetic, irritating, allergen |
| | and toxic, and oral intake of them can be lethal. |
| | Stearalkonium chloride. |
| | Benzalkonium chloride, |
| | Cetrimonium chloride |
| | Cetalkonium chloride |
| | Lauryl dimonium hydrolysed collagen |
| Cetalkonium chloride | See Cationic surfactants |
| Detrimonium chloride | |
| | See Cationic surfactants |
| Chloromethylisothiazolinone and sothiazolinone | Causes contact dermatitis |
| sounazonnone | Tree Material Cofety Date (NoDC) |
| | From Material Safety Data Sheet (MSDS): EYE CONTACT: CORROSIVE TO THE EYES WITH POSSIBLE PERMANENT DAMAGE. |
| | EID CONTACT: CORROSIVE TO THE EYES WITH POSSIBLE PENDANENT DAMAGE. |
| | SKIN CONTACT: CORROSIVE TO THE SKIN, POSSIBLY RESULTING IN THIRD DEGREE BURN |
| | CAN BE HARMFUL IF ABSORBED. CAN CAUSE ALLERGIC CONTACT DERMATITIS IN |
| | SUSCEPTIBLE INDIVIDUALS. |
| | |
| • | INGESTION: CAN BE FATAL. |
| | |
| | INHALATION: CAN BE CORROSIVE TO THE MUCOUS MEMBRANES AND THE LUNGS. CAN CAU |
| Docoamidopropyl Betaine | AN ALLERGIC REACTION IN SUSCEPTIBLE INDIVIDUALS. From Material Safety Data Sheet (MSDS): |
| эосоалнаоргоруг Беташе | CAN CAUSE EYE AND SKIN IRRITATION. |
| Cocoyl Sarcosine | See Nitrosating agents |
| Cyclomethicone | See Silicone derived emollients |
| DEA (diethanolamine), MEA | Often used in cosmetics to adjust the pH, and used with many fatty acids to convert acid to salt (stearate), which the |
| Monoethanolamine), & TEA | becomes the base for a cleanser. TEA causes allergic reactions including eye problems, dryness of hair and skin, a |
| triethanolamine) | could be toxic if absorbed into the body over a long period of time. |
| | · · · · · · · · · · · · · · · · · · · |
| | These chemicals are already restricted in Europe due to known carcinogenic effects. Dr. Samuel Epstein (Professor |
| | of Environmental Health at the University of Illinois) says that repeated skin applications of DEA-based |
| | detergents resulted |
| | in a major increase in the incidence of liver and kidney cancer. |
| | See Nitrosating agents |
| | bee with osating agents |
| | From Material Safety Data Sheet (MSDS): |
| | Health Hazard Acute And Chronic: Product is severely irritating to body |
| | tissues and possibly corrosive to the eyes. |
| | |
| | Explanation Carcinogenicity: Amines react with nitrosating agents to form |
| Diagolidiauluses | nitrosamines, which are carcinogenic. |
| Diazolidinyl urea | Established as a primary cause of contact dematitis (American Academy of Dermatology). Contains formaldehyd |
| | a carcinogenic chemical, is toxic by inhalation, a strong irritant, and causes contact dermatitis. |
| | See Formaldehyde |
| | |
| | From Material Safety Data Sheet (MSDS): |
| | CAUSES SEVERE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. |
| | |
| | SIGNS AND SYMPTOMS OF EXPOSURE |
| | CUMPEONO OF THIS TANTON. TO LEGET AND AND THE PROPERTY OF THE |
| | SYMPTOMS OF INHALATION: IF MISTED, WILL CAUSE IRRITATION OF MUCOUS MEMBRANES NOSE, EYES AND THROAT. COUGHING, DIFFICULTY IN BREATHING. |
| | ACCE, MIES AND INCOMI. CONGULAG, DIFFICULTY IN BREATHING. |
| | SYMPTOMS OF SKIN CONTACT: CONTACT CAUSES SMARTING AND BURNING SENSATIONS, |
| | INFLAMMATION, BURNS, PAINFUL BLISTERS. PROFOUND DAMAGE TO TISSUE. |
| | The state of the s |
| | SYMPTOMS OF EYE CONTACT: WILL CAUSE PAINFUL BURNING OR STINGING OF EYES AND |
| | LIDS, WATERING OF EYES, AND INFLAMMATION OF CONJUNCTIVA. |
| | |
| | See Silicone derived emollients |
| Dimethicone Copolyol | See Silicone derived emollients See Silicone derived emollients |
| Dimethicone Copolyol Disodium Dioctyl Sulfosuccinate | See Silicone derived emollients See Silicone derived emollients See Anionic surfactants |
| Dimethicone Copolyol Disodium Dioctyl Sulfosuccinate | See Silicone derived emollients See Silicone derived emollients See Anionic surfactants See Anionic surfactants |
| Dimethicone Dimethicone Copolyol Disodium Dioctyl Sulfosuccinate Disodium Laureth Sulfosuccinate | See Silicone derived emollients See Silicone derived emollients See Anionic surfactants See Anionic surfactants See Ethoxylated surfactants |
| Dimethicone Copolyol Disodium Dioctyl Sulfosuccinate | See Silicone derived emollients See Silicone derived emollients See Anionic surfactants See Anionic surfactants |

| | The state of the |
|--|--|
| Ethoxylated surfactants | Ethoxylated surfactants are widely used in cosmetics as foaming agents, emulsifiers and humectants. As part of the manufacturing process the toxic chemical 1,4-dioxane, a potent carcinogen, is generated. On the label, they are identified by the prefix "PEG", "polyethylene", "polyethylene glycol", "polyoxyethylene", "eth-", or "-oxynol-". |
| | See 1,4-Dioxane |
| FD&C Colour Pigments . | Synthetic colours made from coal tar. Contain heavy metal salts that deposit toxins onto the skin, causing skin sensitivity and irritation. Animal studies have shown almost all of them to be carcinogenic. |
| Formaldehyde | Formaldehyde is a known carcinogen (causes cancer). Causes allergic, irritant and contact dermatitis, headaches and chronic fatigue. The vapour is extremely irritating to the eyes, nose and throat (mucous membranes). |
| | See Nitrosating agents |
| Fragrance | Fragrance on a label can indicate the presence of up to four thousand separate ingredients, many toxic or carcinogenic. Symptoms reported to the USA FDA include headaches, dizziness, allergic rashes, skin discoloration, violent coughing and vomiting, and skin irritation. Clinical observation proves fragrances can affect the central nervous system, causing depression, hyperactivity, and irritability. |
| Underlymod Animal Circlain | See Nitrosating agents |
| Hydrolysed Animal Protein midazolidinyl urea | The trade name for this chemical is Germall 115. Releases formaldehyde, a carcinogenic chemical, into cosmetics at over 10°C. Toxic. |
| | See Formaldehyde |
| lmidazolidinyl Urea | See Nitrocoting agents |
| _anolin | Any chemicals used on sheep will contaminate the lanolin obtained from the wool. The majority of lanolin used in cosmetics is highly contaminated with chlorinated organo pesticides like DDT. |
| Lauryl dimonium hydrolysed collagen | See Cationic surfactants |
| Lauryl or Cocoyl Sarcosine | See Anionic Surfactants See Anionic surfactants |
| Lauryl or Cocoyl Sarcosine | |
| Lauryl Sarcosine Liquidum Paraffinum | See Nitrosating agents Liquidum Paraffinum is an exotic sounding way to say mineral oil (!!) |
| , | See Mineral Oil |
| MEA compounds | See Nitrosating agents |
| Methylisothiazolinone and | Both cause cosmetic allergies |
| Methylchloroisothiazolinone | |
| Mineral Oil | Petroleum by-product that coats the skin like plastic, clogging the pores. Interferes with skin's ability to eliminate |
| | toxins, promoting acne and other disorders. Slows down skin function and cell development, resulting in premature |
| | aging. Used in many products (baby oil is 100% mineral oil!) |
| | Any mineral oil derivative can be contaminated with cancer causing PAH's (Polycyclic Aromatic Hydrocarbons). |
| | Manufacturers use petrolatum because it is unbelievably cheap. |
| | Mineral oil |
| | |
| | Liquidum paraffinum (also known as posh mineral oil!) |
| | Paraffin oil |
| | Paraffin wax |
| | Petrolatum |
| Nitrosating Agents | The following chemicals can cause nitrosamine contamination, which have been determined to form cancer in |
| 5 5 | laboratory animals. There are wide and repeated concerns in the USA and Europe about the contamination of |
| | cosmetics products with nitrosamines. |
| | |
| | 2-bromo-2-nitropropane-1,3-diol |
| | Cocoyl Sarcosine |
| | DEA compounds |
| | Imidazolidinyl Urea |
| | Imidazolidinyi Urea |
| | Formaldehyde |
| | · · |
| | Formaldehyde Hydrolysed Animal Protein |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine |
| | Formaldehyde Hydrotysed Animal Protein Lauryl Sarcosine MEA compounds |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Ammonium Laureth Sulfate |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Ammonium Laureth Sulfate Sodium Methyl Cocoyl Taurate |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Ammonium Laureth Sulfate |
| The state of the s | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Ammonium Laureth Sulfate Sodium Methyl Cocoyl Taurate TEA compounds |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Ammonium Laureth Sulfate TEA compounds Used as inhibitors of microbial growth and to extend shelf life of products. Widely used even though they are know |
| Paraben preservatives (methyl, propyl, butyl, and ethyl) | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Ammonium Laureth Sulfate Sodium Methyl Cocoyl Taurate TEA compounds Used as inhibitors of microbial growth and to extend shelf life of products. Widely used even though they are know to be toxic. Have caused many allergic reactions and skin rashes. Highly toxic. |
| Paraben preservatives (methyl, propyl, butyl, and ethyl) | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Ammonium Laureth Sulfate Sodium Methyl Cocoyl Taurate TEA compounds Used as inhibitors of microbial growth and to extend shelf life of products. Widely used even though they are know to be toxic. Have caused many allergic reactions and skin rashes. Highly toxic. From Material Safety Data Sheet (MSDS): |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Methyl Cocoyl Taurate TEA compounds Used as inhibitors of microbial growth and to extend shelf life of products. Widely used even though they are know to be toxic. Have caused many allergic reactions and skin rashes. Highly toxic. From Material Safety Data Sheet (MSDS): EMERGENCY OVERVIEW: |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Ammonium Laureth Sulfate Sodium Methyl Cocoyl Taurate TEA compounds Used as inhibitors of microbial growth and to extend shelf life of products. Widely used even though they are know to be toxic. Have caused many allergic reactions and skin rashes. Highly toxic. From Material Safety Data Sheet (MSDS): EMERGENCY OVERVIEW: |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Sodium Methyl Cocoyl Taurate TEA compounds Used as inhibitors of microbial growth and to extend shelf life of products. Widely used even though they are know to be toxic. Have caused many allergic reactions and skin rashes. Highly toxic. From Material Safety Data Sheet (MSDS): EMERGENCY OVERVIEW: WARNING! HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. MAY CAUSE ALLERGIC SKIN REACTION. |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Methyl Cocoyl Taurate TEA compounds Used as inhibitors of microbial growth and to extend shelf life of products. Widely used even though they are know to be toxic. Have caused many allergic reactions and skin rashes. Highly toxic. From Material Safety Data Sheet (MSDS): EMERGENCY OVERVIEW: WARNING! HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Sodium Laureth Sulfate Ammonium Laureth Sulfate Sodium Methyl Cocoyl Taurate TEA compounds Used as inhibitors of microbial growth and to extend shelf life of products. Widely used even though they are know to be toxic. Have caused many allergic reactions and skin rashes. Highly toxic. From Material Safety Data Sheet (MSDS): EMERGENCY OVERVIEW: WARNING! HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. MAY CAUSE ALLERGIC SKIN REACTION. SKIN CONTACT: CAUSES IRRITATION TO SKIN. SYMPTOMS INCLUDE REDNESS, ITCHING, AND PAIN. MAY CAUSE ALLERGIC SKIN REACTIONS. |
| butyl, and ethyl) | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Sodium Methyl Cocoyl Taurate TEA compounds Used as inhibitors of microbial growth and to extend shelf life of products. Widely used even though they are know to be toxic. Have caused many allergic reactions and skin rashes. Highly toxic. From Material Safety Data Sheet (MSDS): EMERGENCY OVERVIEW: WARNING! HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. MAY CAUSE ALLERGIC SKIN REACTION. SKIN CONTACT: CAUSES IRRITATION TO SKIN. SYMPTOMS INCLUDE REDNESS, ITCHING, AND PAIN. MAY CAUSE ALLERGIC SKIN REACTIONS. EYE CONTACT: CAUSES IRRITATION, REDNESS, AND PAIN. |
| | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Ammonium Laureth Sulfate Sodium Methyl Cocoyl Taurate TEA compounds Used as inhibitors of microbial growth and to extend shelf life of products. Widely used even though they are know to be toxic. Have caused many allergic reactions and skin rashes. Highly toxic. From Material Safety Data Sheet (MSDS): EMERGENCY OVERVIEW: WARNING! HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. MAY CAUSE ALLERGIC SKIN REACTION. SKIN CONTACT: CAUSES IRRITATION TO SKIN. SYMPTOMS INCLUDE REDNESS, ITCHING, AND PAIN. MAY CAUSE ALLERGIC SKIN REACTIONS. EYE CONTACT: CAUSES IRRITATION, REDNESS, AND PAIN. Paraffin Wax is mineral oil wax. |
| butyl, and ethyl) Paraffin wax/oil | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Ammonium Laureth Sulfate Sodium Methyl Cocoyl Taurate TEA compounds Used as inhibitors of microbial growth and to extend shelf life of products. Widely used even though they are know to be toxic. Have caused many allergic reactions and skin rashes. Highly toxic. From Material Safety Data Sheet (MSDS): EMERGENCY OVERVIEW: WARNING! HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. MAY CAUSE ALLERGIC SKIN REACTION. SKIN CONTACT: CAUSES IRRITATION TO SKIN. SYMPTOMS INCLUDE REDNESS, ITCHING, AND PAIN. MAY CAUSE ALLERGIC SKIN REACTIONS. EYE CONTACT: CAUSES IRRITATION, REDNESS, AND PAIN. Paraffin Wax is mineral oil wax. See Mineral Oil |
| butyl, and ethyl) | Formaldehyde Hydrolysed Animal Protein Lauryl Sarcosine MEA compounds Quaternium-7, 15, 31, 60, etc Sodium Lauryl Sulfate Ammonium Lauryl Sulfate Sodium Laureth Sulfate Ammonium Laureth Sulfate Sodium Methyl Cocoyl Taurate TEA compounds Used as inhibitors of microbial growth and to extend shelf life of products. Widely used even though they are know to be toxic. Have caused many allergic reactions and skin rashes. Highly toxic. From Material Safety Data Sheet (MSDS): EMERGENCY OVERVIEW: WARNING! HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. MAY CAUSE ALLERGIC SKIN REACTION. SKIN CONTACT: CAUSES IRRITATION TO SKIN. SYMPTOMS INCLUDE REDNESS, ITCHING, AND PAIN. MAY CAUSE ALLERGIC SKIN REACTIONS. EYE CONTACT: CAUSES IRRITATION, REDNESS, AND PAIN. Paraffin Wax is mineral oil wax. |

. .

| Polyethylene Glycol (PEG) compounds | Potentially carcinogenic petroleum ingredient that can alter and reduce the skin's natural moisture factor. This could increase the appearance of aging and leave you more vulnerable to bacteria. Used in cleansers to dissolve oil and grease. It adjusts the melting point and thickens products. Also used in caustic spray-on oven cleaners. See Ethoxylated surfactants |
|---|--|
| Potassium Coco Hydrolysed Collagen . | See Anionic Surfactants |
| Potassium Coco Hydrolysed Collagen . Propylene/Butylene Glycol | See Anionic surfactants Propylene glycol (PG) is a petroleum derivative. It penetrates the skin and can weaken protein and cellular structure. Commonly used to make extracts from herbs. PG is strong enough to remove barnacles from boats! The EPA considers PG so toxic that it requires workers to wear protective gloves, clothing and goggles and to dispose of any PG solutions by burying them in the ground. Because PG penetrates the skin so quickly, the EPA wams against skin contact to prevent consequences such as brain, liver, and kidney abnormalities. But there isn't even a warning label on products such as stick deodorants, where the concentration is greater than in most industrial applications. |
| | From Material Safety Data Sheet (MSDS): Health Hazard Acute And Chronic INHALATION: May cause respiratory and throat Irritation, central nervous system depression, blood and kidney disorders. May cause Nystagmus, Lymphocytosis. |
| | SKIN: Irritation and dermatitis, absorption. |
| | EYES: Irritation and conjunctivitis. |
| | INGESTION: Pulmonary oedema, brain damage, hypoglycaemia, intravascular hemolysis. Death may occur. |
| PVP/VA Copolymer | A petroleum-derived chemical used in hairsprays, wavesets and other cosmetics. It can be considered toxic, since particles may contribute to foreign bodies in the lungs of sensitive persons. |
| Quaternium-7, 15, 31, 60, etc | Toxic, causes skin rashes and allergic reactions. See Nitrosating agents |
| | From Material Safety Data Sheet (MSDS): SKIN: PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN IRRITATION. MAY CAUSE MORE SEVERE RESPONSE IF SKIN IS DAMP. |
| | MAY BE A WEAK SKIN SENSITIZER IN SUSCEPTIBLE INDIVIDUALS AT GREATER THAN 1% IN AQUEOUS SOLUTION. |
| Rancid Natural Emollients . | Natural oils used in cosmetics should be cold pressed. The refined vegetable oils found on supermarket shelves and many health food stores which lack colour, odour and taste are devoid of nutrients, essential fatty acids, vitamins and unsaponifiables - all valuable skin conditioning agents! They also contain poisonous "trans" fatty acids as a result of the refining process. Another important factor to consider with creams made from plant oil is the use-by date. The most beneficial plant oils (like roselup, borage and evening primrose oils) are polyunsaturated, which means they oxidise and go rancid fairly quickly (about 6 months). Most off-the-shelf cosmetics have a shelf life of three years. Rancid oils are harmful, they form free-radicals, which damage and age your skin. |
| Silicone derived emollients | Silicone emollients are occlusive - that is they coat the skin, trapping anything beneath it, and do not allow the skin to breathe (much like plastic wrap would do.) Recent studies have indicated that prolonged exposure of the skin to sweat, by occlusion, causes skin irritation. Some synthetic emollients are known tumour promoters and accumulate in the liver and lymph nodes. They are also non-biodegradable, causing negative environmental impact. • Dimethicone • Dimethicone Copolyol • Cyclomethicone |
| Sodium Cocoyl Sarcosinate Sodium Laureth Sulfate (SLES) Ammonium Laureth Sulfate (ALES) | See Anionic Surfactants When combined with other chemicals, SLES and ALES can create nitrosamines, a potent class of carcinogens. It is frequently disguised in semi-natural cosmetics with the explanation "comes from coconut". See Anionic Surfactants See Ethoxylated surfactants See Ethoxylated surfactants |
| | See Nitrosating agents From Material Safety Data Sheet (MSDS): WARNING: CAUSES SKIN AND EYE IRRITATION! AVOID CONTACT WITH EYES, SKIN AND CLOTHING. THE MATERIAL WAS CLASSIFIED AS A MODERATE TO SEVERE EYE IRRITANT. |
| Sodium Lauroyl Sarcosinate | See Anionic Surfactants |

| Sodium Lauryl Sulfate (SLS) | Used in car washes, garage floor cleaners and engine degreasers - and in 90% of products that foam. |
|---------------------------------------|--|
| Ammonium Lauryl Sulfate (ALS) | Animals exposed to SLS and ALS experience eye damage, central nervous system depression, laboured breathing, |
| | diarrhoea, severe skin irritation, and even death. |
| | Young eyes may not develop properly if exposed to SLS and ALS because proteins are dissolved. SLS and ALS may also damage the skin's inunune system by causing layers to separate and inflame. |
| | It is frequently disguised in semi-natural cosmetics with the explanation "comes from coconut". |
| | See Nitrosating agents |
| | See Anionic Surfactants |
| | From Material Safety Data Sheet (MSDS): EYE CONTACT: INSTILLATION OF A 29% SODIUM LAURYL SULFATE SOLUTION INTO THE EYES OF SIX ALBINO RABBITS PRODUCED SEVERE IRRITATION. THE MATERIAL WAS CLASSIFIED AS A SEVERE SKIN IRRITANT. |
| Sodium Methyl Cocoyl Taurate | See Nitrosating agents |
| | See Anionic Surfactants |
| Stearalkonium Chloride | A chemical used in hair conditioners and creams. Causes allergic reactions. Stearalkonium chloride was developed by the fabric industry as a fabric softener, and is a lot cheaper and easier to use in hair conditioning formulas than proteins or herbals, which do help hair health. Toxic. |
| | See Cationic surfactants |
| Talc | Scientific studies have shown that routine application of talcum powder in the genital area is associated with a three- |
| | to-fourfold increase in the development of ovarian cancer. |
| TEA (Triethanolamine) Laureth Sulfate | See Anionic Surfactants See Nitrosating agents |
| TEA compounds | See Nifrosating agents |
| Toluene | From Material Safety Data Sheet (MSDS): |
| loudie | POISON! DANGER! HARMFUL OR FATAL IF SWALLOWED. HARMFUL IF INHALED OR ABSORBED THROUGH SKIN. |
| | VAPOR HARMFUL. FLAMMABLE LIQUID AND VAPOR. MAY AFFECT LIVER, KIDNEYS, BLOOD SYSTEM, OR CENTRAL NERVOUS SYSTEM. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. |
| | INHALATION: INHALATION MAY CAUSE IRRITATION OF THE UPPER RESPIRATORY TRACT. |
| | OVEREXPOSURE MAY INCLUDE FATIGUE, CONFUSION, HEADACHE, DIZZINESS AND DROWSINESS. PECULIAR SKIN SENSATIONS (E. G. PINS AND NEEDLES) OR NUMBNESS MAY BE PRODUCED. VERY HIGH CONCENTRATIONS MAY CAUSE UNCONSCIOUSNESS AND DEATH. |
| | INGESTION: SWALLOWING MAY CAUSE ABDOMINAL SPASMS AND OTHER SYMPTOMS THAT PARALLEL OVER-EXPOSURE FROM INHALATION. ASPIRATION OF MATERIAL INTO THE LUNGS CAN CAUSE CHEMICAL PNEUMONITIS, WHICH MAY BE FATAL. |
| | SKIN CONTACT: CAUSES IRRITATION. MAY BE ABSORBED THROUGH SKIN. |
| | EYE CONTACT: CAUSES SEVERE EYE IRRITATION WITH REDNESS AND PAIN. |
| | CHRONIC EXPOSURE: REPORTS OF CHRONIC POISONING DESCRIBE ANEMIA, DECREASED BLOOD CELL COUNT AND BONE MARROW HYPOPLASIA. LIVER AND KIDNEY DAMAGE MAY OCCUR. REPEATED OR PROLONGED CONTACT HAS A DEFATTING ACTION, CAUSING DRYING, REDNESS, AND DERMATITIS. |
| | EXPOSURE TO TOLUENE MAY AFFECT THE DEVELOPING FOETUS. |
| | k |

.