

Our Ref: SW/LS/BR 18 October 2019

<u>Page 1 of 3</u>

: GARMENTS

Fashion Formula Drakeglen House 35-36 Disraeli Road NW10 7AX

END USE

Contact: Alex

DATE RECEIVED : 11 OCT 2019

FABRIC SUPPLIER : FASHION FORMULA

QUALITY/REFERENCE : SINGLE COTTON ELASTANE JERSEY

REPUTED FIBRE CONTENT : 90% COTTON, 10% EL

FABRIC DESCRIPTION : KNITTED COLOUR/DESIGN : MIXED

PERFORMANCE STANDARD : GENERAL



REQUEST: Colour fastness to washing, water, free & hydrolysed formaldehyde

COMMENTS: EN71-3 to follow on report 352183/2

S. WISEMAN LABORATORY DIRECTOR

L. SHERIDAN LABORATORY MANAGER

L Sheridan



118 Lupton Avenue Leeds LS9 6ED
Tel:0044 (0) 113 248 8830 Fax:0044 (0) 113 248 0239 EMail: info@hstts.co.uk
Registered No. 2899980 VAT No. 613 4310 86



18 October 2019

<u>Page 2 of 3</u>

This report may not be reproduced except in full without the written approval of HSTTS. In all circumstances results of tests are implied as referring only to the sample supplied and should not be construed or interpreted on any other basis. The comments given in the report are for guidance only and are not a part of the results. Where specified in a test method, preconditioning in accordance with ISO 139 is not carried out as samples are exposed to the conditioning atmosphere specified within ISO 139 for a minimum of 16 hours prior to test.





18 October 2019

<u>Page 3 of 3</u>

COLOUR FASTNESS TO:

BS EN ISO 105-C06: 2010 A2S 40°C Washing

	S/C	Acetate	Cotton	Nylon	Polyester	Acrylic	Wool
Pink/Orange	4-5	4-5	4-5	4-5	4-5	4-5	4-5
Blue/Gk green	4-5	4-5	4-5	4-5	4-5	4-5	4-5
Lt green/Black	4-5	4-5	4-5	4-5	4-5	4-5	4-5

BS EN ISO 105-E01:2013 Water

	S/C	Acetate	Cotton	Nylon	Polyester	Acrylic	Wool
Pink	4-5	4-5	4-5	4-5	4-5	4-5	4-5
Purple	4-5	4-5	4-5	4-5	4-5	4-5	4-5
Dk green	4-5	4-5	4-5	4-5	4-5	4-5	4-5
Dk blue/Black	4-5	4-5	4-5	4-5	4-5	4-5	4-5
Lt green	4-5	4-5	4-5	4-5	4-5	4-5	4-5
Orange	4-5	4-5	4-5	4-5	4-5	4-5	4-5

OTHER TESTS

BS EN 14184-1:2011 Free & Hydrolysed Formaldehyde

Sample A Below detectable limits

Sample B Below detectable limits

Mean Below detectable limits

