# VIZID

Vizid Digital Door Locks featuring
Facial Recognition Technology
powered by
Artificial Intelligence

# VIZID

# DFL-200

## Multi-Biometric Digital Door Lock with Facial & Palm Verification

- Contact-less verification to open the door
- Infrared detection in the night
- Unlocking time logs
- Finger-touch keypad with power saving function
- Long life time for power usage
- Stronger and more security than traditional lock

| | |
|---|---|
| Face UnLock | Voice Prompt |
| Palm UnLock | Low Votage Warning |
| Password UnLock | Finger Touch Keypad |
| Card UnLock | Events Query |
| Keys UnLock | High Security Level |

**Email : info@vizid.in | Website : www.vizid.in**

# VIZID

# DFL -200 PRODUCT FEATURES

| | |
|---|---|
| **Lock Material** | **FRR** |
| Zinc Alloy | <0.0001% |
| **Unlock Mode** | **Power Supply Voltage** |
| Face, Palm, Password, IC card, Mechanical key | 7.5 V DC12V |
| **Speaker & Display** | **LED Alarming** |
| LCD with Voice Prompt | <7.8 V |
| **Keypad** | **Current Consumption** |
| Finger Touch | Peak-current<380 mA |
| **Face Capacity** | **Quiesce:** |
| 100 | **Current<25 mA** |
| **Palm Capacity** | **Power Supply** |
| 100 | 8  pcs : 1.5 V AA Alkaline Batteries |
| **Password Capacity** | **Power Lifetime** |
| 5 | 6 - 9 Months |
| **Card Capacity** | **Working Temperature** |
| 100 | -20°C-60°C |
| **Transaction Capacity** | **Operation Humidity** |
| 100 Events | 20%-80% |
| **Verification Mode** | **Applicable Door size** |
| 1:N | 40-150 mm (Thickness) |
| **Verification Speed** | **Lock Size** |
| <0.8S | 344* 78 *34 mm (L* W* T ) |
| FAR < 0.0001% | Weight:: 5.0KG |