

Item	Document Number	Rev	Title	Qty
1	1200-10-0001	Α	PICKING CONVEYOR	1
2	1200-10-0410	Α	VIBRATORY FEED SYSTEM	1
3	1200-17-0000	В	FICKING BELT WITH OB MAGNET	1
4	1300-01-0000	A	ENGINE CRACKER ASSEMBLY (BOSS)	1

NOTES:

CAT

1) CONVEYOR, OB AND VF ARE ALL MOVEABLE

2) LOADING OF ENGINE CRACKER ON OPOSITE SIDE TO WHERE OPERATOR IS

3) NO PERSONS SHOULD BE OPERATING THE MACHINE ON THE ABOVE PLATFORM, THIS IS FOR MAINTENACE ONLY

4) ENGINE CRACKER BUND MUST BE SUPPLIED TO ACCOMODATE THE VIBRATING FEEEDER

ELECTRICAL SPECIFICATION @ 380 415V

Engine Cracker – 45kw, 3ph, 81.1a

CONVEYOR - 3KW, 3PH, 6.17A

OVERBAND MAGNET - 1.5KW, 3PH, 3.4A


VIBRATING FEEDER - 230V, 1PH, 7.5A


125A SUPPLY REQUIRED TO RUN FULL SYSTEM, D-BREAKERS SHOULD BE USED

ANE		NAME	DATE	TITLE						
M K	DRAWN	AHE	10/03/20	ENGINE CRACKER WITH CONVEYOR, C						
CAND		ONS ARE IN	SE SPECIFIED I MILLIMETRES IGLES ±0,5°	A3						
PPLY THIRD	(A) (	1. X	±0,5	MATERIAL:						
AC	9	<b>√</b> ^,		DO NO	OT SCALE, IF IN DOUBT	ASK	SHEET 1 C	)F 3		

DETAILS

REV





										i
F	DETAILS				NAME	DATE	EAT	ĺ		
										İ
2 HARRIMANS LA			NAME		TITLE			n (E) (O.D.		١.,_
McIntyre NOTTINGHAM NG7 2SD, UK		DRAWN	AHE	ENG	IINE (	CRACKER WITI	H CON	NVEYOR,	OB	& VF
The gold standard in recycling systems	· [			SE SPECIFIED		DWG. NO.			REV.	ı
TEL: 01159 409630 WWW.JMCRECYCLING.COM ORIGINAL DESIGNS & DRAWINGS ARE THE PROPERTY OF JMC A		DIMENSIO		MILLIMETRES IGLES ±0.5°	A2	1300	)-01		Α	i
SHOULD NOT BE USED FOR ANY PURPOSE OTHER THAN SUPP	PLY	A 1	1 X	±0,5	MATE	RIAL:				ı
OF GOODS TO JMC OR PARTED WITH OR DISCLOSED TO ANY TH PARTY NOT SPECIFICALLY AUTHORISED IN WRITING BY JMC		⊕ €	վ. X)		DO NO	OT SCALE, IF IN DOUBT	ASK	SHEET 3 C	)F 3	i