


# Public Floor Stand.....2016



## RIFE TECHNOLOGIES




The Public Floor Stand series are one of the most flexible and multifunctional display stand series of its kind. The Public Floor Stand can be used with a single or double screen in a standard landscape mode or a portrait mode. It can be configured with rows of screens making a 4, 6, or even 9 screen solutions possible. An optional Floorstand base can be drilled into the floor to make the stand stay safe and in its place in any public environment.




*A quality of products on which u can trust*

# Public Floor Stand




# Public Floor Stand



Public Floor Stand  
 Cable Management  
 Wheelbase / Floorbase / Floormount Base available


Orientation: Landscape  
 Socket Outlet on back of pillar




# Public Floor Stand




# Public Floor Stand




RK 203A




RK 203B




RK 203C



RK 203D



RK 203E



RK 203F

Model	RK 203A	RK 203B	RK 203C	RK 203D	RK 203E	RK 203F
Color	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
Material	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC
Suggest size	30-60"	30-60"	30-60"	30-60"	30-60"	30-60"
Loading Capacity	120kgs	120kgs	120kgs	120kgs	120kgs	120kgs
VESA Standard	Max. 800*400	Max. 800*400	Max. 800*400	Max. 800*400	Max. 800*400	Max. 800*400
Tilt	-5° - +15°	-5° - +15°	-5° - +15°	-5° - +15°	-5° - +15°	-5° - +15°
Orientation	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait
Power Rail	Yes	Yes	Yes	Yes	Yes	Yes
Cable management	Yes	Yes	Yes	Yes	Yes	Yes

# Public Floor Stand




**RK 109A**

**RK 109B**

**RK 109C**

# Public Floor Stand




**RK 109D**

**RK 109E**


**RK 109F**

Public Floor Stand  
Cable management  
Wheelbase / Floorbase / Floormount Base available


Orientation: Landscape / portrait  
W/O Socket Outlet on back of pillar  
Lock Optional



Quick Release



Height Adjustable




Cable Management

# Public Floor Stand




Model	RK 109A	RK 109B	RK 109C	RK 109D	RK 109E	RK 109F
Color	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
Material	Alu. / SPCC	Alu. / SPCC	Alu. / SPCC	Alu. / SPCC	Alu. / SPCC	Alu. / SPCC
Suggest size	50-110"	50-110"	50-110"	50-110"	50-110"	50-110"
Loading Capacity	125kgs	125kgs	125kgs	125kgs	125kgs	125kgs
VESA Standard	Max. 800*600	Max. 800*600	Max. 800*600	Max. 800*600	Max. 800*600	Max. 800*600
Tilt	-5° +15°	-5° +15°	-5° +15°	-5° +15°	-5° +15°	-5° +15°
Orientation	Landscape	Landscape	Landscape	Landscape	Landscape	Landscape
Power Rail	NO	NO	NO	NO	NO	NO
Cable management	Yes	Yes	Yes	Yes	Yes	Yes


# Public Floor Stand




RK 109A




RK 109B




RK 109C



RK 109D



RK 109E



RK 109F

# Public Floor Stand



# Public Floor Stand



**RK 110D**

**RK 110E**



**RK 110A**



**RK 110B**



**RK 110C**

Public Floor Stand  
W/O Socket Outlet on back of Pillar


Cable Management  
Wheelbase / Floorbase / Floormount Base available



Wire Locking system  
with magnetic



Tilt




Cable Management


# Public Floor Stand




# Public Floor Stand




RK 110A




RK 110B



RK 110C



RK 110D




RK 110E

Model	RK 110A	RK 110B	RK 110C	RK 110D	RK 110E	RK 110F
Color	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
Material	Alu. / SPCC	Alu. / SPCC	Alu. / SPCC	Alu. / SPCC	Alu. / SPCC	Alu. / SPCC
Suggest size	50-110"	50-110"	50-110"	50-110"	50-110"	50-110"
Loading Capacity	125kgs	125kgs	125kgs	125kgs	125kgs	125kgs
VESA Standard	Max. 800*600	Max. 800*600	Max. 800*600	Max. 800*600	Max. 800*600	Max. 800*600
Tilt	-5° +15°	-5° +15°	-5° +15°	-5° +15°	-5° +15°	-5° +15°
Orientation	Landscape	Landscape	Landscape	Landscape	Landscape	Landscape
Power Rail	NO	NO	NO	NO	NO	NO
Cable management	Yes	Yes	Yes	Yes	Yes	Yes

# Public Floor Stand



# Public Floor Stand



**RK 200A**



**RK 200B**

Public Floor Stand  
Socket Outlet on back of pillar


Cable Management  
Wheelbase / Floorbase / Floormount Base available




Portrait & Landscape



Socket




Height Adjustable




Cable Management



# Public Floor Stand




**RK 200C**




**RK 200D**

Model	RK 200A	RK 200B	RK 200C	RK 200D	RK 200E	RK 200F
Color	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
Material	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC
Suggest size	30-60"	30-60"	30-60"	30-60"	30-60"	30-60"
Loading Capacity	100kgs	100kgs	100kgs	100kgs	100kgs	100kgs
VESA Standard	Max. 800*400	Max. 800*400	Max. 800*400	Max. 800*400	Max. 800*400	Max. 800*400
Tilt	-5° +15°	-5° +15°	-5° +15°	-5° +15°	-5° +15°	-5° +15°
Orientation	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait
Power Rail	Yes	Yes	Yes	Yes	Yes	Yes
Cable management	Yes	Yes	Yes	Yes	Yes	Yes


# Public Floor Stand




**RK 200A**



**RK 200B**



**RK 200A**




**RK 200B**



# Public Floor Stand

# Public Floor Stand



**RK 302D**

**RK 302E**

**RK 302F**



**RK 302A**



**RK 302B**



**RK 302C**

Public Floor Stand  
Cable Management

Orientation: Landscape / Portrait  
Socket Outlet on back of pillar


Wheelbase / Floorbase / Floorbase / Floormount Base available




Portrait&Landscape



Socket



Height Adjustable



Cable Management




Width adjustment


# Public Floor Stand




# Public Floor Stand




RK 302A




RK 302B




RK 302A



RK 302B



RK 302A



RK 302B

Model	RK 302A	RK 302B	RK 302C	RK 302D	RK 302E	RK 302F
Color	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
Material	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC
Suggest size	30-60" 10-24"	30-60" 10-24"	30-60" 10-24"	30-60" 10-24"	30-60" 10-24"	30-60" 10-24"
Loading Capacity	100kgs	100kgs	100kgs	100kgs	100kgs	100kgs
VESA Standard	Max.800*400 Max.75/100	Max.800*400 Max.75/100	Max.800*400 Max.75/100	Max.800*400 Max.75/100	Max.800*400 Max.75/100	Max.800*400 Max.75/100
Tilt	-5° +15°	-5° +15°	-5° +15°	-5° +15°	-5° +15°	-5° +15°
Orientation	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait
Power Rail	Yes	Yes	Yes	Yes	Yes	Yes
Cable management	Yes	Yes	Yes	Yes	Yes	Yes


# Public Floor Stand




**RK 303A**



**RK 303B**



**RK 303C**



**RK 303D**

# Public Floor Stand



**RK 303E**

**RK 303F**

Public Floor Stand  
 Cable Management  
 Wheelbase / Floorbase / Floormount Base available


Orientation: Landscape/Portrait  
 Socket outlet on back of pillar




Portrait & Landscape



Socket



Height Adjustable



Cable Management




Width adjustment


# Public Floor Stand




# Public Floor Stand




RK 303A




RK 303B




RK 303C



RK 303D



RK 303E



RK 303F

Model	RK 303A	RK 303B	RK 303C	RK 303D	RK 303E	RK 303F
<b>Color</b>	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
<b>Material</b>	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC
<b>Suggest size</b>	30-60" 10-24"	30-60" 10-24"	30-60" 10-24"	30-60" 10-24"	30-60" 10-24"	30-60" 10-24"
<b>Loading Capacity</b>	100kgs	100kgs	100kgs	100kgs	100kgs	100kgs
<b>VESA Standard</b>	Max.800*400 Max.75/100	Max.800*400 Max.75/100	Max.800*400 Max.75/100	Max.800*400 Max.75/100	Max.800*400 Max.75/100	Max.800*400 Max.75/100
<b>Tilt</b>	-5° +15°	-5° +15°	-5° +15°	-5° +15°	-5° +15°	-5° +15°
<b>Orientation</b>	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait
<b>Power Rail</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Cable management</b>	Yes	Yes	Yes	Yes	Yes	Yes

# Public Floor Stand



**RK 003A**



**RK 003B**



**RK 003C**



**RK 003D**

# Public Floor Stand



**RK 003E**



**RK 003F**

Public Floor Stand  
Socket Outlet on back of pillar

Cable Management  
Wheelbase / Floorbase / Floor-mount Base available



Socket



Height Adjustable



Cable Management




Width adjustment

# Public Floor Stand




Model	RK 003A	RK 003B	RK 003C	RK 003D	RK 003E	RK 003F
Color	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
Material	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC
Suggest size	10-24"	10-24"	10-24"	10-24"	10-24"	10-24"
Loading Capacity	45kgs	45kgs	45kgs	45kgs	45kgs	45kgs
VESA Standard	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100
Tilt	Yes	Yes	Yes	Yes	Yes	Yes
Orientation	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait
Power Rail	Yes	Yes	Yes	Yes	Yes	Yes
Cable management	Yes	Yes	Yes	Yes	Yes	Yes


# Public Floor Stand




RK 003A




RK 003B




RK 003A



RK 003B



RK 003A




RK 003B

# Public Floor Stand




**RK 004A**



**RK 004B**



**RK 004C**



**RK 004C**



**RK 004D**




**RK 004E**

Public Floor Stand  
Socket Outlet on back of pillar


Cable Management  
Wheelbase / Floorbase / Floormunt Base available




Socket



Height Adjustable



Cable Management



Width adjustment




# Public Floor Stand




Model	RK 004A	RK 004B	RK 004C	RK 004D	RK 004E	RK 004F
<b>Color</b>	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
<b>Material</b>	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC
<b>Suggest size</b>	10-24"	10-24"	10-24"	10-24"	10-24"	10-24"
<b>Loading Capacity</b>	60kgs	60kgs	60kgs	60kgs	60kgs	60kgs
<b>VESA Standard</b>	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100
<b>Tilt</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Orientation</b>	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait
<b>Power Rail</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Cable management</b>	Yes	Yes	Yes	Yes	Yes	Yes


# Public Floor Stand




RK 004A




RK 004B




RK 004A



RK 004B




RK 004A



RK 004B



# Public Floor Stand



**RK 005A**



**RK 005B**



**RK 005C**



**RK 005D**



# Public Floor Stand



**RK 005E**




**RK 005F**

Public Floor Stand  
Socket Outlet on back of pillar


Cable Management  
Wheelbase / Floorbase / Floormount Base available



Socket



Height Adjustable



Cable Management




Width adjustment

# Public Floor Stand




Model	RK 005A	RK 005B	RK 005C	RK 005D	RK 005E	RK 005F
<b>Color</b>	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
<b>Material</b>	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC
<b>Suggest size</b>	10-24"	10-24"	10-24"	10-24"	10-24"	10-24"
<b>Loading Capacity</b>	75kgs	75kgs	75kgs	75kgs	75kgs	75kgs
<b>VESA Standard</b>	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100
<b>Tilt</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Orientation</b>	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait
<b>Power Rail</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Cable management</b>	Yes	Yes	Yes	Yes	Yes	Yes


# Public Floor Stand




RK 005A




RK 005B




RK 005C



RK 005D



RK 005E



RK 005F



# Public Floor Stand



# Public Floor Stand




Public Floor Stand  
 Socket Outlet on back of pillar


Cable Management  
 Wheelbase / Floorbase / Floormount Base available



Socket



Height Adjustable



Cable Management



Width adjustment

# Public Floor Stand




**RK 006D**

**RK 006E**


**RK 006F**

Model	RK 006A	RK 006B	RK 006C	RK 006D	RK 006E	RK 006F
Color	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
Material	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC
Suggest size	10-24"	10-24"	10-24"	10-24"	10-24"	10-24"
Loading Capacity	90kgs	90kgs	90kgs	90kgs	90kgs	90kgs
VESA Standard	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100
Tilt	Yes	Yes	Yes	Yes	Yes	Yes
Orientation	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait
Power Rail	Yes	Yes	Yes	Yes	Yes	Yes
Cable management	Yes	Yes	Yes	Yes	Yes	Yes


# Public Floor Stand




**RK 006A**




**RK 006B**




**RK 006C**



**RK 006D**




**RK 006E**



**RK 006F**


# Public Floor Stand




**RK 009A**



**RK 009B**




**RK 009C**




**RK 009D**

# Public Floor Stand



**RK 009E**



**RK 009F**

Public Floor Stand  
Socket Outlet on back of pillar


Cable Management  
Wheelbase / Floorbase / Floormunt Base available



Socket



Height Adjustable



Cable Management




Width adjustment

# Public Floor Stand




Model	RK 009A	RK 009B	RK 009C	RK 009D	RK 009E	RK 009F
Color	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver	Black or Silver
Material	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC	Alu. /SPCC
Suggest size	10-24"	10-24"	10-24"	10-24"	10-24"	10-24"
Loading Capacity	135kgs	135kgs	135kgs	135kgs	135kgs	135kgs
VESA Standard	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100	75*75 100*100
Tilt	Yes	Yes	Yes	Yes	Yes	Yes
Orientation	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait	Landscape Portrait
Power Rail	Yes	Yes	Yes	Yes	Yes	Yes
Cable management	Yes	Yes	Yes	Yes	Yes	Yes


# Public Floor Stand




RK 009A




RK 009B




RK 009C



RK 009D



RK 009E



RK 009F