

Safety data sheet

Page: 1/10

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 11.02.2020 Version: 3.0

Product: Ultrafuse® BVOH polyvinyl alcohol filament

(ID no. 11120948/SDS_GEN_00/EN)

Date of print 19.03.2021

1. Identification

Product identifier

Ultrafuse® BVOH polyvinyl alcohol filament

Recommended use: 3D Printing, for industrial use only

Details of the supplier of the safety data sheet

Company:
BASF 3D Printing Solutions B.V.
Eerste Bokslootweg 17
7821 AT Emmen, Netherlands

Telephone: + 31 591 820 389

E-mail address: sales@basf-3dps.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

Label elements

Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

Date / Revised: 11.02.2020 Version: 3.0

Product: Ultrafuse® BVOH polyvinyl alcohol filament

(ID no. 11120948/SDS_GEN_00/EN)

Date of print 19.03.2021

Other hazards

According to UN GHS criteria

The product may cause burns, if handled in the melted state.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

polymer blend based on: alcohols

Hazardous ingredients (GHS)

According to UN GHS criteria

No particular hazards known.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. If symptoms persist, seek medical advice.

On skin contact:

Wash thoroughly with soap and water Burns caused by molten material require hospital treatment. If irritation develops, seek medical attention.

On contact with eyes:

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. If irritation develops, seek medical attention.

On ingestion:

Keep patient calm, remove to fresh air. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Date / Revised: 11.02.2020 Version: 3.0

Product: Ultrafuse® BVOH polyvinyl alcohol filament

(ID no. 11120948/SDS_GEN_00/EN)

Date of print 19.03.2021

Hazards: No hazard is expected under intended use and appropriate handling.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons: water jet

Additional information:

Water jet can rapidly spread fire.

Special hazards arising from the substance or mixture

harmful vapours, carbon oxides

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire. Under certain conditions in case of fire other hazardous combustion products may be generated.

Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

No special precautions necessary.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up.

For large amounts: Sweep/shovel up. Pack in tightly closed containers for disposal.

Dispose of contaminated material as waste according to item 13.

Date / Revised: 11.02.2020 Version: 3.0

Product: Ultrafuse® BVOH polyvinyl alcohol filament

(ID no. 11120948/SDS_GEN_00/EN)

Date of print 19.03.2021

7. Handling and Storage

Precautions for safe handling

Avoid inhalation of dusts/mists/vapours. Ensure adequate ventilation. Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Avoid the formation and deposition of dust.

Protection against fire and explosion:

The product is not an oxidizer, not self-combustible and not explosive. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Do not store in steel or stainless steel containers; polyethylene is the preferred material.

Storage stability:

Avoid extreme heat.

Avoid freezing.

Frost sensitive

The packed product will be damaged by high temperatures.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

No occupational exposure limits known.

Exposure controls

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Suitable respiratory protection for higher concentrations or long-term effect: (Particle filter EN 143 P1)

Hand protection:

Chemical resistant protective gloves (EN 374)

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

Date / Revised: 11.02.2020 Version: 3.0

Product: Ultrafuse® BVOH polyvinyl alcohol filament

(ID no. 11120948/SDS_GEN_00/EN)

Date of print 19.03.2021

General safety and hygiene measures

Wearing of closed work clothing is recommended. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: filament

Colour: white to light yellow

Odour: vinegar-like

Odour threshold:

not determined

pH value: 5 - 7

melting range: 150 - 300 °C

Boiling point:

The product is a non-volatile solid.

Flash point: > 200 °C (closed cup)

Evaporation rate:

The product is a non-volatile solid.

Flammability: not highly flammable

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Ignition temperature: 440 °C

Vapour pressure:

No data available.

Relative density:

Study does not need to be

conducted.

Relative vapour density (air):

The product is a non-volatile solid.

Solubility in water: completely soluble

Solubility (qualitative) solvent(s): N,N-Dimethylformamide, Dimethyl sulfoxide

soluble

Partitioning coefficient n-octanol/water (log Kow):

not applicable for mixtures

Self ignition: not self-igniting

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Prolonged thermal loading can result in products of degradation being

given off.

Viscosity, dynamic:

not applicable, the product is a solid

Explosion hazard: not explosive

Date / Revised: 11.02.2020 Version: 3.0

Product: Ultrafuse® BVOH polyvinyl alcohol filament

(ID no. 11120948/SDS_GEN_00/EN)

Date of print 19.03.2021

Fire promoting properties: not fire-propagating

Other information

Bulk density: approx. 1.140 kg/m3

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid dust formation. Avoid deposition of dust.

Incompatible materials

Substances to avoid:

oxidizing agents

Hazardous decomposition products

Thermal decomposition products:

Prolonged thermal loading can result in products of degradation being given off.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation

Assessment of irritating effects:

May cause slight irritation to the eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

Date / Revised: 11.02.2020 Version: 3.0

Product: Ultrafuse® BVOH polyvinyl alcohol filament

(ID no. 11120948/SDS_GEN_00/EN)

Date of print 19.03.2021

Experimental/calculated data:

Skin corrosion/irritation: May cause mechanical irritation.

Serious eye damage/irritation: May cause slight irritation to the eyes.

Respiratory/Skin sensitization

Assessment of sensitization:

No applicable information available.

Germ cell mutagenicity

Assessment of mutagenicity:

No applicable information available.

Carcinogenicity

Assessment of carcinogenicity:

No applicable information available.

Reproductive toxicity

Assessment of reproduction toxicity:

No applicable information available.

Developmental toxicity

Assessment of teratogenicity:

No applicable information available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No applicable information available.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

12. Ecological Information

Toxicity

Date / Revised: 11.02.2020 Version: 3.0

Product: Ultrafuse® BVOH polyvinyl alcohol filament

(ID no. 11120948/SDS_GEN_00/EN)

Date of print 19.03.2021

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Persistence and degradability

Assessment biodegradation and elimination (H2O): Product is not expected to be readily biodegradable.

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested.

Mobility in soil

Assessment transport between environmental compartments:

Volatility: Study technically not feasible.

Adsorption in soil: Due to the product characteristics the test is impossible.

Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

Additional information

Adsorbable organically-bound halogen (AOX):

This product contains no organically-bound halogen.

13. Disposal Considerations

Waste treatment methods

Dispose of in accordance with national, state and local regulations.

Contaminated packaging:

Completely emptied packagings can be given for recycling.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number: Not applicable

Date / Revised: 11.02.2020 Version: 3.0

Product: Ultrafuse® BVOH polyvinyl alcohol filament

(ID no. 11120948/SDS_GEN_00/EN)

Date of print 19.03.2021

UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

Date / Revised: 11.02.2020 Version: 3.0

Product: Ultrafuse® BVOH polyvinyl alcohol filament

(ID no. 11120948/SDS_GEN_00/EN)

Date of print 19.03.2021

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated Shipment approved: Not evaluated Pollution name: Not evaluated Pollution category: Not evaluated Ship Type: Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.