

Version: 1 (22/02/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** ANCIENT SAKURA

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: ANCIENT SAKURA (Contains:BENZYL SALICYLATE, CITRONELLOL, HEXYL

CINNAMAL, LINALOOL)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Fizzywhiz

Company address: Unit 23 Maritime Enterprise Park Atlas Road L20 4DY United Kingdom

(Office hours: Monday to Friday 09.00 to 17.00

Contact: Fizzywhiz

E-Mail address: Info@fizzywhiz.com

Company phone: (+44) 0151 922 0041

1.4 Emergency telephone number

Emergency phone: (+44) 0151 922 0041

#### Section 2. Hazards identification

## 2.1 Classification of the substance or mixture

Class and category of Skin Corrosion / Irritation Category 2 danger: Eye Damage / Irritation Category 2

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 3

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H412, Harmful to aquatic life with long lasting effects.

2.2 Label

elements Signal

word:

Classification under Regulation (EC) No 1272/2008

Classification under V

Regulation (EC) No

1272/2008

Warning





Version: 1 (22/02/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: ANCIENT SAKURA

Version: 1

**Hazard statements:** H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H412, Harmful to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains ALPHA-ISOMETHYL IONONE, CINNAMYL ALCOHOL, COUMARIN,

CYCLAMEN ALDEHYDE, HELIOTROPINE, LIMONENE, NEROL, TETRAMETHYL

ACETYLOCTAHYDRONAPHTHALENES. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 0.000%


#### Section 3. Composition / information on ingredients

### 3.2 Mixtures Contains:

PHENETHYL    41 COHO    60-12-8   200-456-2   01-2119963921-31-xxxx   10-<20%   ATO 4-EDI   mg/kg bw-oral: ATE   m	Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
PHENETHYL    41 COHO    60-12-8   200-456-2   01-2119963921-31-xxxx   10-<20%   ATO 4-EDI   mg/kg bw-oral: ATE   m	BENZYL ACETATE	140-11-4	205-399-7		20-<50%	IFH C3·H412 -	
1610 mg/kg bw	PHENETHYL ALCOHOL	60-12-8	200-456-2	01-2119963921-31-xxxx	10-<20%	IATO 4-FDI	dermal: ATE = 2500 mg/kg bw-oral: ATE = 1610 mg/kg bw

Version: 1

LINALOOL	78-70-6	201-134-4	01-2119474016-42-xxxx	5-<10%	l	oral: ATE = 2790 mg/kg bw
----------	---------	-----------	-----------------------	--------	---	------------------------------





Version: 1 (22/02/2023)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product:	AN	ICIENT SA	KURA			
TETRAHYDRO- METHYL- (METHYLPROPYL)- PYRAN-4-OL	63500-71-0	405-040-6	01-0000015458-64-xxxx	5-<10%	EDI 2;H319,-	
BENZYL SALICYLATE	118-58-1	204-262-9		1-<5%	SS 1B-EH C3;H317H412,-	oral: ATE = 2200 mg/kg bw
CITRONELLOL	106-22-9	203-375-0	01-2119453995-23-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
HEXYL CINNAMAL	101-86-0	202-983-3		1-<5%	SS 1B-EH A1-EH C2; H317-H400-H411,-	oral: ATE = 3100 mg/kg bw
DIHYDROCITRONELLO L	106-21-8	203-374-5	01-2119955073-40-xxxx	1-<5%	SCI 2-EDI 2-EH C2; H315-H319-H411,-	dermal: ATE = 2400 mg/kg bw
OCTAHYDROCOUMAR IN	4430-31-3	224-623-4		1-<5%	EDI 1;H318,-	dermal: ATE = 3500 mg/kg bw-oral: ATE = 3900 mg/kg bw
COUMARIN	91-64-5	202-086-7		1-<5%	ATO 4-SS 1B-EH C3; H302-H317-H412,-	oral: ATE = 500 mg/kg bw
ETHYL HYDROXYPYRONE	4940-11-8	225-582-5		1-<5%	ΔTO 1.H302 -	oral: ATE = 1200 mg/kg bw
NEROL	106-25-2	203-378-7		1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 4500 mg/kg bw
CIS-2-TERT- BUTYLCYCLOHEXYL ACETATE	20298-69-5	243-718-1	01-2119970713-33-xxxx	1-<5%	EH C2;H411,-	oral: ATE = 4600 mg/kg bw
ALPHA-TERPINEOL	98-55-5	202-680-6	01-2119980717-23-xxxx	1-<5%	SCI 2-EDI 2;H315H319,-	oral: ATE = 4300 mg/kg bw
OXACYCLOHEXADEC EN-2-ONE	34902-57-3, 111879-80-2	422-320-3	01-0000016883-62-xxxx	1-<5%	EH A1-EH C1;H410,-	
REACTION MASS OF ALLYL (2- METHYLBUTOXY) ACETATE & ALLYL (3METHOXYBUTOXY) ACETATE	67634-00-8, 67634-01-9	266-803-5, 266-804-0, 916-328-0		0.1-<1%	A1;H302-H312- H330H400,-	inhalation: ATE = 0.46 mg/l (dusts or mists)dermal: ATE = 1100 mg/kg bw-oral: ATE = 500 mg/kg bw
HELIOTROPINE	120-57-0	204-409-7		0.1-<1%	SS 1B;H317,-	oral: ATE = 2700 mg/kg bw
CYCLAMEN ALDEHYDE	103-95-7	203-161-7	01-2119970582-32-xxxx	0.1-<1%	SCI 2-SS 1B-EH C3; H315-H317-H412,-	oral: ATE = 3810 mg/kg bw
LIMONENE	5989-27-5	227-813-5		0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C3;H226H304-H315- H317H400-H412,-	
TETRAMETHYL ACETYLOCTAHYDRON APHTHALENES	54464-57-2, 68155-66-8, 68155-67-9	259-174-3, 268-978-3, 268-979-9, 915-730-3	01-2119489989-04-xxxx	0.1-<1%	SCI 2-SS 1B-EH C2; H315-H317-H411,-	
ALPHA-ISOMETHYL IONONE	127-51-5	204-846-3		0.1-<1%	SS 1B-EH C2;H317H411,-	
CINNAMYL ALCOHOL	104-54-1	203-212-3		0.1-<1%	ATO 4-SS 1B-EH C2; H302-H317-H411,-	oral: ATE = 2000 mg/kg bw
BHT (BUTYLATED HYDROXYTOLUENE)	128-37-0	204-881-4	01-2119555270-46-xxxx	0.1-<1%	EH A1-EH C1;H410,-	

# Substances with Community workplace exposure limits:

Version: 1

Name CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc.
----------	----	------------------------	---	------------------------------------	----------------





## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: ANCIENT SAKURA

						Limits, M-factors and ATEs
BHT (BUTYLATED HYDROXYTOLUENE)	128-37-0	204-881-4	01-2119555270-46-xxxx	0.1-<1%	EH A1-EH C1;H410,-	
DIETHYL PHTHALATE	84-66-2	201-550-6	01-2119486682-27-xxxx	5-<10%	-;-,-	

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%: Not Applicable

## Section 4. First-aid measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention. **Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## Section 5: Firefighting measures

## 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

## 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

## 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Version: 1

## Section 6. Accidental release measures





# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** ANCIENT SAKURA

## 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

## 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

## Section 7. Handling and storage

## 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

## Section 8. Exposure controls/personal protection

## 8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
BHT (BUTYLATED HYDROXYTOLUENE)	128-37-0	204-881-4	UK Long-term exposure limit (8-hour TWA) (mg/m3)	10 mg/m³
DIETUM DUTUM ATE	NITUALATE 04.00.0		UK Long-term exposure limit (8-hour TWA) (mg/m3)	5 mg/m³
DIETHYL PHTHALATE	84-66-2		UK Short-term exposure limit (15-minute) (mg/m3)	10 mg/m³

Version:

1





Version: 1 (22/02/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: ANCIENT SAKURA

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

## **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.

## Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour: Clear colourless to pale yellow liquid

Odour:Not determinedOdour threshold:Not determinedMelting point/freezing point:Not determinedBoiling point or initial boiling point and boilingNot determined

range:

Flammability: Not determined Lower and upper explosion limit: Not determined

Flash point: 88 °C

Auto-ignition temperature:

Decomposition temperature:

Not relevant

Not determined

Kinematic viscosity:

Not determined

Solubility:

Not determined

Not determined

Not determined

Not determined

value):

Vapour pressure: 0.17051070 mmHg

Density and/or relative density: 0.9990

Relative vapour density: Not determined Particle characteristics: Not determined

**9.2 Other information:** None available

Version: 1

## Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

Fizzywhiz Unit 23 Maritime Enterprise Park Atlas Road Bootle L20 4DY

Fizzy

Issue date: 22/02/2023

Version: 1 (22/02/2023)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: ANCIENT SAKURA

10.2 Chemical stability:

Good stability under normal storage conditions.

## 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

## 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

### 10.6 Hazardous decomposition products:

Not expected.

## Section 11. Toxicological information

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

**Acute Toxicity:** Based on available data the classification criteria are not met.

Acute Toxicity Oral 3289

Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:** Skin Corrosion / Irritation Category 2

Serious eye damage/irritation: Eye Damage / Irritation Category 2

**Respiratory or skin sensitisation:** Sensitization - Skin Category 1

**Germ cell mutagenicity:**Based on available data the classification criteria are not met.

**Carcinogenicity:** Based on available data the classification criteria are not met.

**Reproductive toxicity:**Based on available data the classification criteria are not met.

**STOT-single exposure:** Based on available data the classification criteria are not met.

**STOT-repeated exposure:** Based on available data the classification criteria are not met.

**Aspiration hazard:** Based on available data the classification criteria are not met.

## Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE	LC50/ATE	LC50
iligiedient	0710		EDOOM IE OIG	 Dermal	Inhalation	Route
COUMARIN	91-64-5	202-086-7	500	Not available	Not available	Not
						available



Version: 1 (22/02/2023)

		9.1	EETV DATA	CHEET		
Product:	ANCIENTS	AKURA				
ETHYL						Not
	4940-11-8	225-582-5	1200	Not available	Not available	
HYDROXYPYRONE						available

Version: 1

PHENETHYL ALCOHOL	60-12-8	200-456-2	1610	2500	INOt available	Not available
/	67634-00-8, 67634-01-9	266-803-5, 266-804-0, 916-328-0	500	1100	0.46	Dust/mist

Refer to Sections 2 and 3 for additional information.

#### 11.2 Information on other hazards

Not Applicable

## Section 12. Ecological information

## 12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available12.3 Bioaccumulative potential: Not available 12.4

Mobility in soil: Not available

### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Endocrine disrupting properties:** Not Applicable **12.7 Other adverse effects:** Not available

## Section 13. Disposal considerations

## 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## Section 14. Transport information

	14.1 UN number or ID number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	Not classified	-	-	-	-





# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

 Product:
 ANCIENT SAKURA

 IMDG
 Not classified

Version: 1

**14.5 Environmental hazards:** Not environmentally hazardous for transport

**14.6 Special precautions for user:** None additional

14.7 Maritime transport in bulk according to IMO instruments:

Not classified

#### Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture None additional

## 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

**Section 16. Other information** 

**Concentration % Limits:** EH C3=9.21% EH C4=68.32% SCI 2=54.48% EDI 2=16.30% SS 1=11.

63% EDI 2A=15.19%

**Total Fractional Values:** EH C3=10.86 EH C4=1.46 SCI 2=1.84 EDI 2=6.14 SS 1=8.60 EDI 2A=6.

59

Key to revisions:

Not applicable

### Key to abbreviations:

rey to appreviations.	
Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATD 4	Acute Toxicity - Dermal Category 4
ATI 2	Acute Toxicity - Inhalation Category 2
ATO 4	Acute Toxicity - Oral Category 4
EDI 1	Eye Damage / Irritation Category 1
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3





# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product:	ANCIENT SAKURA
FL 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
Version: 1	L Company of the comp
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P284	Wear respiratory protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.





# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product:	ANCIENT SAKURA
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233	Store in a well-ventilated place. Keep container tightly closed.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1B	Sensitization - Skin Category 1B

Version:

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.