

Version: 1 (22/06/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Section 1. Identification of the substance or the mixture and of the supplier

Product: Version: 1 BATHROOM FRESH FRAGRANCE

1.1 Product Identifier

Product identifier: BATHROOM FRESH FRAGRANCE (Contains: ALLYL

CYCLOHEXYLPROPIONATE, ALPHA-ISOMETHYL IONONE, HEXYL CINNAMAL,

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Fizzywhiz

Company address: Unit 23 Maritime Enterprise Park Atlas Road L20 4DY United Kingdom

(Office hours: Monday to Friday 09.00 to 17.00

Contact: Fizzywhiz

E-Mail address: Info@fizzywhiz.com

Company phone: (+44) 0151 922 0041

1.4 Emergency telephone number

Emergency phone: (+44) 0151 922 0041

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of Skin Corrosion / Irritation Category 2

danger:

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Version: 1

2.2 Label elements



Version: 1 (22/06/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: BATHROOM FRESH FRAGRANCE

Classification under Regulation (EC) No 1272/2008

Signal word: Warning

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Supplemental EUH208, Contains 2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE, 3-(2H-

Information: 1,3BENZODIOXOL-5-YL)-2-METHYLPROPANAL, 4-TERT-

BUTYLDIHYDROCINNAMALDEHYDE, BENZYL SALICYLATE, CITRONELLOL, COUMARIN,

DELTA-DAMASCONE, EUCALYPTOL, EUGENOL, GERANIOL, HELIOTROPINE, HYDROXYCITRONELLAL, LIMONENE, LINALOOL. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

2.3 Other hazards

Other hazards: Sensitisers declared on a CLP

Hazard Label:

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE, 3-(2H-1,3-BENZODIOXOL-5-YL)-2-METHYLPROPANAL,

ATERT-BUTYLDIHYDROCINNAMALDEHYDE, BENZYL

SALICYLATE, CITRONELLOL, COUMARIN, DELTADAMASCONE, EUCALYPTOL, EUGENOL,

GERANIOL, Version: 1

Other hazards: HELIOTROPINE, HYDROXYCITRONELLAL, LIMONENE,



Version: 1 (22/06/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: BATHROOM FRESH FRAGRANCE

LINALOOL

Hydrocarbon Concentration %: 1.057%

Section 3. Composition / information on ingredients

3.2 Mixtures Contains:

J.Z MIXtures Conta	1113.					
Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
1,3,4,6,7,8- HEXAHYDRO- 4,6,6,7,8,8- HEXAMETHYLINDENO [5,6-C]PYRAN	1222-05-5	214-946-9	01-2119488227-29-xxxx	10-<20%	EH A1-EH C1;H410,-	
HEXYL CINNAMAL	101-86-0	202-983-3		10-<20%	SS 1B-EH A1-EH C2; H317-H400-H411,-	oral: ATE = 3100 mg/kg bw
TETRAMETHYL ACETYLOCTAHYDRON APHTHALENES	54464-57-2, 68155-66-8, 68155-67-9	259-174-3, 268-978-3, 268-979-9, 915-730-3	01-2119489989-04-xxxx	5-<10%	SCI 2-SS 1B-EH C2; H315-H317-H411,-	
TETRAHYDRO- METHYL- (METHYLPROPYL)- PYRAN-4-OL	63500-71-0	405-040-6	01-0000015458-64-xxxx	5-<10%	EDI 2;H319,-	
3a,4,5,6,7,7a- HEXAHYDRO- 4,7METHANO-1H- INDENYL PROPIONATE	68912-13-0, 17511-60-3	272-805-7, 241-514-7		1-<5%	EH C2;H411,-	
GAMMA UNDECALACTONE	104-67-6	203-225-4		1-<5%	EH C3;H412,-	
BENZYL ACETATE	140-11-4	205-399-7		1-<5%	EH C3;H412,-	oral: ATE = 2490 mg/kg bw
ALPHA-ISOMETHYL IONONE	127-51-5	204-846-3		1-<5%	SS 1B-EH C2;H317H411,-	
ALLYL CYCLOHEXYLPROPIO NATE	2705-87-5	220-292-5	01-2119976355-27-xxxx	1-<5%	ATO 4-ATD 4-SS 1-EH A1-EH C2;H302-H312- H317-H400-H411,-	dermal: ATE = 1600 mg/kg bw-oral: ATE = 380 mg/kg bw
CITRONELLOL	106-22-9	203-375-0	01-2119453995-23-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
EUGENOL	97-53-0	202-589-1		1-<5%	EDI 2-SS 1B;H317H319,-	oral: ATE = 2500 mg/kg bw
BENZYL SALICYLATE	118-58-1	204-262-9		1-<5%	SS 1B-EH C3;H317H412,-	oral: ATE = 2200 mg/kg bw
METHYL ALPHA- IONONE ISOMERS	1335-46-2	215-635-0		1-<5%	SCI 2-EH C2;H315H411,-	
LIMONENE	5989-27-5	227-813-5		1-<5%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C3;H226H304-H315- H317H400-H412,-	
HYDROXYCITRONELL AL	107-75-5	203-518-7		1-<5%	EDI 2-SS 1B;H317H319,-	
Version: 1						
COUMARIN	91-64-5	202-086-7		0.1-<1%	ATO 4-SS 1B-EH C3; H302-H317-H412,-	oral: ATE = 500 mg/kg bw
LINALOOL	78-70-6	201-134-4	01-2119474016-42-xxxx	0.1-<1%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
HELIOTROPINE	120-57-0	204-409-7		0.1-<1%	SS 1B;H317,-	oral: ATE = 2700 mg/kg bw



Version: 1 (22/06/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: BATHROOM FRESH FRAGRANCE

2,4-DIMETHYL-3- CYCLOHEXENE CARBOXALDEHYDE	68039-49-6	268-264-1		0.1-<1%	C2·H315_H317_	oral: ATE = 3900 mg/kg bw
4-TERT- BUTYLDIHYDROCINNA MALDEHYDE	18127-01-0	242-016-2	01-2119983533-30-xxxx	0.1-<1%	12-EH (33-H315-H317-	oral: ATE = 2500 mg/kg bw
3-(2H-1,3- BENZODIOXOL-5-YL) -2-METHYLPROPANAL	1205-17-0	214-881-6	01-2120740119-58-xxxx	0.1-<1%		oral: ATE = 3562 mg/kg bw
GERANIOL	106-24-1	203-377-1	01-2119552430-49-xxxx	0.1-<1%	- ,	oral: ATE = 3600 mg/kg bw
DELTA-DAMASCONE	57378-68-4	260-709-8		0.1-<1%	IEH A1-EH C1:H302-	oral: ATE = 1400 mg/kg bw
EUCALYPTOL	470-82-6	207-431-5		0.1-<1%	-	oral: ATE = 2480 mg/kg bw

Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	U/_	Classification for (CLP) 1272/2008	limite Mitactore
DIETHYL PHTHALATE	84-66-2	201-550-6	01-2119486682-27-xxxx	20-<50%	-;-,-	

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%: Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention. **Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Version: 1

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media



Version: 1 (22/06/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: BATHROOM FRESH FRAGRANCE Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Version: 1

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters



Version: 1 (22/06/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: BATHROOM FRESH FRAGRANCE

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
DIETINA DIITIIAI ATE	04.00.0		UK Long-term exposure limit (8-hour TWA) (mg/m3)	5 mg/m³
DIETHYL PHTHALATE	84-66-2		UK Short-term exposure limit (15-minute) (mg/m3)	10 mg/m³

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour: Clear colourless to pale yellow liquid

Odour: Not determined
Odour threshold: Not determined
Melting point/freezing point: Not determined

Boiling point or initial boiling point and boiling Not

range:

Not determined

Flammability: Not determined Lower and upper explosion limit: Not determined

Flash point: > 100 °C

Auto-ignition temperature: Not determined

Version: 1

Decomposition temperature:

pH:

Not relevant

Not determined

Not determined value):

Vapour pressure:

0.03180736 mmHg



Version: 1 (22/06/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: BATHROOM FRESH FRAGRANCE **Density and/or relative density:** 1.0150

Relative vapour density: Not determined Particle characteristics:

Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2

Serious eye damage/irritation: Eye Damage / Irritation Category 2

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Version: 1

Germ cell mutagenicity:Based on available data the classification criteria are not met.

Carcinogenicity: Based on available data the classification criteria are not met.

Reproductive toxicity:Based on available data the classification criteria are not met.

STOT-single exposure: Based on available data the classification criteria are not met.



Version: 1 (22/06/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: BATHROOM FRESH FRAGRANCE

STOT-repeated exposure: Based on available data the classification criteria are not met.

Aspiration hazard: Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
ALLYL CYCLOHEXYLPROPIO NATE	2705-87-5	220-292-5	380	1600	Not available	Not available

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available12.3 Bioaccumulative potential: Not available 12.4

Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable **12.7 Other adverse effects:** Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN	14.2 UN Proper Shipping Name:	14.3	Sub Risk:	14.4 Packing
number or		Transport		Group:
ID number:		hazard		
		class (es):		



Version: 1 (22/06/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: BATHROOM FRESH FRAGRANCE

Version: 1

-					
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO- 4,6,6,7,8,8HEXAMETHYLINDENO[5,6- C]PYRAN, HEXYL CINNAMAL)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO- 4,6,6,7,8,8HEXAMETHYLINDENO[5,6- C]PYRAN, HEXYL CINNAMAL) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO- 4,6,6,7,8,8HEXAMETHYLINDENO[5,6- C]PYRAN, HEXYL CINNAMAL)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO- 4,6,6,7,8,8HEXAMETHYLINDENO[5,6- C]PYRAN, HEXYL CINNAMAL)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: SCI 2=85.05% EDI 2=79.37% SS 1=9.12% EH A1=83.97% EH C2=13.

89% EH C3=1.38% EH C4=47.46% EDI 2A=65.36%

Total Fractional Values: SCI 2=1.18 EDI 2=1.26 SS 1=10.97 EH A1=1.19 EH C2=7.20 EH C3=72.

35 EH C4=2.11 EDI 2A=1.53

Key to revisions:

Not applicable

Key to abbreviations:

Fizzywhiz Unit 23 Maritime Enterprise Park Atlas Road Bootle L20 4DY





SAFETY DATA SHEET


In accordance with REACH Regulation EC No.1907/2006

BATHROOM FRESH FRAGRANCE **Product:**

Abbreviation	Meaning
--------------	---------

ATD 4 Acute Toxicity - Dermal Category 4 Acute Toxicity - Oral Category 4 Acute Toxicity - Oral Category 4 EDI 1 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 FL3 Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters sirways. Harmful in contact with skin. Causes skin irritation. Ha312 Harmful in contact with skin. Causes serious eye damage. Ha318 Causes serious eye damage. Causes serious eye irritation. Ha319 Causes serious eye irritation. Ha310 Way cause damage to organs (organs) through prolonged or repeated exposure (exposure route). Wery toxic to aquatic life. Wery toxic to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking.	Version: 1	
Acute Toxicity - Oral Category 4 EDI 1 Eye Damage / Irritation Category 1 EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 FL3 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces. • No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.	AH 1	Aspiration Hazard Category 1
EDI 1 Eye Damage / Irritation Category 1 EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 FL3 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H310 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). H410 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.	ATD 4	Acute Toxicity - Dermal Category 4
EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FIL3 Flammable Liquid, Hazard Category 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FIL3 Flammable Liquid, Hazard Category 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FIL3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FIL3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FIL3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FIL3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FIL4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FIL4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FIL4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FIL4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FIL4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FIL	ATO 4	Acute Toxicity - Oral Category 4
Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid and vapour. Harmful if swallowed. Harmful if swallowed. Harmful if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. May cause and allergic skin reaction. Causes serious eye irritation. May cause damage to organs) through prolonged or repeated exposure (exposure route). Wery toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Hat10 Very toxic to aquatic life with long lasting effects. Page 2 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.	EDI 1	Eye Damage / Irritation Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 Haze6 Flammable liquid and vapour. Harmful if swallowed. Harmful if swallowed and enters airways. Harmful in contact with skin. Ha12 Harmful in contact with skin. Ha15 Causes skin irritation. May cause an allergic skin reaction. Ha18 Causes serious eye damage. Causes serious eye irritation. Ha36 Suspected of damaging fertility or the unborn child. Ha373 May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.	EDI 2	Eye Damage / Irritation Category 2
Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 Flammable liquid and vapour. Haze6 Flammable liquid and vapour. Harmful if swallowed. Hay be fatal if swallowed. Harmful in contact with skin. Causes skin irritation. Hai15 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. H319 Causes serious eye irritation. Suspected of damaging fertility or the unborn child. H373 May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.	EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H310 May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
FL3 Flammable Liquid, Hazard Category 3 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H310 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.	EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Flammable liquid and vapour. Hamful if swallowed. Hamful if swallowed and enters airways. Hamful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Hamable liquid and vapour. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Hamable liquid and vapour. May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Hamable liquid and vapour. Hamable life with long lasting effects. Hamable liquid and vapour. Hamable liquid and vapour. Hamable life with long lasting effects. Peoc Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.	EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Harmful if swallowed. Harmful in contact with skin. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Hail Causes serious eye damage. Causes serious eye irritation. Hail Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Hairmful May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). Hail Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Hail Toxic to aquatic life with long lasting effects. Hail Harmful to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.	FL 3	Flammable Liquid, Hazard Category 3
May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Haila Causes serious eye damage. Causes serious eye irritation. Haila Causes serious eye irritation. Haila Causes serious eye irritation. Haila Suspected of damaging fertility or the unborn child. Haila Suspected of damaging fertility or the unborn child. Haila May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). Haila Very toxic to aquatic life. Haila Very toxic to aquatic life with long lasting effects. Haila Toxic to aquatic life with long lasting effects. Haila Harmful to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.	H226	Flammable liquid and vapour.
Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Harmful in causes serious eye irritation. Suspected of damaging fertility or the unborn child. Harmful in cause damage to organs (organs) through prolonged or repeated exposure (exposure route). Harmful in incontact with long lasting effects. Harmful incontact with long lasting effects. Harmful incontact with long lasting effects. Harmful incontact with long lasting effects. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. Ground/bond container and receiving equipment.	H302	Harmful if swallowed.
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. Ground/bond container and receiving equipment.	H304	May be fatal if swallowed and enters airways.
May cause an allergic skin reaction. H318 Causes serious eye damage. Causes serious eye irritation. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. Ground/bond container and receiving equipment.	H312	Harmful in contact with skin.
Causes serious eye damage. H319 Causes serious eye irritation. Suspected of damaging fertility or the unborn child. H361 May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H315	Causes skin irritation.
Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H317	May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child. H373 May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H318	Causes serious eye damage.
May cause damage to organs (organs) through prolonged or repeated exposure (exposure route). Wery toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H319	Causes serious eye irritation.
H400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H361	Suspected of damaging fertility or the unborn child.
Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H373	May cause damage to organs (organs) through prolonged or repeated exposure (exposure route).
H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H400	Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H410	Very toxic to aquatic life with long lasting effects.
Do not handle until all safety precautions have been read and understood. Reep away from heat, sparks, open flames and hot surfaces No smoking. Reep container tightly closed. Ground/bond container and receiving equipment.	H411	Toxic to aquatic life with long lasting effects.
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	H412	Harmful to aquatic life with long lasting effects.
P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.	P202	Do not handle until all safety precautions have been read and understood.
P240 Ground/bond container and receiving equipment.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
2	P233	Keep container tightly closed.
P241 Use explosion-proof electrical, ventilating and lighting equipment.	P240	Ground/bond container and receiving equipment.
	P241	Use explosion-proof electrical, ventilating and lighting equipment.

Fizzywhiz Unit 23 Maritime Enterprise Park Atlas Road Bootle L20 4DY





Version: 1 (22/06/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: BATHROOM FRESH FRAGRANCE

P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

Version: 1

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Immediately call a POISON CENTER or doctor/physician.
Call a POISON CENTRE or doctor/physician if you feel unwell.
Rinse mouth.
Do not induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
Collect spillage.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to approved disposal site, in accordance with local regulations.
Toxic to Reproduction Category 2
Skin Corrosion / Irritation Category 2
Sensitization - Skin Category 1
Sensitization - Skin Category 1A
Sensitization - Skin Category 1B

Fizzywhiz Unit 23 Maritime Enterprise Park Atlas Road Bootle L20 4DY





Version: 1 (22/06/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: BATHROOM FRESH FRAGRANCE

STO-RE 2 Specific Target Organ Toxicity (Repeated Exposure) Category 2

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.