SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: CINNAMON APPLE FRAGRANCE

Version: 19

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: CINNAMON APPLE FRAGRANCE (Contains: DIETHYL MALONATE, EUGENOL, LIMONENE, METHYLCINNAMIC ALDEHYDE)

Other identifiers: None

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet Company name: Fizzywhiz

Company address: Unit 11 Farriers Way Bootle Liverpool L30 4XL United kingdom

(Office hours: Monday to Friday 09.00 to 17.00

Contact: Fizzywhiz

Supplemental

E-Mail address: Info@fizzywhiz.com

Company phone: (+44) 0151 352 7734

1.4 Emergency telephone number

Emergency phone: (+44) 0151 352 7734

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger: 2.2 Label elements	Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H411, Toxic to aquatic life with long lasting effects.
Signal word: Hazard statements: Classification under Regulation (EC) No 1272/2008	Warning H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H411, Toxic to aquatic life with long lasting effects.
Version: 19	

EUH208, Contains ALLYL CYCLOHEXYLPROPIONATE, DELTA-DAMASCONE,





Page 2 Issue date: 11/10/2019 Version: 19 (23/04/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:CINNAMON APPLE FRAGRANCEInformation:HELIOTROPINE. May produce an allergic reaction.

Precautionary P261, Avoid breathing vapour or dust.

statements: P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.



Pictograms:

Other hazards: Hydrocarbon Concentration %: 1.980%

Section 3. Composition / information on ingredients

3.2 Mixtures Contains:

Whiz OWOSO

Page 3 Issue date: 11/10/2019 Version: 19 (23/04/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:	roduct: CINNAMON APPLE FRAGRANCE				
Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
DIETHYL MALONATE	105-53-3	203-305-9		5-<10%	EDI 2;H319,-
METHYLCINNAMIC ALDEHYDE	101-39-3	202-938-8		5-<10%	SS 1B;H317,-
CIS-2-TERT- BUTYLCYCLOHEXYL ACETATE	20298-69-5	243-718-1	01-2119970713-33-xxxx	5-<10%	EH C2;H411,-
VANILLIN	121-33-5	204-465-2		1-<5%	EDI 2;H319,-
EUGENOL	97-53-0	202-589-1		1-<5%	EDI 2-SS 1B;H317- H319,-
LIMONENE	5989-27-5	227-813-5		1-<5%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
GAMMA UNDECALACTONE	104-67-6	203-225-4		1-<5%	EH C3;H412,-
Version: 19					

ATO 3-ATD 3-ATI 3-EH A1-EH C3;H301-H311-ALLYL CAPROATE 123-68-2 204-642-4 1-<5% H331-H400-H412,-ATO 4-ATD 4-ATI 4-SS ALLYL 1-EH A1-EH C1:H302-CYCLOHEXYLPROPIO 2705-87-5 220-292-5 01-2119976355-27-xxxx 1-<5% H312-H317-H332-NATE H410, ANISALDEHYDE 123-11-5 204-602-6 1-<5% EH C3;H412,-HELIOTROPINE 120-57-0 204-409-7 0.1-<1% SS 1B;H317,-ATO 4-SCI 2-SS 1A-DELTA-DAMASCONE 57378-68-4 260-709-8 <0.1% EH A1-EH C1;H302-H315-H317-H410.-

Substances with Community workplace exposure limits:

Name	CAS	EC	%
DIETHYL PHTHALATE	84-66-2	201-550-6	50-100%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%: Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction. Causes serious eye irritation.



Page 4 Issue date: 11/10/2019 Version: 19 (23/04/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:CINNAMON APPLE FRAGRANCE4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds. **Version:** 19

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:



Page 5 Issue date: 11/10/2019 Version: 19 (23/04/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: CINNAMON APPLE FRAGRANCE

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Version: 19

Ingredient	CAS	EC	Description	Value
	94 66 0		Long-term exposure limit (8-hour TWA) (mg/m3)	5
DIETHYL PHTHALATE	84-66-2		Short-term exposure limit (15- minute) (mg/m3)	10

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:		Clear pale yellow to yellow liquid
Odour:		Not determined
Odour threshold:	Not determined pH :	Not determined



Page 6 Issue date: 11/10/2019 Version: 19 (23/04/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

CINNAMON APPLE FRAGRANCE Product: Melting point / freezing point: Not determined Initial boiling point / range: Not determined 82 °C Flash point: **Evaporation rate:** Not determined Flammability (solid, gas): Not determined Upper/lower flammability or explosive limits: Product does not present an explosion hazard Vapour pressure: 0.24027913 mmHg Vapour density: Not determined **Relative density:** 1.0720 - 1.0760 Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined Auto-ignition temperature: Not determined **Decomposition temperature:** Not determined Version: 19 Not determined Viscosity: **Explosive properties:** Not expected **Oxidising properties:** Not expected 9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products: Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects



Page 7 Issue date: 11/10/2019 Version: 19 (23/04/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: CINNAMON APPI	LE FRAGRANCE
This mixture has not been tested as a who	ble for health effects. The health effects have been calculated using the
methods outlined in Regulation (EC) No 1	272/2008 (CLP).
Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Based on available data the classification criteria are not met.
Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.
Information about hazardous ingredien	ts in the mixture

Version: 19

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
ALLYL CAPROATE	123-68-2	204-642-4	300	300	3	Vapour
ALLYL CYCLOHEXYLPROPIO NATE	2705-87-5	220-292-5	480	1600	11	Vapour

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not availableMobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:



Page 8 Issue date: 11/10/2019 Version: 19 (23/04/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: CINNAMON APPLE FRAGRANCE

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	UN3082		
14.2 UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIMONENE, ALLYL CYCLOHEXYLPROPIONATE)		
14.3 Transport hazard class(es):	9		
Sub Risk:	-		
14.4. Packing Group:	III		
14.5 Environmental hazards:	This is an environmentally hazardous substance.		
14.6 Special precautions for user: None additional 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:			

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture None additional

Version: 19

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

	Section 16. Other information
Concentration % Limits:	EH C2=69.29% EH C3=6.86% EDI 2=80.00% EDI 2A=80.00% SS 1=12.
	50%
Total Fractional Values:	EH C2=1.44 EH C3=14.57 EDI 2=1.25 EDI 2A=1.25 SS 1=8.00
Key to revisions:	

Concentration % Limits SECTION 3: Composition/information on ingredients Total Fractional Values Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATD 3	Acute Toxicity - Dermal Category 3
ATD 4	Acute Toxicity - Dermal Category 4
ATI 3	Acute Toxicity - Inhalation Category 3
ATI 4	Acute Toxicity - Inhalation Category 4
АТО 3	Acute Toxicity - Oral Category 3



Page 9 Issue date: 11/10/2019 Version: 19 (23/04/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Eve Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 EL 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Category 3 Flammable Liquid, Hazard Category 3 <t< th=""><th>Product:</th><th>CINNAMON APPLE FRAGRANCE</th></t<>	Product:	CINNAMON APPLE FRAGRANCE
HA1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 HC1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 HC2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL3 Harmable Liquid, Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 FL3 Harmable Liquid and vapour. FL3 Harmable Liquid Matshin. FL3 Harmable Liquid Matshin. FL3 Causes skin irritation. FL3 Causes serious eye irritation. FL3 </td <td>ATO 4</td> <td>Acute Toxicity - Oral Category 4</td>	ATO 4	Acute Toxicity - Oral Category 4
H C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 1228 Flammable Liquid, Hazard Category 3 1301 Toxic If swallowed. 1302 Harmful If swallowed. 1304 May be fatal if swallowed. 1311 Toxic In contact with skin. 1312 Harmful in contact with skin. 1313 Toxic In contact with skin. 1314 Causes skin irritation. 1315 Causes skin irritation. 1316 Causes serious eye irritation. 1317 May cause an allergic skin reaction. 1318 Toxic In caquatic life. 1410 Very toxic to aquatic life. 1410 Very toxic to aquatic life. 1411 Toxic to aquatic life with long lasting effects. 169 Immut to aquatic life with long lasting effects. 1723 Keep away from heat, sparks, open flames and hot surfaces No smoking. 1421 Marmfu to aquatic life with long lasting effects. 1422 Ground/bond container and reacelwing equipment.	EDI 2	Eye Damage / Irritation Category 2
EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 FL3 Harmful if swallowed. H302 Harmful in contact with skin. H311 Toxic in contact with skin. H312 Harmful in contact with skin. H314 Causes an allergic skin reaction. H315 Causes serious eye irritation. H316 Causes serious eye irritation. H317 May cause an allergic skin reaction. H318 Toxic if inhaled. H320 Harmful if inhaled. H400 Very toxic to aquatic life with long lasting effects. Version: 19	EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 1226 Flammable liquid and vapour. 1301 Toxic if swallowed. 1302 Harmful if swallowed. 1304 May be fatal if swallowed and enters airways. 1311 Toxic in contact with skin. 1312 Harmful in contact with skin. 1313 Causes skin irritation. 1314 Causes skin irritation. 1315 Causes serious eye irritation. 1319 Causes serious eye irritation. 1331 Toxic if inhaled. 1332 Harmful if inhaled. 1400 Very toxic to aquatic life. 1411 Toxic to aquatic life with long lasting effects. 1412 Harmful to aquatic life with long lasting effects. 1412 Harmful to aquatic life with long lasting effects. 1412 Harmful to aquatic life with long lasting effects. 1233 Keep container and receiving equipment. 1244 Use explosion-proof electrical, ventilating and lighting equipment. 1241 Use explosion-proof electrical, ventilating and lighting equipment. 1242 Use explosion-proof electrical, ventilating and lighting equipment. 1244 Use explosion-proof electrical, ventilating and ligh	EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
I armmable Liquid, Hazard Category 3 1226 Flammable liquid and vapour. 1301 Toxic if swallowed. 1302 Harmful if swallowed. 1304 May be fatal if swallowed and enters airways. 1311 Toxic in contact with skin. 1312 Harmful in contact with skin. 1314 Toxic in contact with skin. 1315 Causes skin irritation. 1316 Causes skin irritation. 1317 May cause an allergic skin reaction. 1318 Toxic if inhaled. 1322 Harmful I inhaled. 1430 Very toxic to aquatic life. 1410 Very toxic to aquatic life with long lasting effects. 1411 Toxic to aquatic life with long lasting effects. 1412 Harmful to aquatic life with long lasting effects. 1412 Harmful to aquatic life with long lasting effects. 1421 Harmful to aquatic life with long lasting effects. 1422 Harmful to aquatic life with long lasting effects. 1423 Harmful to aquatic life with long lasting effects. 1424 Harmful to aquatic life with long lasting effects. 1424 Harmful to aquatic life with	EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Immable liquid and vapour. 1301 Toxic if swallowed. 1302 Harmful if swallowed. 1304 May be fatal if swallowed and enters airways. 1311 Toxic in contact with skin. 1312 Harmful in contact with skin. 1315 Causes skin irritation. 1317 May cause an allergic skin reaction. 1318 Causes serious eye irritation. 1319 Causes serious eye irritation. 1331 Toxic if inhaled. 1400 Very toxic to aquatic life. 1410 Very toxic to aquatic life. 1411 Toxic to aquatic life with long lasting effects. 1412 Harmful to aquatic life with long lasting effects. 1412 Harmful to aquatic life with long lasting effects. 1412 Harmful to aquatic life with long lasting effects. 1412 Harmful to aquatic life with long lasting effects. 1420 Keep container tightly closed. 1421 Harmful to aquatic life with long lasting effects. 1422 Groundbond container and receiving equipment. 1423 Harmful to aquatic life with long lasting effects. 1444 Harmful to aquatic life w	ЕН СЗ	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
1301Toxic if swallowed.1302Harmful if swallowed.1304May be fatal if swallowed and enters airways.1311Toxic in contact with skin.1312Harmful in contact with skin.1313Causes skin irritation.1314Causes skin irritation.1317May cause an allergic skin reaction.1318Causes serious eye irritation.1319Causes serious eye irritation.1321Harmful i inhaled.1332Harmful if inhaled.1430Very toxic to aquatic life.1410Very toxic to aquatic life.1411Toxic to aquatic life with long lasting effects.1412Harmful to aquatic life with long lasting effects.1412Harmful to aquatic life with long lasting effects.1523Keep away from heat, sparks, open flames and hot surfaces No smoking.1524Use entainer tightly closed.1524Use entainer and receiving equipment.1524Use entainer y measures against static disch	FL 3	Flammable Liquid, Hazard Category 3
Harmful if swallowed.1302May be fatal if swallowed and enters airways.1311Toxic in contact with skin.1312Harmful in contact with skin.1313Causes skin irritation.1314Causes skin irritation.1315Causes skin irritation.1316Causes serious eye irritation.1317May cause an allergic skin reaction.1318Toxic if inhaled.1329Harmful if inhaled.1332Harmful if inhaled.1400Very toxic to aquatic life.1410Very toxic to aquatic life.1411Toxic to aquatic life with long lasting effects.1412Harmful to aquatic life with long lasting effects.1412Harmful to aquatic life with long lasting effects.152Seep away from heat, sparks, open flames and hot surfaces No smoking.152Seep container tightly closed.153Ground/bond container and receiving equipment.154Use explosion-proof electrical, ventilating and lighting equipment.154See only non-sparking tools.154Take precautionary measures against static discharge.154Avoid breathing vapour or dust.154Wash hands and other contacted skin thoroughly after handling.155Do not eat, drink or smoke when using this product.	H226	Flammable liquid and vapour.
3304 May be fatal if swallowed and enters airways. 3311 Toxic in contact with skin. 4312 Harmful in contact with skin. 4315 Causes skin irritation. 4317 May cause an allergic skin reaction. 4319 Causes serious eye irritation. 4331 Toxic if inhaled. 4332 Harmful if inhaled. 4332 Harmful if inhaled. 4400 Very toxic to aquatic life. 4410 Very toxic to aquatic life with long lasting effects. 4411 Toxic to aquatic life with long lasting effects. 4212 Harmful to aquatic life with long lasting effects. 4214 Keep away from heat, sparks, open flames and hot surfaces No smoking. 2233 Keep container tightly closed. 2240 Ground/bond container and receiving equipment. 2241 Use explosion-proof electrical, ventilating and lighting equipment. 2242 Use only non-sparking tools. 2243 Take precautionary measures against static discharge. 2244 Wash hands and other contacted skin thoroughly after handling. 2245 Do not eat, drink or smoke when using this product.	H301	Toxic if swallowed.
331 Toxic in contact with skin. 332 Harmful in contact with skin. 331 Causes skin irritation. 331 May cause an allergic skin reaction. 333 Toxic if inhaled. 4332 Harmful if inhaled. 4332 Harmful if inhaled. 4400 Very toxic to aquatic life. 4410 Very toxic to aquatic life with long lasting effects. 4411 Toxic to aquatic life with long lasting effects. 4412 Harmful to aquatic life with long lasting effects. 2210 Keep away from heat, sparks, open flames and hot surfaces No smoking. 2233 Keep container tightly closed. 2240 Ground/bond container and receiving equipment. 2241 Use explosion-proof electrical, ventilating and lighting equipment. 2242 Use only non-sparking tools. 2243 Take precautionary measures against static discharge. 2244 Wash hands and other contacted skin thoroughly after handling. 2264 Wash hands and other contacted skin thoroughly after handling.	H302	Harmful if swallowed.
4312Harmful in contact with skin.4315Causes skin irritation.4317May cause an allergic skin reaction.4319Causes serious eye irritation.4319Causes serious eye irritation.4331Toxic if inhaled.4322Harmful if inhaled.4400Very toxic to aquatic life.4410Very toxic to aquatic life.4411Toxic it o aquatic life with long lasting effects.4412Harmful to aquatic life with long lasting effects.4412Harmful to aquatic life with long lasting effects.2233Keep away from heat, sparks, open flames and hot surfaces No smoking.2240Ground/bond container and receiving equipment.2241Use explosion-proof electrical, ventilating and lighting equipment.2242Use only non-sparking tools.2243Take precautionary measures against static discharge.2264Wash hands and other contacted skin thoroughly after handling.2270Do not eat, drink or smok when using this product.	H304	May be fatal if swallowed and enters airways.
Handbody4315Causes skin irritation.4317May cause an allergic skin reaction.4319Causes serious eye irritation.4331Toxic if inhaled.4332Harmful if inhaled.4400Very toxic to aquatic life.4410Very toxic to aquatic life with long lasting effects.4411Toxic of aquatic life with long lasting effects.4412Harmful to aquatic life with long lasting effects.2200Keep away from heat, sparks, open flames and hot surfaces No smoking.2233Keep container tightly closed.2240Ground/bond container and receiving equipment.2241Use explosion-proof electrical, ventilating and lighting equipment.2242Use only non-sparking tools.2243Take precautionary measures against static discharge.2264Wash hands and other contacted skin thoroughly after handling.2270Do not eat, drink or smoke when using this product.	H311	Toxic in contact with skin.
4317May cause an allergic skin reaction.4319Causes serious eye irritation.4331Toxic if inhaled.4332Harmful if inhaled.4300Very toxic to aquatic life.4400Very toxic to aquatic life with long lasting effects.4411Toxic of aquatic life with long lasting effects.4412Harmful to aquatic life with long lasting effects.2210Keep away from heat, sparks, open flames and hot surfaces No smoking.2233Keep container tightly closed.2240Ground/bond container and receiving equipment.2241Use explosion-proof electrical, ventilating and lighting equipment.2242Use only non-sparking tools.2243Take precautionary measures against static discharge.2244Wash hands and other contacted skin thoroughly after handling.2270Do not eat, drink or smoke when using this product.	H312	Harmful in contact with skin.
dialityCauses serious eye irritation.dialityToxic if inhaled.dialityHarmful if inhaled.dialityVery toxic to aquatic life.dialityVery toxic to aquatic life with long lasting effects.dialityVery toxic to aquatic life with long lasting effects.dialityToxic to aquatic life with long lasting effects.dialityImage: Second Sec	H315	Causes skin irritation.
H331Toxic if inhaled.H332Harmful if inhaled.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H317	May cause an allergic skin reaction.
Harmful if inhaled.Harmful if inhaled.Harmful if inhaled.Very toxic to aquatic life.Harmful of aquatic life with long lasting effects.Harmful to aquatic life with long lasting effects.Version:19Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H319	Causes serious eye irritation.
H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.Version:19H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H331	Toxic if inhaled.
H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. Version: 19 H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.	H332	Harmful if inhaled.
Harmonic for the intervence of t	H400	Very toxic to aquatic life.
Version:191412Harmful to aquatic life with long lasting effects.2210Keep away from heat, sparks, open flames and hot surfaces No smoking.2233Keep container tightly closed.2240Ground/bond container and receiving equipment.2241Use explosion-proof electrical, ventilating and lighting equipment.2242Use only non-sparking tools.2243Take precautionary measures against static discharge.2261Avoid breathing vapour or dust.2264Wash hands and other contacted skin thoroughly after handling.2270Do not eat, drink or smoke when using this product.	H410	Very toxic to aquatic life with long lasting effects.
H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H411	Toxic to aquatic life with long lasting effects.
P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	Version: 19	
P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	H412	Harmful to aquatic life with long lasting effects.
P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	P233	Keep container tightly closed.
P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.	P240	Ground/bond container and receiving equipment.
P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.	P241	Use explosion-proof electrical, ventilating and lighting equipment.
P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.	P242	Use only non-sparking tools.
P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.	P243	Take precautionary measures against static discharge.
P270 Do not eat, drink or smoke when using this product.	P261	Avoid breathing vapour or dust.
	P264	Wash hands and other contacted skin thoroughly after handling.
2271 Use only outdoors or in a well-ventilated area.	P270	Do not eat, drink or smoke when using this product.
	P271	Use only outdoors or in a well-ventilated area.



Page 10 Issue date: 11/10/2019 Version: 19 (23/04/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:	CINNAMON APPLE FRAGRANCE
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P311	Call a POISON CENTRE or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1A	Sensitization - Skin Category 1A
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.