

Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ROYAL LEATHER

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: ROYAL LEATHER (Contains:CITRONELLOL, COUMARIN, ISOEUGENOL, LINALYL

ACETATE)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Fizzywhiz

Company address: Unit 23 Maritime Enterprise Park Atlas Road L20 4DY United Kingdom

(Office hours: Monday to Friday 09.00 to 17.00

Contact: Fizzywhiz

E-Mail address: Info@fizzywhiz.com

Company phone: (+44) 0151 922 0041

1.4 Emergency telephone number

Emergency phone: (+44) 0151 922 0041

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of Skin Corrosion / Irritation Category 2 **danger:** Eye Damage / Irritation Category 2

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label

elements Signal

word:

Classification under Regulation (EC) No 1272/2008

Classification under V

Regulation (EC) No

1272/2008

Warning



3450 mg/kg bw

Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ROYAL LEATHER

Version: 1

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains (1R)-NOPYL ACETATE, ALPHA-ISOMETHYL IONONE, BETA-CARYOPHYLLENE, CINNAMYL ALCOHOL, CITRONELLYL FORMATE, EUCALYPTOL, EUGENOL, GERANIOL, GERANYL ACETATE, GERANYL FORMATE, LINALOOL, METHYL

CINNAMATE, NERYL ACETATE, TETRAHYDROLINALOOL. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 2.466%

Section 3. Composition / information on ingredients

3.2 Mixtures Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
LINALYL ACETATE	115-95-7	204-116-4	01-2119454789-19-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	
Version: 1		•				
CITRONELLOL	106-22-9	203-375-0	01-2119453995-23-xxxx	1-<5%	ISCI OFFINI OFSE 1B.	dermal: ATE = 2650 mg/kg bw-oral: ATE =



Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:	ROYAL LEATHER

Product.	NOTA	L LEATHER	`			
COUMARIN	91-64-5	202-086-7		1-<5%	ATO 4-SS 1B-EH C3; H302-H317-H412,-	oral: ATE = 500 mg/kg bw
ALPHA-ISOMETHYL IONONE	127-51-5	204-846-3		1-<5%	SS 1B-EH C2;H317H411,-	
EUGENOL	97-53-0	202-589-1		1-<5%	EDI 2-SS 1B;H317H319,-	oral: ATE = 2500 mg/kg bw
1,3,4,6,7,8- HEXAHYDRO- 4,6,6,7,8,8- HEXAMETHYLINDENO [5,6-C]PYRAN	1222-05-5	214-946-9	01-2119488227-29-xxxx	1-<5%	EH A1-EH C1;H410,-	
TETRAHYDROLINALO OL	78-69-3	201-133-9	01-2119454788-21-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	
AMYL SALICYLATE	2050-08-0	218-080-2		1-<5%	ATO 4-EH A1-EH C1; H302-H410,-	oral: ATE = 2000 mg/kg bw
PHENYLISOXANOL	55066-48-3	259-461-3	01-2119969446-23-xxxx	1-<5%	ATO 4;H302,-	dermal: ATE = 3100 mg/kg bw-oral: ATE = 1830 mg/kg bw
LINALOOL	78-70-6	201-134-4	01-2119474016-42-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
TRIMETHYLHEXYL ACETATE	58430-94-7	261-245-9	01-2119972325-34-xxxx	1-<5%	SCI 2-EH C2;H315H411,-	oral: ATE = 4250 mg/kg bw
METHYL ALPHA- IONONE ISOMERS	1335-46-2	215-635-0		1-<5%	SCI 2-EH C2;H315H411,-	
2-METHYLBUTYL SALICYLATE	51115-63-0	256-972-3		1-<5%	ATO 4-EH C2;H302H411,-	oral: ATE = 1406 mg/kg bw
CINNAMYL ALCOHOL	104-54-1	203-212-3		1-<5%	ATO 4-SS 1B-EH C2; H302-H317-H411,-	oral: ATE = 2000 mg/kg bw
GERANIOL	106-24-1	203-377-1	01-2119552430-49-xxxx	1-<5%	SCI 2-EDI 1-SS 1; H315-H317-H318,-	oral: ATE = 3600 mg/kg bw
(1R)-NOPYL ACETATE	35836-72-7	800-940-9		1-<5%	EDI 2-SS 1B-EH C2; H317-H319-H411,-	oral: ATE = 2940 mg/kg bw
TERPINEOL	8000-41-7	232-268-1	01-2119553062-49-xxxx	1-<5%	SCI 2-EDI 2;H315H319,-	oral: ATE = 4300 mg/kg bw
PHENYLPROPANOL	122-97-4	204-587-6		0.1-<1%	SCI 1B-EDI 1;H314,-	dermal: ATE = 5000 mg/kg bw-oral: ATE = 2275 mg/kg bw
DL-CAMPHOR	21368-68-3	244-350-4		0.1-<1%	FS 2-ATO 4-ATI 4-SCI 2-EDI 1-STO-SE 2-EH C2;H228-H302-H315- H318-H332- H371H411,-	inhalation: ATE = 1.5 mg/l (dusts or mists)oral: ATE = 1500 mg/kg bw
DIPHENYL ETHER	101-84-8	202-981-2		0.1-<1%	EDI 2-EH A1-EH C3; H319-H400-H412,-	oral: ATE = 2830 mg/kg bw
ISOEUGENOL	97-54-1	202-590-7		0.1-<1%	ATO 4-ATD 4-ATI 4- SCI 2-EDI 2-SS 1ASTO-SE 3(RI);H302- H312-H315- H317H319-H332- H335,-	Skin Sens. 1; H317; C ≥ 0.01%-inhalation: ATE = 1.5 mg/l (dusts or mists)-dermal: ATE = 1912 mg/kg bw-oral: ATE = 1500 mg/kg bw
CITRONELLYL FORMATE	105-85-1	203-338-9		0.1-<1%	SCI 2-SS 1B;H315H317,-	
EUCALYPTOL	470-82-6	207-431-5		0.1-<1%	FL 3-SS 1B;H226H317,-	oral: ATE = 2480 mg/kg bw
ALPHA-CEDRENE	469-61-4	207-418-4		0.1-<1%	SCI 2-AH 1-EH A1-EH C1;H304-H315-H410,-	M = 10-M = 10



Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ROYAL LEATHER

GERANYL FORMATE	105-86-2	203-339-4		0.1-<1%	SS 1B-EH A1-EH C2; H317-H400-H411,-	
GERANYL ACETATE	105-87-3	203-341-5	01-2119973480-35-xxxx	0.1-<1%	SCI 2-SS 1B-EH C3; H315-H317-H412,-	
Version: 1						
BETA- CARYOPHYLLENE	87-44-5	201-746-1		0.1-<1%	SS 1B-AH 1;H304H317,-	
BETA CEDRENE	546-28-1	208-898-8		0.1-<1%	AH 1-EH A1-EH C1; H304-H410,-	
NERYL ACETATE	141-12-8	205-459-2		0.1-<1%	SS 1B;H317,-	
METHYL CINNAMATE	103-26-4	203-093-8		0.1-<1%	SS 1B;H317,-	oral: ATE = 2610 mg/kg bw
TETRAHYDRO- 4METHYL-2- (2METHYLPROP-1- ENYL)PYRAN	16409-43-1	240-457-5		0.1-<1%	SCI 2-EDI 2-REP 2; H315-H319-H361,-	oral: ATE = 4300 mg/kg bw

Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
CAMPHOR	76-22-2, 464-49-3, 21368-68-3	207-355-2, 200-945-0, 244-350-4		0.1-<1%	-;-,-	
DIETHYL PHTHALATE	84-66-2	201-550-6	01-2119486682-27-xxxx	50-100%	-;-,-	
DIPHENYL ETHER	101-84-8	202-981-2		0.1-<1%	/	oral: ATE = 2830 mg/kg bw

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%: Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention. **Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.



Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ROYAL LEATHER

Version: 1

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Version:



Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ROYAL LEATHER

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
			UK Long-term exposure limit (8-hour TWA) (ppm)	2 ppm
CAMPUOD		207-355-2,	UK Long-term exposure limit (8-hour TWA) (mg/m3)	13 mg/m³
CAMPHOR	464-49-3, 21368-68-3	200-945-0, 244-350-4	UK Short-term exposure limit (15-minute) (ppm)	3 ppm
			UK Short-term exposure limit (15-minute) (mg/m3)	19 mg/m³
DIETUM BUTUALATE	04.00.0	204 550 0	UK Long-term exposure limit (8-hour TWA) (mg/m3)	5 mg/m³
DIETHYL PHTHALATE	84-66-2	201-550-6	UK Short-term exposure limit (15-minute) (mg/m3)	10 mg/m³
			UK Long-term exposure limit (8-hour TWA) (ppm)	1 ppm
			UK Long-term exposure limit (8-hour TWA) (mg/m3)	7 mg/m³
			UK Short-term exposure limit (15-minute) (ppm)	2 ppm
		200 004 0	UK Short-term exposure limit (15-minute) (mg/m3)	14 mg/m³
DIPHENYL ETHER	101-84-8	202-981-2	EU Long-term exposure limit (8-hour TWA) (ppm)	1 ppm
			EU Long-term exposure limit (8-hour TWA) (mg/m3)	7 mg/m³
			EU Short-term exposure limit (15-minute) (ppm)	2 ppm
			EU Short-term exposure limit (15-minute) (mg/m3)	14 mg/m³

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection



Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ROYAL LEATHER

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other **Version:**

areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour: Clear colourless to pale yellow liquid

Odour: Not determined
Odour threshold: Not determined
Melting point/freezing point: Not determined
Boiling point or initial boiling point and boiling
Not determined

range:

Flammability: Not determined Lower and upper explosion limit: Not determined

Flash point: > 100 °C

Auto-ignition temperature:

Decomposition temperature:

PH:

Not determined

value):

Vapour pressure: 0.02217635 mmHg

Density and/or relative density: 1.0380

Relative vapour density: Not determined Particle characteristics: Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.



Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ROYAL LEATHER

Version: 1

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2

Serious eye damage/irritation: Eye Damage / Irritation Category 2

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:Based on available data the classification criteria are not met.

Carcinogenicity: Based on available data the classification criteria are not met.

Reproductive toxicity:Based on available data the classification criteria are not met.

STOT-single exposure: Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

STOT-repeated exposure:

Aspiration hazard:

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE	LC50/ATE	LC50
iligredient	CAS	EG	LD30/ATE OTAL	Dermal	Inhalation	Route
2-METHYLBUTYL	51115-63-0	256-972-3	1406	Not available	Not available	Not
SALICYLATE	31113-03-0	250-312-5	1400	Not available	Not available	available

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.



Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ROYAL LEATHER

	_					
AMYL SALICYLATE	2050-08-0	218-080-2	2000	Not available	Not available	Not available
CINNAMYL ALCOHOL 1	04-54-1	203-212-3	2000	Not available	Not available	Not
ONNAMI E ALOGIOLI	04-04-1	200-212-0	2000	140t available		available
COUMARIN	91-64-5	202-086-7	500	Not available	Not available	Not
					1	available Not
PHENYLISOXANOL	55066-48-3	259-461-3	1830 available Refer to		Not available for additional inf	ormation.

Version: 1

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available **12.3 Bioaccumulative potential:** Not available **12.4**

Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable **12.7 Other adverse effects:** Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN	14.2 UN Proper Shipping Name:	14.3	Sub Risk:	14.4 Packing
number or		Transport		Group:
ID number:		hazard		
		class (es):		



Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ROYAL LEATHER

Toduct.	11017	AL LL/ ATTILIX			
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA- CEDRENE, 1,3,4,6,7,8- HEXAHYDRO4,6,6,7,8,8- HEXAMETHYLINDENO[5,6C]PYRAN)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA- CEDRENE, 1,3,4,6,7,8- HEXAHYDRO4,6,6,7,8,8- HEXAMETHYLINDENO[5,6C]PYRAN) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA- CEDRENE, 1,3,4,6,7,8- HEXAHYDRO4,6,6,7,8,8- HEXAMETHYLINDENO[5,6C]PYRAN)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA- CEDRENE, 1,3,4,6,7,8- HEXAHYDRO4,6,6,7,8,8- HEXAMETHYLINDENO[5,6C]PYRAN)	9	-	III

Version: 1

14.5 Environmental hazards:This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH C2=23.54% EH C3=2.34% SCI 2=41.76% EDI 2=25.39% SS

1=2.00% EDI 2A=24.46%

Total Fractional Values: EH C2=4.25 EH C3=42.65 SCI 2=2.39 EDI 2=3.94 SS 1=50.00 EDI 2A=4.

09

Key to revisions:

Not applicable

Key to abbreviations:



Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ROYAL LEATHER

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATD 4	Acute Toxicity - Dermal Category 4
ATI 4	Acute Toxicity - Inhalation Category 4
ATO 4	Acute Toxicity - Oral Category 4
EDI 1	Eye Damage / Irritation Category 1
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
FL 3	Flammable Liquid, Hazard Category 3
FS 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
Version: 1	
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs (organs, exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.



Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P309/311	IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
Version: 1	
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233	Store in a well-ventilated place. Keep container tightly closed.



Version: 1 (25/11/2022)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ROYAL LEATHER

P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
REP 2	Toxic to Reproduction Category 2
SCI 1B	Skin Corrosion / Irritation Category 1B
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1A	Sensitization - Skin Category 1A
SS 1B	Sensitization - Skin Category 1B
STO-SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2
STO-SE 3(RI)	Specific Target Organ Toxicity (Single Exposure) Category 3

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.