

Page 1 ( 12 ) Issue date: 08/11/2023 Version: 7 (27/10/2023)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: GODDESS FRAGRANCE

Version: 7

#### Section 1. Identification of the substance or the mixture and of the supplier

**1.1 Product Identifier** 

Product identifier:	GODDESS FRAGRANCE (Contains:BENZYL SALICYLATE,
	HYDROXYCITRONELLAL, LINALOOL, TETRAMETHYL
	ACETYLOCTAHYDRONAPHTHALENES)
Other identifiers:	None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

**1.3 Details of the supplier of the safety data sheet Company name:** Fizzywhiz

Company address: Unit 23 Maritime Enterprise Park Atlas Road L20 4DY United Kingdom

(Office hours: Monday to Friday 09.00 to 17.00

Contact: Fizzywhiz

E-Mail address: Info@fizzywhiz.com

Company phone: (+44) 0151 922 0041

**1.4 Emergency telephone number** 

Emergency phone: (+44) 0151 922 0041

#### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

#### Classification under Regulation (EC) No 1272/2008

Class and cat	egory of	Skin Corrosion / Irritation Category 2
danger:		Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H411, Toxic to aquatic life with long lasting effects.
Version:	7	······································
2.2 Label elen	nents	
		Classification under Regulation (EC) No 1272/2008

Fizzywhiz Unit 23 Maritime Enterprise Park Atlas Road Bootle L20 4DY



Page 2 ( 12 ) Issue date: 08/11/2023 Version: 7 (27/10/2023)

### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: GODDESS FRAGRANCE

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

Supplemental EUH208, Contains (ETHOXYMETHYL)CYCLODODECANE, 2-METHYL-3-

Information: TOLYLPROPIONALDEHYDE, 3-(2H-1,3-BENZODIOXOL-5-YL)-2-METHYLPROPANAL,

ALLYL CYCLOHEXYLPROPIONATE, BETA-PINENES, CITRONELLOL, COUMARIN,

DIHYDRO PENTAMETHYLINDANONE (DPMI), GERANYL ACETATE, HELIOTROPINE,

HEXYL CINNAMAL, LIMONENE, LINALYL ACETATE. May produce an allergic reaction.

**Precautionary** P261, Avoid breathing vapour or dust.

statements: P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.



**Pictograms:** 

2.3 Other hazards

Other hazards:

Sensitisers declared on a CLP Hazard Label:

(ETHOXYMETHYL)CYCLODODECANE, 2-METHYL-3-TOLYLPROPIONALDEHYDE, 3-(2H-1,3-BENZODIOXOL-5YL)-2-METHYLPROPANAL, ALLYL CYCLOHEXYLPROPIONATE, BETA-PINENES,



Page 3 ( 12 ) Issue date: 08/11/2023 Version: 7 (27/10/2023)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: GODDESS FRAGRANCE

CITRONELLOL, COUMARIN, DIHYDRO PENTAMETHYLINDANONE (DPMI), GERANYL ACETATE,

Version: 7

Other hazards:

HELIOTROPINE, HEXYL CINNAMAL, LIMONENE, LINALYL ACETATE 0.000%

#### Section 3. Composition / information on

Hydrocarbon Concentration %:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
LINALOOL	78-70-6	201-134-4	01-2119474016-42-xxxx	5-<10%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
TETRAMETHYL ACETYLOCTAHYDRON APHTHALENES	54464-57-2, 54464-59-4, 68155-66-8, 68155-67-9	259-174-3, 259-175-9, 268-978-3, 268-979-9, 915-730-3	01-2119489989-04-xxxx	5-<10%	SCI 2-SS 1B-EH C2; H315-H317-H411,-	
BENZYL SALICYLATE	118-58-1	204-262-9		1-<5%	SS 1B-EH C3;H317H412,-	oral: ATE = 2200 mg/kg bw
CIS-3-HEXENYL SALICYLATE	65405-77-8	265-745-8	01-2119987320-37-xxxx	1-<5%	EH A1-EH C2;H400H411,-	oral: ATE = 2500 mg/kg bw
TETRAHYDRO- METHYL- (METHYLPROPYL)- PYRAN-4-OL	63500-71-0	405-040-6	01-0000015458-64-xxxx	1-<5%	EDI 2;H319,-	
OXACYCLOHEXADEC EN-2-ONE	34902-57-3, 111879-80-2	422-320-3	01-0000016883-62-xxxx	1-<5%	EH A1-EH C1;H410,-	
GAMMA UNDECALACTONE	104-67-6	203-225-4		1-<5%	EH C3;H412,-	
HYDROXYCITRONELL AL	107-75-5	203-518-7		1-<5%	EDI 2-SS 1B;H317H319,-	
HEXYL CINNAMAL	101-86-0	202-983-3		1-<5%	SS 1B-EH A1-EH C2; H317-H400-H411,-	oral: ATE = 3100 mg/kg bw
2,4-DIMETHYL-4,4A,5,9 B- TETRAHYDROINDENO -1,3-DIOXIN	27606-09-3	248-561-2	01-2120234292-65-xxxx	1-<5%	ATO 4-EH C3;H302H412,-	oral: ATE = 500 mg/kg bw
2,6-DIMETHYL-7- OCTEN-2-OL	18479-58-8	242-362-4		1-<5%	SCI 2-EDI 2;H315H319,-	oral: ATE = 3600 mg/kg bw
LIMONENE	5989-27-5	227-813-5		0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C3;H226H304-H315- H317H400-H412,-	
LINALYL ACETATE	115-95-7	204-116-4	01-2119454789-19-xxxx	0.1-<1%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	
GERANYL ACETATE	105-87-3	203-341-5	01-2119973480-35-xxxx	0.1-<1%	SCI 2-SS 1B-EH C3; H315-H317-H412,-	
COUMARIN	91-64-5	202-086-7		0.1-<1%	ATO 4-SS 1B-EH C3; H302-H317-H412,-	oral: ATE = 500 mg/kg bw
ALLYL CYCLOHEXYLPROPIO NATE	2705-87-5	220-292-5	01-2119976355-27-xxxx	0.1-<1%	ATO 4-ATD 4-SS 1-EH A1-EH C2;H302-H312- H317-H400-H411,-	dermal: ATE = 1600 mg/kg bw-oral: ATE = 380 mg/kg bw



Page 4 (12) Issue date: 08/11/2023 Version: 7 (27/10/2023)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

#### Product: GODE

#### GODDESS FRAGRANCE

(ETHOXYMETHYL) CYCLODODECANE	58567-11-6	261-332-1		0.1-<1%	SCI 2-SS 1B-EH C2; H315-H317-H411,-	
Version: 7						
3-(2H-1,3- BENZODIOXOL-5-YL) -2-METHYLPROPANAL	1205-17-0	214-881-6	01-2120740119-58-xxxx	0.1-<1%	SS 1B-REP 2-EH C2; H317-H361-H411,-	oral: ATE = 3562 mg/kg bw
HELIOTROPINE	120-57-0	204-409-7		0.1-<1%	SS 1B;H317,-	oral: ATE = 2700 mg/kg bw
CITRONELLOL	106-22-9, 1117-61-9, 26489-01-0, 6812-78-8, 141-25-3, 7540-51-4	203-375-0, 214-250-5, 247-737-6, 229-887-4, 205-473-9, 231-415-7	01-2119453995-23-xxxx	0.1-<1%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
2-METHYL-3- TOLYLPROPIONALDE HYDE	41496-43-9	255-410-4		0.1-<1%	SS 1B;H317,-	oral: ATE = 4100 mg/kg bw
DIHYDRO PENTAMETHYLINDAN ONE (DPMI)	33704-61-9	251-649-3		0.1-<1%	SCI 2-EDI 2-SS 1B-EH C2;H315-H317- H319H411,-	oral: ATE = 2900 mg/kg bw
ETHYL DECADIENOATE	3025-30-7	221-178-8		0.1-<1%	SCI 2-EH A1-EH C2; H315-H400-H411,-	
BETA-PINENES	127-91-3	204-872-5		0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226H304-H315- H317H410,-	
METHYL BENZODIOXEPINONE	28940-11-6	249-320-4		0.1-<1%	SCI 1B-EDI 1-STO-SE 3(NE);H314-H336,-	
GAMMA-TERPINENE	99-85-4	202-794-6		0.1-<1%	FL 3-REP 2-AH 1-EH C2;H226-H304- H361H411,-	oral: ATE = 3650 mg/kg bw

#### Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
DIETHYL PHTHALATE	84-66-2	201-550-6	01-2119486682-27-xxxx	20-<50%	-;-,-	

# Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

## Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%: Not Applicable

#### Section 4. First-aid measures

#### 4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
Eye exposure:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin exposure:	IF ON SKIN: Wash with plenty of soap and water.
Ingestion:	Rinse mouth with water and obtain medical attention.
4.2 Most important s	ymptoms and effects, both acute and delayed
Version: 7	



Page 5 ( 12 ) Issue date: 08/11/2023 Version: 7 (27/10/2023)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: GODDESS FRAGRANCE

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

#### Section 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:



Page 6 ( 12 ) Issue date: 08/11/2023 Version: 7 (27/10/2023)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

#### Product: GODDESS FRAGRANCE

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
DIETHYL PHTHALATE 84-66-2	94 66 0		UK Long-term exposure limit (8-hour TWA) (mg/m3)	5 mg/m³
	04-00-2		UK Short-term exposure limit (15-minute) (mg/m3)	10 mg/m³

#### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.

#### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical State/Colour:	Clear colourless to pale yellow liquid	
Odour:	Not determined	
Odour threshold:	Not determined	
Melting point / freezing point:	Not determined	
Boiling point or initial boiling point and boiling range:	Not determined	
Version: 7		
Flammability:	Not determined	



Page 7 (12) Issue date: 08/11/2023 Version: 7 (27/10/2023)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:	GODDESS FRAGRAN	CE
Lower and upper explo	osion limit:	Not determined
Flash point:		> 100 °C
Auto-ignition temperat	ure: Not determined	Decomposition temperature:
Not relevant		
pH:		Not determined
Kinematic viscosity:		Not determined
Solubility:		Not determined
Partition coefficient: n- Vapour pressure:	-octanol/water (log	Not determined <b>value):</b> 0.03917017 mmHg
Density and/or relative	density:	1.0320
Relative vapour densit	y: Not determined	Particle characteristics:
Not determined		

9.2 Other information:

None available

#### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

#### Section 11. Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). Based on available data the classification criteria are not met. Acute Toxicity: Acute Toxicity Oral >5000 Acute Toxicity Dermal Not Applicable

Version:	7	
Acute Toxicity I	nhalation	Not Available
Skin corrosio	n/irritation:	Skin Corrosion / Irritation Category 2

Fizzywhiz Unit 23 Maritime Enterprise Park Atlas Road Bootle L20 4DY



Page 8 ( 12 ) Issue date: 08/11/2023 Version: 7 (27/10/2023)

### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:	GODDESS FRAG	GRANCE
Serious eye damage/irritation:		Eye Damage / Irritation Category 2
Respiratory or skin se	nsitisation:	Sensitization - Skin Category 1
Germ cell mutagenicit	y:	Based on available data the classification criteria are not met.
Carcinogenicity:		Based on available data the classification criteria are not met.
Reproductive toxicity:		Based on available data the classification criteria are not met.
STOT-single exposure	:	Based on available data the classification criteria are not met.
STOT-repeated exposit	ure:	Based on available data the classification criteria are not met.
Aspiration hazard:		Based on available data the classification criteria are not met.

#### Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
2,4-DIMETHYL-4,4A, 5,9B- TETRAHYDROINDENO -1,3-DIOXIN	27606-09-3	248-561-2	500	Not available	INOT AVAIIADIE	Not available

Refer to Sections 2 and 3 for additional information.

#### 11.2 Information on other hazards

Not Applicable

#### Section 12. Ecological information

#### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available 12.4Mobility in soil:Not available12.5 Results of PBT and vPvB assessment:This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.12.6 Endocrine disrupting properties:Not Applicable

**12.7 Other adverse effects:** Not available

#### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### Section 14. Transport information

Version: 7



Page 9 ( 12 ) Issue date: 08/11/2023 Version: 7 (27/10/2023)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: GODDESS FRAGRANCE

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OXACYCLOHEXADECEN-2-ONE, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENE S)	9	-	111
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OXACYCLOHEXADECEN-2-ONE, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENE S) MARINE POLLUTANT	9	-	111
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OXACYCLOHEXADECEN-2-ONE, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENE S)	9	-	111
	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OXACYCLOHEXADECEN-2-ONE, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENE S)	9	-	111

14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

**14.6 Special precautions for user:** None additional

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable

Section 15. Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** None additional

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this product.

	Section 16. Other information
Concentration % Limits:	SCI 2=72.86% EDI 2=74.49% SS 1=16.07% EH C2=69.83% EH C3=6.
	85% EDI 2A=55.63%
Total Fractional Values:	SCI 2=1.37 EDI 2=1.34 SS 1=6.22 EH C2=1.43 EH C3=14.60 EDI 2A=1.
	80
Version: 7	



Issue date: 08/11/2023

Page 10 ( 12

Version: 7 (27/10/2023)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:GODDESS FRAGRANCEKey to revisions:GODDESS FRAGRANCE

## SECTION 3: Composition/information on ingredients **Key to abbreviations**:

Constraint     Aspiration Hazard Category 1       ANTD 4     Acute Toxicity - Dermal Category 4       ATCD 4     Acute Toxicity - Oral Category 4       EDI 1     Eye Damage / Initiation Category 1       EDI 2     Eye Damage / Initiation Category 2       EN 1     Hazardous to the Aquatic Environment - Acute Hazard Category 1       EN 2     Hazardous to the Aquatic Environment - Long-term Hazard Category 1       EN 2     Hazardous to the Aquatic Environment - Long-term Hazard Category 2       EN 2     Hazardous to the Aquatic Environment - Long-term Hazard Category 3       EN 2     Hazardous to the Aquatic Environment - Long-term Hazard Category 3       FL3     Hazardous to the Aquatic Environment - Long-term Hazard Category 3       FL28     Flammable Liquid, Hazard Category 3       H226     Harmful in contact with skin.       H312     Harmful in contact with skin.       H314     Causes series skin burns and eye damage.       H315     Causes series skin initiation.       H316     Causes series skin burns and eye damage.       H317     May cause an allergic skin reaction.       H318     Causes series skin burns and eye damage.       H319     Causes serious eye irritation.	Key to abbreviations:				
ATD 4Acute Toxicity - Dermal Category 4ATO 4Acute Toxicity - Oral Category 4ATO 4Acute Toxicity - Oral Category 1EDI 1Eye Damage / Irritation Category 2EDI 2Eye Damage / Irritation Category 2ETA 1Hazardous to the Aquatic Environment - Acute Hazard Category 1ETA 2Hazardous to the Aquatic Environment - Long-term Hazard Category 1ETA 2Hazardous to the Aquatic Environment - Long-term Hazard Category 2ETA 2Hazardous to the Aquatic Environment - Long-term Hazard Category 3ETA 2Hazardous to the Aquatic Environment - Long-term Hazard Category 3FL 3Flammable Liquid, Hazard Category 3H226Flammable Iquid and vapour.H302Harmful if svallowed.H314Causes severe skin burns and eye damage.H315Causes sarious eye initiation.H316Causes analergic skin reaction.H317May cause an allergic skin reaction.H318Suspected of damaging fertility or the unborn child.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H220Do not handle until al safety precautions have been read and understood.H221Keep avery from heat, sparks, open fiames and hot surfaces No smoking.H223Keep container tightly closed.H224Groundbond container and receiving equipment.	Abbreviation	Meaning			
ATO 4Acute Toxicity - Oral Category 4ED1Eye Damage / Irritation Category 1ED12Eye Damage / Irritation Category 2EH A1Hazardous to the Aquatic Environment - Acute Hazard Category 1EH C1Hazardous to the Aquatic Environment - Long-term Hazard Category 2EH C2Hazardous to the Aquatic Environment - Long-term Hazard Category 3EH C3Hazardous to the Aquatic Environment - Long-term Hazard Category 3FL3Flammable Liquid, Hazard Category 3FL3Flammable Liquid, Hazard Category 3H226Flammable liquid and vapour.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.Causes severe skin burns and eye damage.H315Causes and allergic skin reacton.H316Causes drowsiness or dizziness.H317May cause an allergic skin reacton.H318Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Caugatic life with long lasting effects.H412Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lightling equipment.	AH 1	Aspiration Hazard Category 1			
Eve Damage / Initiation Category 1       ED11     Eye Damage / Initiation Category 2       ED12     Eye Damage / Initiation Category 2       EH A1     Hazardous to the Aquatic Environment - Acute Hazard Category 1       EH C1     Hazardous to the Aquatic Environment - Long-term Hazard Category 2       EH C2     Hazardous to the Aquatic Environment - Long-term Hazard Category 3       EH C3     Hazardous to the Aquatic Environment - Long-term Hazard Category 3       FL3     Flammable Liquid, Hazard Category 3       H226     Flammable Liquid, Hazard Category 3       H302     Harmful if swallowed.       H304     May be fatal if swallowed and enters airways.       H314     Causes severe skin burns and eye damage.       H315     Causes skin initiation.       H316     Causes sevine sevin surns and eye damage.       H317     May cause an allergic skin reaction.       H318     Causes sevines eye initiation.       H410     Very toxic to aquatic life.       H410     Very toxic to aquatic life.       H411     Toxic to aquatic life with long lasting effects.       H412     Harmful to aquatic life with long lasting effects.       H220     Do not handle untii	ATD 4	Acute Toxicity - Dermal Category 4			
Eve Damage / Initiation Category 2EHA1Hazardous to the Aquatic Environment - Acute Hazard Category 1EH A1Hazardous to the Aquatic Environment - Long-term Hazard Category 1EH C2Hazardous to the Aquatic Environment - Long-term Hazard Category 2EH C3Hazardous to the Aquatic Environment - Long-term Hazard Category 3EH C3Hazardous to the Aquatic Environment - Long-term Hazard Category 3FL3Flammable Liquid, Hazard Category 3FL3Flammable liquid and vapour.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes serious eye irritation.H317May cause an allergic skin reaction.H318Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Keep away from heat, sparks, open flames and hot surfaces No smoking.P203Keep container tighty closed.P204Ground/bond container and receiving equipment.P204Use explosion-proof electrical, ventilating and lighting equipment.	ATO 4	Acute Toxicity - Oral Category 4			
Hazardous to the Aquatic Environment - Acute Hazard Category 1EH A1Hazardous to the Aquatic Environment - Long-term Hazard Category 1EH C1Hazardous to the Aquatic Environment - Long-term Hazard Category 2EH C2Hazardous to the Aquatic Environment - Long-term Hazard Category 3FL 3Flammable Liquid, Hazard Category 3FL 3Flammable Liquid and vapour.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H314Causes severe skin burns and eye damage.H315Causes sevien skin irritation.H316Causes serious eye irritation.H317May cause an allergic skin reaction.H318Suspected of damaging fertility or the unborn child.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Keep away from heat, sparks, open flames and hot surfaces No smoking.F23Keep container tightly closed.F24Use explosion-proof electrical, ventilating and lighting equipment.	EDI 1	Eye Damage / Irritation Category 1			
Hazardous to the Aquatic Environment - Long-term Hazard Category 1EH C1Hazardous to the Aquatic Environment - Long-term Hazard Category 2EH C2Hazardous to the Aquatic Environment - Long-term Hazard Category 3FL 3Flammable Liquid, Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hazardous to the Aquatic Environment - Long-term Hazard Category 3Hata Causes serious equinitation.Hata Causes serious equinitation.Hata Causes serious equinitife orth unborn child.Hu4	EDI 2	Eye Damage / Irritation Category 2			
Hazardous to the Aquatic Environment - Long-term Hazard Category 2     EH C3   Hazardous to the Aquatic Environment - Long-term Hazard Category 3     FL 3   Flammable Liquid, Hazard Category 3     H226   Flammable Liquid and vapour.     H302   Harmful if swallowed.     H312   Harmful if swallowed and enters airways.     H312   Harmful in contact with skin.     Causes severe skin burns and eye damage.   Causes severe skin burns and eye damage.     H315   Causes serious eye irritation.     H319   Causes serious eye irritation.     H319   Causes serious eye irritation.     H310   Very toxic to aquatic life.     H410   Very toxic to aquatic life.     H411   Toxic to aquatic life with long lasting effects.     H412   Harmful to quatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     P202   Do not handle until all safety precautions have been read and understood.     P210   Keep away from heat, sparks, open flames and hot surfaces No smoking.     P233   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilati	EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1			
EH C3Hazardous to the Aquatic Environment - Long-term Hazard Category 3FL 3Flammable Liquid, Hazard Category 3H226Flammable liquid and vapour.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye irritation.H336May cause drowsiness or dizziness.H311Suspected of damaging fertility or the unborn child.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Do not handle until all safety precautions have been read and understood.P202Con thankel until all safety precautions have been read and understood.P210Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.	EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1			
FL 3   Flammable Liquid, Hazard Category 3     H226   Flammable liquid and vapour.     H302   Harmful if swallowed.     H304   May be fatal if swallowed and enters airways.     H312   Harmful in contact with skin.     H314   Causes severe skin burns and eye damage.     H315   Causes severe skin burns and eye damage.     H316   Causes severe skin irritation.     H317   May cause an allergic skin reaction.     H318   Causes serious eye irritation.     H319   Causes serious eye irritation.     H310   Suspected of damaging fertility or the unborn child.     H400   Very toxic to aquatic life.     H410   Very toxic to aquatic life with long lasting effects.     H411   Toxic to aquatic life with long lasting effects.     H222   Do not handle until all safety precautions have been read and understood.     P240   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.	EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2			
H226Flammable liquid and vapour.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye irritation.H319Causes serious eye irritation.H316Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Do not handle until all safety precautions have been read and understood.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P241Use explosion-proof electrical, ventilating and lighting equipment.	EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3			
Hamful if swallowed.H302Harmful if swallowed and enters airways.H314May be fatal if swallowed and enters airways.H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H336May cause drowsiness or dizziness.H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Do not handle until all safety precautions have been read and understood.P203Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.	FL 3	Flammable Liquid, Hazard Category 3			
H304May be fatal if swallowed and enters airways.H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H336May cause drowsiness or dizziness.H361Suspected of damaging fertility or the unborn child.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Do not handle until all safety precautions have been read and understood.P202Coround'bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.	H226	Flammable liquid and vapour.			
H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H336May cause drowsiness or dizziness.H361Suspected of damaging fertility or the unborn child.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Do not handle until all safety precautions have been read and understood.P202Do not handle until all safety precautions have been read and understood.P210Keep container tightly closed.P240Ground/bond container and receiving equipment.P241ue explosion-proof electrical, ventilating and lighting equipment.	H302	Harmful if swallowed.			
HandCauses severe skin burns and eye damage.HandCauses skin irritation.HandCauses skin irritation.HandMay cause an allergic skin reaction.HandCauses serious eye irritation.HandCauses serious eye irritation.HandMay cause drowsiness or dizziness.HandSuspected of damaging fertility or the unborn child.HandVery toxic to aquatic life.HandVery toxic to aquatic life with long lasting effects.HandToxic to aquatic life with long lasting effects.HandDo not handle until all safety precautions have been read and understood.P202Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P241Use explosion-proof electrical, ventilating and lighting equipment.	H304	May be fatal if swallowed and enters airways.			
H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H336May cause drowsiness or dizziness.H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H210Do not handle until all safety precautions have been read and understood.P220Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P241Use explosion-proof electrical, ventilating and lighting equipment.	H312	Harmful in contact with skin.			
H317May cause an allergic skin reaction.H319Causes serious eye irritation.H336May cause drowsiness or dizziness.H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H210Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.	H314	Causes severe skin burns and eye damage.			
H319Causes serious eye irritation.H336May cause drowsiness or dizziness.H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P202Do not handle until all safety precautions have been read and understood.P210Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.	H315	Causes skin irritation.			
H336May cause drowsiness or dizziness.H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.	H317	May cause an allergic skin reaction.			
H361Suspected of damaging fertility or the unborn child.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.	H319	Causes serious eye irritation.			
H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.	H336	May cause drowsiness or dizziness.			
H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.	H361	Suspected of damaging fertility or the unborn child.			
H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.	H400	Very toxic to aquatic life.			
H412Harmful to aquatic life with long lasting effects.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.	H410	Very toxic to aquatic life with long lasting effects.			
P202   Do not handle until all safety precautions have been read and understood.     P210   Keep away from heat, sparks, open flames and hot surfaces No smoking.     P233   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.	H411	Toxic to aquatic life with long lasting effects.			
P210   Keep away from heat, sparks, open flames and hot surfaces No smoking.     P233   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.	H412	Harmful to aquatic life with long lasting effects.			
P233   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.	P202	Do not handle until all safety precautions have been read and understood.			
P240 Ground/bond container and receiving equipment.   P241 Use explosion-proof electrical, ventilating and lighting equipment.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.			
P241 Use explosion-proof electrical, ventilating and lighting equipment.	P233	Keep container tightly closed.			
	P240	Ground/bond container and receiving equipment.			
Description     Use only non-sparking tools.	P241	Use explosion-proof electrical, ventilating and lighting equipment.			
	P242	Use only non-sparking tools.			

Page 11 ( 12

Issue date: 08/11/2023 Version: 7 (27/10/2023)



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:	GODDESS FRAGRANCE	
P243	Take precautionary measures against static discharge.	
P260	Do not breathe vapour or dust.	
P261	Avoid breathing vapour or dust.	
P264	Wash hands and other contacted skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
Version: 7		
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/eye protection/face protection.	
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.	
P302/352	IF ON SKIN: Wash with plenty of soap and water.	
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.	
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P308/313	IF exposed or concerned: Get medical advice/attention.	
P310	Immediately call a POISON CENTER or doctor/physician.	
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.	
P330	Rinse mouth.	
P331	Do not induce vomiting.	
P332/313	If skin irritation occurs: Get medical advice/attention.	
P333/313	If skin irritation or rash occurs: Get medical advice/attention.	
P337/313	If eye irritation persists: Get medical advice/attention.	
P362	Take off contaminated clothing and wash before reuse.	
P363	Wash contaminated clothing before reuse.	
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.	
P391	Collect spillage.	
P403/233	Store in a well-ventilated place. Keep container tightly closed.	
P403/235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.	
REP 2	Toxic to Reproduction Category 2	
SCI 1B	Skin Corrosion / Irritation Category 1B	
SCI 2	Skin Corrosion / Irritation Category 2	
SS 1	Sensitization - Skin Category 1	



Issue date: 08/11/2023 Version: 7 (27/10/2023)



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: GOI	GODDESS FRAGRANCE	
SS 1B	Sensitization - Skin Category 1B	
STO-SE 3(NE)	Specific Target Organ Toxicity (Single Exposure) Category 3	

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.