Safety Data Sheet

### **SECTION 1: Identification**

1.1. Identification

Product name : Oven & Grill Commercial Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Cleaning and Degreasing

1.3. Details of the supplier of the safety data sheet

Risamar Business Group LLC

4101 NW 124th Ave

Coral Springs, FL 33065

1.4. Emergency telephone number

Emergency number : 954-734-2690

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Skin Irrit. 2 H315 Eye Dam. 1 H318

Full text of hazard classes and H-statements: see section 16

### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)





3HS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H315 - Causes skin irritation.

H318 - Causes serious eye damage. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

Precautionary statements (GHS-US) : P264+P265 Wash thoroughly after handling, do not touch eyes.

P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352

- If on skin: Wash with plenty of water

P305+P351+P337+P338+P316 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get

emergency medical help immediately. P310 - Immediately call a poison center/doctor

P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364

- Take off contaminated clothing and wash it before reuse

P301+P330+P331+P317: IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting. Get Medical help.

### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	Trade Secret	Not classified
2-Butoxyethanol	(CAS No) 111-76-2	Trade Secret	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311
Sodium Hydroxide	(CAS No) 1310-73-2	Trade Secret	Skin corrosion (Cat1A), H314 Serious eye damage (Cat 1), H318

11/17/2023 EN (English US) Page 1

# Safety Data Sheet

Name	Product identifier	%	GHS-US classification
Sodium metasilicate	(CAS No) 6834-92-0	Trade Secret	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT SE 3, H335
Pentasodium triphosphate	(CAS No) 7758-29-4	Trade Secret	Not classified
Poly(oxy-1,2-ethanediyl), .alpha(dinonylphenyl)omega hydroxy-	(CAS No) 9014-93-1	Trade Secret	Not classified

Full text of hazard classes and H-statements : see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : No specific first aid necessary for this route of exposure.

First-aid measures after skin contact : May be irritating to skin. Seek medical advice is irritation develops or persists.

First-aid measures after eye contact : Irritating to eyes. Flush with plenty of water for at least 15 minutes. Seek immediate medical

attention if irritation develops or persists.

First-aid measures after ingestion : Do not induce vomiting; give a glass of water if conscious and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : None under normal use.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Nausea, vomiting, irritation to the digestive track, upset stomach.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : None known.

Explosion hazard : None known.

Reactivity : None.

### 5.3. Advice for firefighters

Protection during firefighting : Firefighters should wear full protective gear for surrounding fires.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment, and emergency procedures

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

None.

#### 6.3. Methods and material for containment and cleaning up

For containment : If possible, stop flow of product, and avoid large spills into water ways.

Methods for cleaning up : Confine spill and soak up with absorbent. Place in an approved container and dispose in

accordance with local, state, and federal regulations.

#### 6.4. Reference to other sections

No additional information available

#### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Wash thoroughly after handling.

Keep away from children.

11/17/2023 EN (English US) 2/6

# Safety Data Sheet

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : No special storage needed.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

2-Butoxyethanol (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	240 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	50 ppm
IDLH	US IDLH (ppm)	700 ppm
NIOSH	NIOSH REL (TWA) (mg/m³)	24 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	5 ppm

#### 8.2. Exposure controls

Appropriate engineering controls : None required under normal product handling conditions.

Hand protection : Rubber gloves recommended for long term use.

Eye protection : Safety glasses recommended.

Skin and body protection : None required under normal product handling conditions.

Respiratory protection : None required under normal product handling conditions.

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Transpar

: Transparent Fluorescent Green

: No data available

Odor : No particular odor Odor threshold : No data available

pH : 13-14

: No data available Melting point No data available Freezing point **Boiling point** > 100 °C (>212 °F) > 100 °C (>212 °F) Flash point Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) : No data available No data available Vapor pressure Relative vapor density at 20 °C : No data available Specific Gravity : 1.03 gr/cc Solubility Total in water Log Pow : No data available : No data available Auto-ignition temperature Decomposition temperature No data available Viscosity, kinematic No data available No data available Viscosity, dynamic **Explosion limits** No data available Explosive properties : No data available

9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Oxidizing properties

None.

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

11/17/2023 EN (English US) 3/6

# Safety Data Sheet

### 10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

None.

10.5. Incompatible materials

Avoid contact with acids and oxidizers

10.6. Hazardous decomposition products

Not determined.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Water (7732-18-5)			
LD50 oral rat	> 90 ml/kg		
2-Butoxyethanol (111-76-2)	2-Butoxyethanol (111-76-2)		
LD50 oral rat	1746 mg/kg		
LD50 dermal rabbit	99 mg/kg		
LC50 inhalation rat (ppm)	486 ppm/4h		
ATE US (oral)	470 mg/kg body weight		
ATE US (dermal)	220 mg/kg body weight		
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched (127087-87-0)			
LD50 oral rat	1310 mg/kg		
Sodium Hydroxide (1310-73-2)			
LD50 oral rat	140 - 340 mg/kg		
LD50 dermal rabbit	1350 mg/kg		
ATE US (oral)	Not Listed		

Sodium metasilicate (6834-92-0)	
LD50 oral rat	1153 mg/kg
ATE US (oral)	600 mg/kg

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

2-Butoxyethanol (111-76-2)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified Specific target organ toxicity – single exposure : Not classified Specific target organ toxicity – repeated : Not classified exposure

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

2-Butoxyethanol (111-76-2)	
LC50 fish 1	1490 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)

11/17/2023 EN (English US) 4/6

# Safety Data Sheet

Sodium metasilicate (6834-92-0)	
LC50 fish 1	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
LC50 fish 2	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

2-Butoxyethanol (111-76-2)	
Log Pow	0.81 (at 25 °C)

#### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on the ozone layer : No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container in accordance with local/regional/national/international regulations.

# **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT,

IMDG and IATA

Not Regulated

# SECTION 15: Regulatory information

#### 15.1. US Federal regulations

Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
2-Butoxyethanol (111-76-2)		
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory	
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylpheny	/I)omegahydroxy-, branched (127087-87-0)	
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).	
Sodium Hydroxide (1310-73-2)		
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).	
Poly(oxy-1,2-ethanediyl), .alpha(dinonylphenyl)omegahydroxy- (9014-93-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).	
Sodium metasilicate (6834-92-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

11/17/2023 EN (English US) 5/6

# Safety Data Sheet

#### 15.2. US State regulations

#### 2-Butoxyethanol (111-76-2)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### Sodium Hydroxide (1310-73-2)

U.S. - Minnesota - Hazardous Substance List

# **SECTION 16: Other information**

#### Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
H317	May cause an allergic skin reaction
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation

NFPA Rating: Fire: 0 Health: 2 Reactivity: 0

HMIS Rating: Health = 2; Flammability = 0; Reactivity = 0; Personal Protection Equipment = B

This SDS has been prepared according to the criteria of the Hazardous Products Regulations (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR. Applicable GHS information is listed in section 2.2 of this SDS.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

11/17/2023 EN (English US) 6/6