

## TACOMA (4X4 MODELS)

ARB DELUXE BULL BARS & WINCH BARS				
YEAR	MODEL	FEATURES	WINCHES	PART NO.
1995-04	WINCH BAR	AIRBAG APPROVED, RECESSED INDICATORS, URETHANE BUFFERS, TOW POINTS	WARN 9.5XP, HS9500, XD9000, M8000	3423040 <sup>6,10</sup>
1995-04	WINCH BAR	AIRBAG APPROVED, RECESSED INDICATORS, URETHANE BUFFERS, TOW POINTS	WARN 9.5XP, HS9500, XD9000, M8000	3423020 <sup>6,11</sup>
2005-11	WINCH BAR	AIRBAG APPROVED, RECESSED INDICATORS <sup>2</sup> , URETHANE BUFFERS	WARN 9.5XP, HS9500, XD9000, M8000	3423030 <sup>2,6,11</sup>
2005-11	WINCH BAR	AIRBAG APPROVED, OPTIONAL ARB FOG LIGHTS <sup>1</sup> , RECESSED INDICATORS <sup>2</sup> , URETHANE BUFFERS	WARN9.5XP, HS9500, XD9000, M8000	3423130 <sup>2,6,11</sup>
2012-15	WINCH BAR	AIRBAG APPROVED, OPTIONAL ARB FOG LIGHTS <sup>1</sup> , RECESSED INDICATORS <sup>2</sup> , URETHANE BUFFERS	WARN 9.5XP, HS9500, XD9000, M8000	3423140 <sup>2,6,11</sup>
2016-19	SUMMIT BAR	AIRBAG APPROVED, ARB FOG LIGHTS <sup>3,4,13</sup> RECESSED LED INDICATORS, URETHANE BUFFERS, JACK POINTS	WARN M8000, XD9000, XP9.5, XDC9.5, ZEON 8-10, ZEON PLAT 10, EVO 8-10, COMEUP SOLO 9.5RS <sup>14</sup>	3423160K <sup>5,6,7,8,9,10,13</sup>
2020-23	SUMMIT BAR	AIRBAG APPROVED, TSS COMPATIBLE, ARB FOG LIGHTS <sup>3,4,13</sup> , RECESSED LED INDICATORS, URETHANE BUFFERS, JACK POINTS	WARN M8000, XD9000, XP9.5, XDC9.5, ZEON 8-10, ZEON PLAT 10, EVO 8-10, COMEUP SOLO 9.5RS <sup>14</sup>	3423160K2 <sup>5,6,7,8,9,10,12,13</sup>
2016-23	SUMMIT MKII BAR	AIRBAG APPROVED, TSS COMPATIBLE, RECESSED LED INDICATORS, JACK POINTS	WARN M8000, XD9000, XP9.5, XDC9.5, ZEON 8-10, ZEON PLAT 10, EVO 8-10, COMEUP SOLO 9.5RS <sup>14</sup>	3423200K <sup>6,8,9,10,12,13</sup>

<sup>1</sup> OPTIONAL ARB FOG LAMP KIT PART NO. 6821201 (HALOGEN) OR 3500890 (LED) AVAILABLE. 3500440 (SUITS HALOGEN) OR 3500520 (SUITS LED) LOOM REQUIRED WHEN FITTING OPTIONAL FOG LAMP KIT.

<sup>2</sup> SOME VEHICLES MAY NEED 1156 LED BULBS INSTALLED IN ARB BUMPER IN ORDER FOR TURN SIGNALS TO WORK PROPERLY

<sup>3</sup> OPTIONAL FOG LIGHT COVER KIT 3500680 AVAILABLE

<sup>4</sup> ARB FOG LIGHTS AND LOOM ARE INCLUDED WITH BUMPER PART NUMBER 3423160K AND 3423160K2. OPTIONAL LED FOG LIGHT AND LOOM ALSO AVAILABLE 3500910 (LIGHT KIT) AND HARNESS 3500520.

<sup>5</sup> INCLUDES, TACOMA SUMMIT WINCH BUMPER, BUMPER FITTING KIT, WINCH INSTALL KIT, ARB FOG LIGHT KIT AND ARB FOG LIGHT LOOM

<sup>6</sup> OPTIONAL HAWSE FAIRLEAD SPACER KIT PART NUMBER 3500600 REQUIRED WHEN FITTING A HAWSE FAIRLEAD.

<sup>7</sup> NOT COMPATIBLE WITH TRD PRO MODELS

<sup>8</sup> WARN PART NO W89965 REQUIRED WHEN FITTING WARN ZEON AND ZEON PLATINUM WINCH

<sup>9</sup> WARN PART NO W94288 ENHANCED SIGNAL KIT MAY BE NEEDED WHEN FITTING WARN ZEON PLATINUM WINCH

<sup>10</sup> FINISHED IN INTEGRIT BLACK TEXTURED POWDER COAT

<sup>11</sup> FINISHED IN SATIN BLACK POWDER COAT

<sup>12</sup> COMPATIBLE WITH TOYOTA SAFETY SENSE

<sup>13</sup> WARN PART W106928 WIRE EXTENSION REQUIRED WHEN FITTING WARN VR EVO.

<sup>14</sup> REQUIRES CONTROL BOX RELOCATION KIT COMEUP #8844116

ARB RECOVERY POINT		
YEAR	DESCRIPTION	PART NO.
2005-23	ARB RECOVERY POINT - RHS - 17,5000 LB RATING	2823010

UNDER VEHICLE PROTECTION KIT		
YEAR	DESCRIPTION	PART NO.
2005-23	UNDER VEHICLE PROTECTION KIT (V6 MODELS ONLY)	5423010

ARB SUMMIT SIDE RAILS AND STEPS		
YEAR	DESCRIPTION	PART NO.
2016-23	SUMMIT PROTECTION STEPS - DOUBLE CAB AND ACCESS CAB - BLACK INTEGRIT FINISH	4423010 <sup>1,2</sup>
	SUMMIT FRONT PROTECTION RAILS - PROTECTS FENDERS, ATTACHES TO ARB FRONT SUMMIT BAR	4423020 <sup>1,2</sup>
	SUMMIT PROTECTION STEPS RETURN	4423030 <sup>1,2</sup>

<sup>1</sup> ORDER PART No 4423010 AND 4423020 FOR STEPS AND SIDE RAILS. ORDER PART No 4423010 AND 4423030 FOR JUST THE STEPS

<sup>2</sup> FITS V6 MODEL TACOMAS ONLY.

ARB REAR SUMMIT BAR			
YEAR	DESCRIPTION	FEATURES	PART NO.
2016-23	REAR SUMMIT BAR	WORKS WITH FACTORY HITCH, WORKS WITH REAR PARK SENSORS, HI-LIFT JACK POINTS, PRESS FORMED WINGS, ANODIZED EXTRUSION STEP, BLACK INTEGRIT FINISH	3623040 <sup>1</sup>

<sup>1</sup> NOT COMPATIBLE WITH BLIND SPOT MONITORING.

## TACOMA (4X4 MODELS)

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2016-23	<b>COMPLETE KITS</b>	NITROCHARGER SPORT - STOCK/LIGHT (NO BUMPER, NO WINCH)	KIT	2"	1	ESSENTIALS1 <sup>9</sup>
		NITROCHARGER SPORT - STOCK/LIGHT (NO BUMPER, NO WINCH)	KIT	2"	1	OMETAC16LKSB
		NITROCHARGER SPORT - MEDIUM LOAD (BUMPER OR WINCH)	KIT	2"	1	OMETAC16MKSB
		NITROCHARGER SPORT - HEAVY LOAD (ARB BUMPER & WINCH)	KIT	2"	1	OMETAC16HKSB
		BP-51 - LIGHT LOAD/HEAVY LOAD	KIT	2"	1	OMETAC16BP51B
		BP-51 - LIGHT LOAD WITH UPPER CONTROL ARMS	KIT	2"	1	TACBP51P
		BP-51 - HEAVY CONSTANT LOAD WITH UPPER CONTROL ARMS	KIT	2"	1	TACBP51HP <sup>10</sup>
		NITROCHARGER SPORT - MEDIUM LOAD	KIT	2"	1	OMEKIT-004
		NITROCHARGER SPORT - HEAVY LOAD	KIT	2"	1	OMEKIT-005
		MT64 - STANDARD LOAD	KIT	2.5"	1	MT64TACS
MT64 - HEAVY LOAD	KIT	2.5"	1	MT64TACH		
FRONT	STOCK/LIGHT LOAD (NO ARB BUMPER)	SPRING	2"	1	2887 <sup>1</sup>	
	NITROCHARGER SPORT	STRUT		2	90021 <sup>5,6</sup>	
	MEDIUM LOAD (WITH ARB BUMPER)	SPRING	2"	1	2888 <sup>1</sup>	
	NITROCHARGER SPORT	STRUT		2	*90000 / 90021 <sup>5,6</sup>	
	HEAVY LOAD (WITH ARB BUMPER & WINCH)	SPRING	2"	1	2886 <sup>1</sup>	
	NITROCHARGER SPORT	STRUT		2	90000 <sup>5,6</sup>	
	STANDARD LOAD/HEAVY LOAD	SPRING	2"	1	4004	
	MT64	STRUT		2	MT64901007 <sup>6</sup>	
REAR	MEDIUM LOAD	SPRING	2"	2	EL111R	
	NITROCHARGER SPORT	SHOCK		2	60091	
	HEAVY CONSTANT 660LB LOAD	SPRING	2"	2	EL112R	
	NITROCHARGER SPORT	SHOCK		2	60091	
	STANDARD LOAD	SPRING	2.5"	2	EL111R	
	MT64	SHOCK		1	MT64601013L	
	MT64	SHOCK		1	MT64601013R	
	HEAVY LOAD	SPRING	2.5"	2	EL112R	
	MT64	SHOCK		1	MT64601014L	
	MT64	SHOCK		1	MT64601014R	
<b>REQ'D FOR INSTALLATION</b>	FITTING KIT			1	FK29 <sup>2</sup>	
	U BOLTS			4	OMEU53B	
	REAR SPRING BUSH KIT			2	OMESB108	
	U BOLTS - MT64			4	OMEU53A	
	REAR SPRING BUSH KIT -MT64			2	OMESB106	
<b>OPTIONAL</b>	UPPER CONTROL ARMS			1	UCA0005	
	EXTRA LEAF			2	SEE NOTE <sup>4,8</sup>	
	LEAF SPRING CENTER BOLT			2	UCB17 <sup>4</sup>	
	TRIM PACKER 5MM				OME95PF5 <sup>7</sup>	
	UPPER STRUT BUSHINGS			1	OME3133 <sup>5</sup>	
	STRUT TOP HAT KIT			1	OMETH002 <sup>6</sup>	

<sup>1</sup> OME FRONT COILS CAN ONLY BE INSTALLED WITH OME NITROCHARGER STRUTS AND COIL SEATS.

<sup>2</sup> DRIVESHAFT PACKER KIT IS DESIGNED TO SPACE DOWN CARRIER BEARING TO REDUCE TAIL SHAFT FLANGE ANGLE, THEREBY REDUCING DRIVELINE VIBRATION.

<sup>3</sup> FOR REAR MEDIUM LOAD SPRING REMOVAL OF 3RD LEAF IS REQUIRED

<sup>4</sup> UCB17 x2 AND SLO0530413 x4 REQUIRED WHEN FITTING EL46XL OR D29XL EXTRA LEAF

<sup>5</sup> NO TOP MOUNTING BUSHINGS ARE SUPPLIED, USE OME3133. OE BUSHINGS MAY BE RE-USED IF IN GOOD CONDITION.

<sup>6</sup> STRUT TOP HAT KIT MAY BE REQUIRED IF ORIGINAL EQUIPMENT IS WORN.

<sup>7</sup> TRIM PACKER PART No. OME95PF5 IS DESIGNED TO TRIM VEHICLE FROM DRIVER TO PASSENGER SIDE. NOT TO BE USED FOR ADDITIONAL LIFT.

<sup>8</sup> TO INCREASE LOAD, USE PART NUMBER D29XL FOR "CS" SPRINGS AND EL46XL FOR "EL" SPRINGS.

<sup>9</sup> KIT DOES NOT INCLUDE LEAF SPRINGS. KIT INCLUDES REAR SPACER BLOCKS.

<sup>10</sup> KIT CONTAINS EL112R HEAVY LOAD REAR LEAF SPRINGS.

\* FIRMER VALVING

### OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2005-15	<b>COMPLETE KITS</b>	NITROCHARGER SPORT - STOCK/LIGHT LOAD (0-110LBS)	KIT	2"	1	ESSENTIALS <sup>1</sup>
		NITROCHARGER SPORT - STOCK/LIGHT LOAD (0-110LBS)	KIT	2"	1	OMETAC05LKSB
		NITROCHARGER SPORT - HEAVY LOAD (110-220LBS)	KIT	2"	1	OMETAC05HKSB
		BP-51 - LIGHT LOAD/HEAVY LOAD	KIT	2"	1	OMETAC16BP51B
		BP-51 - LIGHT LOAD WITH UPPER CONTROL ARMS	KIT	2"	1	TACBP51P
		BP-51 - HEAVY CONSTANT LOAD WITH UPPER CONTROL ARMS	KIT	2"	1	TACBP51HP <sup>6</sup>
		NITROCHARGER SPORT - MEDIUM LOAD	KIT	2"	1	OMEKIT-004
		NITROCHARGER SPORT - HEAVY LOAD	KIT	2"	1	OMEKIT-005
		MT64 - STANDARD LOAD	KIT	2.5"	1	MT64TACS
		MT64- HEAVY LOAD	KIT	2.5"	1	MT64TACH
FRONT		STOCK/LIGHT LOAD (0-110LBS)	SPRING	2"	1	2885 <sup>4</sup>
		NITROCHARGER SPORT	STRUT		2	90021
		HEAVY LOAD (110-220LBS)	SPRING	2"	1	2886 <sup>4</sup>
		NITROCHARGER SPORT	STRUT		2	90000
		STANDARD LOAD	SPRING	2.5"	1	4004
		MT64	STRUT		2	MT64901007
REAR		MEDIUM LOAD (0LBS TO GVW)	SPRING	2"	2	EL111R
		NITROCHARGER SPORT	SHOCK		2	60091
		HEAVY CONSTANT 660LB LOAD	SPRING	2"	2	EL112R
		NITROCHARGER SPORT	SHOCK		2	60091
		STANDARD LOAD	SPRING	2.5"	2	EL111R
		MT64	SHOCK		1	MT64601013L
		MT64	SHOCK		1	MT64601013R
		HEAVY LOAD	SPRING	2.5"	2	EL112R
		MT64	SHOCK		1	MT64601014L
	MT64	SHOCK		1	MT64601014R	
<b>REQUIRED</b>		FITTING KIT			1	FK29 <sup>3</sup>
		U BOLTS			4	OMEU53B
		REAR SPRING BUSHING KIT			2	OMESB108
		U BOLTS - MT64			4	OMEU53A
		REAR SPRING BUSH KIT -MT64			2	OMESB106
<b>OPTIONAL</b>		UPPER CONTROL ARMS			1	UCA0005
		EXTRA LEAF			2	SEE NOTE <sup>2,6</sup>
		TRIM PACKER <sup>5</sup>				OME95PF5 <sup>5</sup>

<sup>1</sup> KIT DOES NOT INCLUDE LEAF SPRINGS. KIT INCLUDES REAR SPACER BLOCKS.

<sup>2</sup> TO INCREASE LOAD, USE PART NUMBER D29XL FOR "CS" SPRINGS AND EL46XL FOR "EL" SPRINGS.

<sup>3</sup> DRIVESHAFT PACKER KIT IS DESIGNED TO SPACE DOWN CARRIER BEARING TO REDUCE TAIL SHAFT FLANGE ANGLE, THEREBY REDUCING DRIVELINE VIBRATION.

<sup>4</sup> OME FRONT COILS CAN ONLY BE INSTALLED WITH OME NITROCHARGER STRUTS AND COIL SEATS.

<sup>5</sup> TRIM PACKER PART No. OME95PF5 IS DESIGNED TO TRIM VEHICLE FROM DRIVER TO PASSENGER SIDE. NOT TO BE USED FOR ADDITIONAL LIFT.

<sup>6</sup> UCB17 x2 AND SLO0530413 x4 REQUIRED WHEN FITTING D29XL EXTRA LEAF

<sup>7</sup> KIT CONTAINS EL112R HEAVY LOAD REAR LEAF SPRINGS.

7

OPTIONAL OME BP-51 COILOVER & SHOCK ABSORBERS						
MODEL	LOCATION	DESCRIPTION	LIFT	QUANTITY	PART NO.	
2005-23	FRONT	OME BP-51 INTERNAL BYPASS COILOVER - FRONT RIGHT	2"	1	BP5190006R <sup>1,2</sup>	
		OME BP-51 INTERNAL BYPASS COILOVER - FRONT LEFT	2"	1	BP5190006L <sup>1,2</sup>	
	REAR	OME BP-51 INTERNAL BYPASS SHOCK - REAR RIGHT		1	BP5160011R <sup>3</sup>	
		OME BP-51 INTERNAL BYPASS SHOCK - REAR LEFT		1	BP5160011L <sup>3</sup>	
	VEHICLE MOUNT KITS	VEHICLE MOUNT KIT - FRONT - REQUIRED FOR BP-51 FITMENT			1	VM80010016 <sup>2</sup>
		VEHICLE MOUNT KIT - REAR - REQUIRED FOR BP-51 FITMENT			1	VM80010017 <sup>3</sup>

- <sup>1</sup> OME BP-51 COILOVERS COME PRE LOADED WITH OME COIL SPRINGS.  
<sup>2</sup> VEHICLE MOUNT KIT REQUIRED WHEN FITTING OME BP-51 COILOVER PART NO BP5190006R & BP5190006L  
<sup>3</sup> VEHICLE MOUNT KIT REQUIRED WHEN FITTING OME BP-51 SHOCK PART NO BP5160011R & BP5160011L

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
1998-04	<b>COMPLETE KITS</b>	STOCK/LIGHT LOAD (0-110LBS)	KIT	2"	1	OMETAC04LKS <sup>6</sup>
		HEAVY LOAD (110-220LBS)	KIT	2"	1	OMETAC04HKS <sup>6</sup>
	FRONT	STOCK/LIGHT LOAD (0-110LBS)	SPRING	2"	1	2880 <sup>1</sup>
		NITROCHARGER SPORT	STRUT		2	90004
		HEAVY LOAD (110-220LBS)	SPRING	2"	1	2881 <sup>1</sup>
		NITROCHARGER SPORT	STRUT		2	90004
	REAR	MEDIUM LOAD	SPRING	2"	1+1	EL122RA/B <sup>2</sup>
		NITROCHARGER SPORT	SHOCK			*60065/60062
	REQ'D FOR INSTALLATION	REAR LEAF SPRING BUSHING KIT			2	OMESB121 <sup>3</sup>
		U BOLTS			4	OMEU53B
		EXHAUST BRACKET			1	FK21 <sup>4</sup>
	OPTIONAL	FRONT TRIM SPACER 5MM			1	OME95PF5
		REAR GREASABLE SHACKLE KIT			1	OMEGS12 <sup>3</sup>
		EXTRA LEAF			2	D43XL <sup>7</sup>

- <sup>1</sup> OME FRONT COILS CAN ONLY BE INSTALLED WITH OME NITROCHARGER STRUTS AND COIL SEATS.  
<sup>2</sup> FOR LIGHT LOAD APPLICATIONS, THE 2ND LEAF FROM THE BOTTOM OF THE SPRING PACK CAN BE REMOVED FOR IMPROVED RIDE COMFORT. EL122RA/B REAR LEAF SPRINGS ONLY FIT POST 1998 XTRA CAB AND DOUBLE CAB MODELS.  
<sup>3</sup> OMESB121 SUITS BOTH OE AND OME GREASABLE SHACKLES.  
<sup>4</sup> FK21 EXHAUST BRACKET IS A MANDATORY FITMENT TO ENSURE EXHAUST SYSTEM CLEARS SPRINGS.  
<sup>5</sup> KIT CONTAINS STANDARD OLD MAN EMU NITROCHARGER SHOCKS  
<sup>6</sup> KIT CONTAINS OLD MAN EMU NITROCHARGER SPORT SHOCKS  
<sup>7</sup> ADD EXTRA LEAF TO REAR SPRING PACK WHEN CARRYING 220LBS AS A HEAVY CONSTANT LOAD.  
 \* FIRMER SHOCK

## TACOMA (4X4 MODELS)

### SAFARI SNORKEL

YEAR	RECOMMENDED SNORKEL	PART NO.
1995-04	TOYOTA TACOMA V6 SNORKEL	SS170HF
2005-15	TOYOTA TACOMA V6 SNORKEL	SS171HP
2016-23	TOYOTA TACOMA V6 SNORKEL	SS172HP

REFER TO [WWW.SAFARI4X4.COM.AU](http://WWW.SAFARI4X4.COM.AU) FOR DETAILS.

### ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
1996-04	FRONT	7.5" DIA. RG, 10 BOLT, IFS	28 (1.1")	27	ALL	RD90
2005-23	FRONT	8" DIA. RG, IFS, 53MM BEARING ID	33 (1.31")	30	3.91 & UP	RD111 <sup>2</sup>
		8" DIA. RG, IFS, 53MM BEARING ID	33 (1.31")	30	3.73 & DN	RD121 <sup>2</sup>
1996-15	REAR	8.4" DIA. RG, 12 BOLT	33 (1.31")	30	ALL	RD129 <sup>1</sup>
2016-23	REAR	8.0" DIA. RG, ALL AUTOS EXCLUDING OE LOCKER EQUIPPED	33 (1.31")	30	ALL	RD132
		8.9" DIA. RG, ALL MANUALS & ALL OE LOCKER EQUIPPED	34.8 (1.37")	32	ALL	RD232

<sup>1</sup> LOCKER SUITS OPEN DIFFERENTIALS ONLY, AND WILL NOT REPLACE THE FACTORY E-LOCKER UNLESS THE HOUSING AND 3RD MEMBER ARE REPLACED WITH OPEN END DIFFS.

<sup>2</sup> FACTORY R&P MAY USE EITHER RD111 OR RD121 DEPENDING ON RATIO. FOR AFTERMARKET R&P, CONSULT YOUR GEAR SUPPLIER TO ASSURE PROPER FITMENT.

### ARB COMPRESSOR BRACKET

YEAR	DESCRIPTION	PART NO.
2016-19	COMPRESSOR BRACKET - MOUNTS IN LEFT SIDE BED CUBBY COMPARTMENT	3523010

<sup>1</sup> ACCEPTS ARB CKMTA12, CKMA12 AND CKSA12 AIR COMPRESSORS SYSTEMS.

<sup>2</sup> KIT NOT SUPPLIED WITH EXTENDED COMPRESSOR HARNESS. CUSTOM EXTENDED HARNESS REQUIRED.

<sup>3</sup> OPTIONAL SWITCH EXTENSION HARNESS PART NUMBER 180427 IS AVAILABLE. ONLY EXTENDS SWITCH, DOES NOT EXTEND POWER.

### ARB OUTBACK SOLUTIONS ROLLER DRAWERS

YEAR	DESCRIPTION	PART NO.
2016-23	SIDE FLOOR KIT TO SUIT 1355 DRAWERS - 5FT BED MODELS ONLY	TACODRAWKIT <sup>1</sup>
	ROLLER DRAWER - 19.9" X 53.3" X 12.2" - (FIXED TOP)	RD1355 <sup>1</sup>
	ROLLER DRAWER WITH ROLLER FLOOR - 19.9" X 53.3" X 12.2" - (TOP ALSO SLIDES OUT)	RDRF1355 <sup>1</sup>
	ROLLER FLOOR LOW HEIGHT DRAWER - 19.9" X 53.3" X 5.5" (TOP ALSO SLIDES OUT)	RF1355 <sup>1</sup>

<sup>1</sup> SIDE FLOOR KIT AND X2 SERIES 1355 DRAWERS REQUIRED FOR PROPER FITMENT

### ARB ROOF RACK

YEAR	DESCRIPTION	PART NO.
2005-23	ARB STEEL NON MESH ROOF RACK - 52"X 44" - DOUBLE CAB MODELS ONLY	3800250K
	ARB STEEL TRADE ROOF RACK - 52"X 44" - DOUBLE CAB MODELS ONLY	3800253K
	ARB STEEL FLAT ROOF RACK - 53"X 49" - DOUBLE CAB MODELS ONLY	3800180K <sup>1</sup>

<sup>1</sup> IF VEHICLE IS EQUIPPED WITH SHARK FIN ANTENNA, PLEASE CONTACT ARB TECH FOR FITMENT INFO - 425-264-1391

### ARB BASE RACK SYSTEM

		PART NO.
2016-23	49" X 45" BASE RACK KIT - FLAT RACK WITH DEFLECTOR	BASE301 <sup>1</sup>
	49" X 51" BASE RACK KIT - FLAT RACK WITH DEFLECTOR	BASE311 <sup>1</sup>

BASE Rack Accessories - [HTTPS://WWW.ARBUSA.COM/ROOF-RACKS/ARB-BASE-RACK/ROOF-RACK-ACCESSORIES/](https://www.arbusa.com/roof-racks/arb-base-rack/roof-rack-accessories/)

1. SUITS DUAL CAB MODELS ONLY